
Dataset: herc.student.full.08-13.dta
Number of variables: 2,750
Number of observations: 418,241
Codebook 2: campchg1-hzzcampus13 (# vars)
Updated: 10-28-14

campchg1 Student Changed Schools Btw 2008 & 2009, Merged Longitudinal File

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 0/418241
tabulation: Freq. Value
3.7e+05 0
47810 1

campchg2 Student Changed Schools Btw 2009 & 2010, Merged Longitudinal File

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 0/418241
tabulation: Freq. Value
3.7e+05 0
46071 1

campchg3 Student Changed Schools Btw 2010 & 2011, Merged Longitudinal File

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 0/418241
tabulation: Freq. Value
3.7e+05 0
43753 1

campchg4 Student Changed Schools Btw 2011 & 2012, Merged Longitudinal File

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 0/418241
tabulation: Freq. Value
3.7e+05 0
47046 1

campchg5 Student Changed Schools Btw 2012 & 2013, Merged Longitudinal File

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 0/418241

tabulation: Freq. Value
3.7e+05 0
43308 1

chggrd08 Problem Grade Verified & Edited, Merged Longitudinal File, 2007-08

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 74056/418241

tabulation: Freq. Value
3.4e+05 0
542 1
74056 .

chggrd09 Problem Grade Verified & Edited, Merged Longitudinal File, 2008-09

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 74056/418241

tabulation: Freq. Value
3.4e+05 0
908 1
74056 .

chggrd10 Problem Grade Verified & Edited, Merged Longitudinal File, 2009-10

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 74056/418241

tabulation: Freq. Value
3.4e+05 0
762 1
74056 .

chggrd11 Problem Grade Verified & Edited, Merged Longitudinal File, 2010-11

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 74056/418241

tabulation: Freq. Value
3.4e+05 0

469 1
74056 .

chggrd12 Problem Grade Verified & Edited, Merged Longitudinal File, 2011-12

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 74056/418241
tabulation: Freq. Value
3.4e+05 0
626 1
74056 .

ckpgrd09 Possible Discrepancy Btw Pgrade Vars, Merged Longitudinal File, 2008 & 2009

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 406606/418241
tabulation: Freq. Value
11635 1
4.1e+05 .

ckpgrd10 Possible Discrepancy Btw Pgrade Vars, Merged Longitudinal File, 2009 & 2010

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 407788/418241
tabulation: Freq. Value
10453 1
4.1e+05 .

ckpgrd11 Possible Discrepancy Btw Pgrade Vars, Merged Longitudinal File, 2010 & 2011

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 408511/418241
tabulation: Freq. Value
9730 1
4.1e+05 .

ckpgrd12 Possible Discrepancy Btw Pgrade Vars, Merged Longitudinal File, 2011 & 2012

type: numeric (float)
range: [1,1] units: 1

unique values: 1

missing .: 411026/418241

tabulation: Freq. Value
7215 1
4.1e+05 .

dkgrd08 Problem Grade Not Verified, Merged Longitudinal File, 2007-08

type: numeric (float)

range: [0,1]
unique values: 2

units: 1
missing .: 74056/418241

tabulation: Freq. Value
3.4e+05 0
21 1
74056 .

dkgrd09 Problem Grade Not Verified, Merged Longitudinal File, 2008-09

type: numeric (float)

range: [0,1]
unique values: 2

units: 1
missing .: 74056/418241

tabulation: Freq. Value
3.4e+05 0
36 1
74056 .

dkgrd10 Problem Grade Not Verified, Merged Longitudinal File, 2009-10

type: numeric (float)

range: [0,1]
unique values: 2

units: 1
missing .: 74056/418241

tabulation: Freq. Value
3.4e+05 0
23 1
74056 .

dkgrd11 Problem Grade Not Verified, Merged Longitudinal File, 2010-11

type: numeric (float)

range: [0,1]
unique values: 2

units: 1
missing .: 74056/418241

tabulation: Freq. Value
3.4e+05 0
15 1
74056 .

```

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 74056/418241

tabulation: Freq. Value
              3.4e+05 0
              79 1
              74056 .

```

 dnlethchg Ethnicity Change, Down (PEIMS), Merged Longitudinal File, 2008-2012

```

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 34941/418241

tabulation: Freq. Value
              3.8e+05 0
              1095 1
              34941 .

```

 fixgrd0809 Determines Problem Grade Fixes, Merged Longitudinal File, 2007-08 & 2008-09

```

type: numeric (float)
label: LfixgrdYRZR
range: [0,7] units: 1
unique values: 8 missing .: 406606/418241

tabulation: Freq. Numeric Label
              122 0 0.Set Aside To Check All
              10459 1 1.OK
              448 2 2.Change YRa
              317 3 3.Change YRb
              195 4 4.Change YRa & YRb
              12 5 5.Check YRa
              13 6 6.Check YRb
              69 7 7.Check YRa & YRb
              4.1e+05 .

```

 fixgrd0910 Determines Problem Grade Fixes, Merged Longitudinal File, 2008-09 & 2009-10

```

type: numeric (float)
label: LfixgrdYRZR
range: [0,7] units: 1
unique values: 8 missing .: 407788/418241

tabulation: Freq. Numeric Label
              165 0 0.Set Aside To Check All
              9213 1 1.OK
              648 2 2.Change YRa
              179 3 3.Change YRb

```

```

178      4  4.Change YRa & YRb
7        5  5.Check YRa
9        6  6.Check YRb
54       7  7.Check YRa & YRb
4.1e+05  .

```

```
fixgrd1011    Determines Problem Grade Fixes, Merged Longitudinal File, 2009-10 & 2010-11
```

```

type: numeric (float)
label: LfixgrdYRYR

```

```

range: [0,7]                units: 1
unique values: 8             missing .: 408511/418241

```

```

tabulation:  Freq.  Numeric  Label
              83      0      0.Set Aside To Check All
              8821     1      1.OK
              575      2      2.Change YRa
              102      3      3.Change YRb
              90       4      4.Change YRa & YRb
              5        5      5.Check YRa
              21       6      6.Check YRb
              33       7      7.Check YRa & YRb
4.1e+05      .

```

```
fixgrd1112    Determines Problem Grade Fixes, Merged Longitudinal File, 2010-11 & 2011-12
```

```

type: numeric (float)
label: LfixgrdYRYR

```

```

range: [0,7]                units: 1
unique values: 8             missing .: 411026/418241

```

```

tabulation:  Freq.  Numeric  Label
              56      0      0.Set Aside To Check All
              6086     1      1.OK
              353      2      2.Change YRa
              608      3      3.Change YRb
              2        4      4.Change YRa & YRb
              5        5      5.Check YRa
              66       6      6.Check YRb
              39       7      7.Check YRa & YRb
4.1e+05      .

```

```
flanae08      Analytic Sample- Not Special Ed, Aprenda Environment 2007-08
```

```
type: numeric (float)
```

```

range: [0,1]                units: 1
unique values: 2             missing .: 399760/418241

```

```

tabulation:  Freq.  Value
              506    0
              17975  1
4.0e+05     .

```

flanae09

Analytic Sample- Not Special Ed, Aprenda Environment 2008-09

type: numeric (float)

range: [0,1] units: 1
unique values: 2 missing .: 399801/418241

tabulation: Freq. Value
76 0
18364 1
4.0e+05 .

flanae10

Analytic Sample- Not Special Ed, Aprenda Environment 2009-10

type: numeric (float)

range: [0,1] units: 1
unique values: 2 missing .: 399877/418241

tabulation: Freq. Value
411 0
17953 1
4.0e+05 .

flanae11

Analytic Sample- Not Special Ed, Aprenda Environment 2010-11

type: numeric (float)

range: [0,1] units: 1
unique values: 2 missing .: 399984/418241

tabulation: Freq. Value
324 0
17933 1
4.0e+05 .

flanae12

Analytic Sample- Not Special Ed, Aprenda Environment 2011-12

type: numeric (float)

range: [0,1] units: 1
unique values: 2 missing .: 400284/418241

tabulation: Freq. Value
273 0
17684 1
4.0e+05 .

flanae13

Analytic Sample- Not Special Ed, Aprenda Environment 2012-13

type: numeric (float)

range: [0,1] units: 1
unique values: 2 missing .: 400076/418241

```
tabulation:  Freq.  Value
              492    0
              17673  1
              4.0e+05 .
```

flanal08 Analytic Sample- Not Special Ed, Aprenda Language 2007-08

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 397762/418241

tabulation:  Freq.  Value
              720    0
              19759  1
              4.0e+05 .
```

flanal09 Analytic Sample- Not Special Ed, Aprenda Language 2008-09

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 397487/418241

tabulation:  Freq.  Value
              160    0
              20594  1
              4.0e+05 .
```

flanal10 Analytic Sample- Not Special Ed, Aprenda Language 2009-10

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 397930/418241

tabulation:  Freq.  Value
              546    0
              19765  1
              4.0e+05 .
```

flanal11 Analytic Sample- Not Special Ed, Aprenda Language 2010-11

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 398187/418241

tabulation:  Freq.  Value
              487    0
              19567  1
              4.0e+05 .
```

flanal12 Analytic Sample- Not Special Ed, Aprenda Language 2011-12

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 399207/418241
tabulation: Freq. Value
 485 0
 18549 1
 4.0e+05 .

flanal13 Analytic Sample- Not Special Ed, Aprenda Language 2012-13

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 399894/418241
tabulation: Freq. Value
 569 0
 17778 1
 4.0e+05 .

flanam08 Analytic Sample- Not Special Ed, Aprenda Math 2007-08

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 391526/418241
tabulation: Freq. Value
 848 0
 25867 1
 3.9e+05 .

flanam09 Analytic Sample- Not Special Ed, Aprenda Math 2008-09

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 391207/418241
tabulation: Freq. Value
 167 0
 26867 1
 3.9e+05 .

flanam10 Analytic Sample- Not Special Ed, Aprenda Math 2009-10

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 391853/418241

```
tabulation: Freq. Value
             659  0
             25729 1
             3.9e+05 .
```

flanam11 Analytic Sample- Not Special Ed, Aprenda Math 2010-11

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 391980/418241
```

```
tabulation: Freq. Value
             551  0
             25710 1
             3.9e+05 .
```

flanam12 Analytic Sample- Not Special Ed, Aprenda Math 2011-12

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 393137/418241
```

```
tabulation: Freq. Value
             484  0
             24620 1
             3.9e+05 .
```

flanam13 Analytic Sample- Not Special Ed, Aprenda Math 2012-13

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 393564/418241
```

```
tabulation: Freq. Value
             702  0
             23975 1
             3.9e+05 .
```

flanar08 Analytic Sample- Not Special Ed, Aprenda Reading 2007-08

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 391532/418241
```

```
tabulation: Freq. Value
             846  0
             25863 1
             3.9e+05 .
```

flanar09

Analytic Sample- Not Special Ed, Aprenda Reading 2008-09

type: numeric (float)

range: [0,1] units: 1
unique values: 2 missing .: 391227/418241

tabulation: Freq. Value
167 0
26847 1
3.9e+05 .

flanar10

Analytic Sample- Not Special Ed, Aprenda Reading 2009-10

type: numeric (float)

range: [0,1] units: 1
unique values: 2 missing .: 391834/418241

tabulation: Freq. Value
662 0
25745 1
3.9e+05 .

flanar11

Analytic Sample- Not Special Ed, Aprenda Reading 2010-11

type: numeric (float)

range: [0,1] units: 1
unique values: 2 missing .: 391967/418241

tabulation: Freq. Value
551 0
25723 1
3.9e+05 .

flanar12

Analytic Sample- Not Special Ed, Aprenda Reading 2011-12

type: numeric (float)

range: [0,1] units: 1
unique values: 2 missing .: 393093/418241

tabulation: Freq. Value
487 0
24661 1
3.9e+05 .

flanar13

Analytic Sample- Not Special Ed, Aprenda Reading 2012-13

type: numeric (float)

range: [0,1] units: 1
unique values: 2 missing .: 393563/418241

tabulation: Freq. Value
702 0
23976 1
3.9e+05 .

flanas08 Analytic Sample- Not Special Ed, Aprenda Science 2007-08

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 410076/418241

tabulation: Freq. Value
333 0
7832 1
4.1e+05 .

flanas09 Analytic Sample- Not Special Ed, Aprenda Science 2008-09

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 409703/418241

tabulation: Freq. Value
91 0
8447 1
4.1e+05 .

flanas10 Analytic Sample- Not Special Ed, Aprenda Science 2009-10

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 410224/418241

tabulation: Freq. Value
249 0
7768 1
4.1e+05 .

flanas11 Analytic Sample- Not Special Ed, Aprenda Science 2010-11

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 410261/418241

tabulation: Freq. Value
228 0
7752 1
4.1e+05 .

flanas12

Analytic Sample- Not Special Ed, Aprenda Science 2011-12

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 411066/418241
tabulation: Freq. Value
 215 0
 6960 1
 4.1e+05 .

flanas13

Analytic Sample- Not Special Ed, Aprenda Science 2012-13

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 411743/418241
tabulation: Freq. Value
 212 0
 6286 1
 4.1e+05 .

flanat08

Analytic Sample- Not Special Ed, Aprenda Social Studies 2007-08

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 410078/418241
tabulation: Freq. Value
 333 0
 7830 1
 4.1e+05 .

flanat09

Analytic Sample- Not Special Ed, Aprenda Social Studies 2008-09

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 409707/418241
tabulation: Freq. Value
 91 0
 8443 1
 4.1e+05 .

flanat10

Analytic Sample- Not Special Ed, Aprenda Social Studies 2009-10

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 410228/418241

tabulation: Freq. Value
247 0
7766 1
4.1e+05 .

flanat11 Analytic Sample- Not Special Ed, Aprenda Social Studies 2010-11

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 410263/418241

tabulation: Freq. Value
228 0
7750 1
4.1e+05 .

flanat12 Analytic Sample- Not Special Ed, Aprenda Social Studies 2011-12

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 411071/418241

tabulation: Freq. Value
214 0
6956 1
4.1e+05 .

flanat13 Analytic Sample- Not Special Ed, Aprenda Social Studies 2012-13

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 411739/418241

tabulation: Freq. Value
212 0
6290 1
4.1e+05 .

flanp08 Analytic Sample-ADA Eligible, PEIMS 2007-08

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 218733/418241

tabulation: Freq. Value
1223 0
2.0e+05 1
2.2e+05 .

flanp09

Analytic Sample-ADA Eligible, PEIMS 2008-09

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 218017/418241
tabulation: Freq. Value
 1072 0
 2.0e+05 1
 2.2e+05 .

flanp10

Analytic Sample-ADA Eligible, PEIMS 2009-10

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 215468/418241
tabulation: Freq. Value
 2032 0
 2.0e+05 1
 2.2e+05 .

flanp11

Analytic Sample-ADA Eligible, PEIMS 2010-11

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 213996/418241
tabulation: Freq. Value
 2167 0
 2.0e+05 1
 2.1e+05 .

flanp12

Analytic Sample-ADA Eligible, PEIMS 2011-12

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 215175/418241
tabulation: Freq. Value
 1769 0
 2.0e+05 1
 2.2e+05 .

flanp13

Analytic Sample-ADA Eligible, PEIMS 2012-13

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 214887/418241

tabulation: Freq. Value
1047 0
2.0e+05 1
2.1e+05 .

flanrme12 Analytic Sample- Test Version S, English Language, STAAR Math 2011-12

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 336184/418241

tabulation: Freq. Value
11865 0
70192 1
3.4e+05 .

flanrme13 Analytic Sample- Test Version S, English Language, STAAR Math 2012-13

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 336492/418241

tabulation: Freq. Value
11247 0
70502 1
3.4e+05 .

flanrms12 Analytic Sample- Test Version S, Spanish Language, STAAR Math 2011-12

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 336184/418241

tabulation: Freq. Value
74995 0
7062 1
3.4e+05 .

flanrms13 Analytic Sample- Test Version S, Spanish Language, STAAR Math 2012-13

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 336492/418241

tabulation: Freq. Value
75329 0
6420 1
3.4e+05 .

flanrre12 Analytic Sample- Test Version S, English Language- STAAR Reading 2011-12

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 333339/418241
tabulation: Freq. Value
10830 0
74072 1
3.3e+05 .

flanrre13 Analytic Sample- Test Version S, English Language- STAAR Reading 2012-13

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 333535/418241
tabulation: Freq. Value
10257 0
74449 1
3.3e+05 .

flanrrs12 Analytic Sample- Test Version S, Spanish Language- STAAR Reading 2011-12

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 333339/418241
tabulation: Freq. Value
77816 0
7086 1
3.3e+05 .

flanrrs13 Analytic Sample- Test Version S, Spanish Language- STAAR Reading 2012-13

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 333535/418241
tabulation: Freq. Value
78245 0
6461 1
3.3e+05 .

flanrse12 Analytic Sample- Test Version S, English Language, STAAR Science 2011-12

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 390627/418241

```
tabulation:  Freq.  Value
              1681  0
              25933 1
              3.9e+05 .
```

flanrse13 Analytic Sample- Test Version S, English Language, STAAR Science 2012-13

```
type:  numeric (float)
range:  [0,1]
unique values:  2
units:  1
missing .:  391103/418241
```

```
tabulation:  Freq.  Value
              1637  0
              25501 1
              3.9e+05 .
```

flanrssi12 Analytic Sample- Test Version S, Spanish Language, STAAR Science 2011-12

```
type:  numeric (float)
range:  [0,1]
unique values:  2
units:  1
missing .:  390627/418241
```

```
tabulation:  Freq.  Value
              27574  0
               40  1
              3.9e+05 .
```

flanrssi13 Analytic Sample- Test Version S, Spanish Language, STAAR Science 2012-13

```
type:  numeric (float)
range:  [0,1]
unique values:  2
units:  1
missing .:  391103/418241
```

```
tabulation:  Freq.  Value
              27068  0
               70  1
              3.9e+05 .
```

flanrte12 Analytic Sample- Test Version S, English Language, STAAR Social Studies 2011-12

```
type:  numeric (float)
range:  [0,1]
unique values:  2
units:  1
missing .:  405994/418241
```

```
tabulation:  Freq.  Value
              854  0
              11393 1
              4.1e+05 .
```

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 405964/418241
tabulation: Freq. Value
827 0
11450 1
4.1e+05 .

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 390367/418241
tabulation: Freq. Value
3494 0
24380 1
3.9e+05 .

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 389898/418241
tabulation: Freq. Value
3083 0
25260 1
3.9e+05 .

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 390367/418241
tabulation: Freq. Value
25624 0
2250 1
3.9e+05 .

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 389898/418241

```
tabulation:  Freq.  Value
              26422  0
              1921  1
              3.9e+05  .
```

```
flanse08      Analytic Sample- Not Special Ed, Stanford Environment 2007-08
```

```
type:  numeric (float)
range:  [0,1]
unique values:  2
units:  1
missing .:  387258/418241
```

```
tabulation:  Freq.  Value
              1536  0
              29447  1
              3.9e+05  .
```

```
flanse09      Analytic Sample- Not Special Ed, Stanford Environment 2008-09
```

```
type:  numeric (float)
range:  [0,1]
unique values:  2
units:  1
missing .:  387002/418241
```

```
tabulation:  Freq.  Value
              1549  0
              29690  1
              3.9e+05  .
```

```
flanse10      Analytic Sample- Not Special Ed, Stanford Environment 2009-10
```

```
type:  numeric (float)
range:  [0,1]
unique values:  2
units:  1
missing .:  386981/418241
```

```
tabulation:  Freq.  Value
              1258  0
              30002  1
              3.9e+05  .
```

```
flanse11      Analytic Sample- Not Special Ed, Stanford Environment 2010-11
```

```
type:  numeric (float)
range:  [0,1]
unique values:  2
units:  1
missing .:  386676/418241
```

```
tabulation:  Freq.  Value
              1141  0
              30424  1
              3.9e+05  .
```

flanse12 Analytic Sample- Not Special Ed, Stanford Environment 2011-12

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 386838/418241
tabulation: Freq. Value
1034 0
30369 1
3.9e+05 .

flanse13 Analytic Sample- Not Special Ed, Stanford Environment 2012-13

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 386067/418241
tabulation: Freq. Value
1393 0
30781 1
3.9e+05 .

flansl08 Analytic Sample- Not Special Ed, Stanford Language 2007-08

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 287745/418241
tabulation: Freq. Value
12320 0
1.2e+05 1
2.9e+05 .

flansl09 Analytic Sample- Not Special Ed, Stanford Language 2008-09

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 288950/418241
tabulation: Freq. Value
14419 0
1.1e+05 1
2.9e+05 .

flansl10 Analytic Sample- Not Special Ed, Stanford Language 2009-10

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 287253/418241

```
tabulation: Freq. Value
            10755 0
            1.2e+05 1
            2.9e+05 .
```

```
flansl11 Analytic Sample- Not Special Ed, Stanford Language 2010-11
```

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 286696/418241
tabulation: Freq. Value
            10391 0
            1.2e+05 1
            2.9e+05 .
```

```
flansl12 Analytic Sample- Not Special Ed, Stanford Language 2011-12
```

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 321017/418241
tabulation: Freq. Value
            7111 0
            90113 1
            3.2e+05 .
```

```
flansl13 Analytic Sample- Not Special Ed, Stanford Language 2012-13
```

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 320127/418241
tabulation: Freq. Value
            7298 0
            90816 1
            3.2e+05 .
```

```
flansm08 Analytic Sample- Not Special Ed, Stanford Math 2007-08
```

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 277905/418241
tabulation: Freq. Value
            12672 0
            1.3e+05 1
            2.8e+05 .
```

flansm09

Analytic Sample- Not Special Ed, Stanford Math 2008-09

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 278881/418241
tabulation: Freq. Value
14762 0
1.2e+05 1
2.8e+05 .

flansm10

Analytic Sample- Not Special Ed, Stanford Math 2009-10

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 277008/418241
tabulation: Freq. Value
11033 0
1.3e+05 1
2.8e+05 .

flansm11

Analytic Sample- Not Special Ed, Stanford Math 2010-11

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 276425/418241
tabulation: Freq. Value
10542 0
1.3e+05 1
2.8e+05 .

flansm12

Analytic Sample- Not Special Ed, Stanford Math 2011-12

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 310827/418241
tabulation: Freq. Value
7110 0
1.0e+05 1
3.1e+05 .

flansm13

Analytic Sample- Not Special Ed, Stanford Math 2012-13

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 309423/418241

```
tabulation:  Freq.  Value
              7599  0
              1.0e+05 1
              3.1e+05 .
```

flansr08 Analytic Sample- Not Special Ed, Stanford Reading 2007-08

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 278344/418241

tabulation:  Freq.  Value
              12631  0
              1.3e+05 1
              2.8e+05 .
```

flansr09 Analytic Sample- Not Special Ed, Stanford Reading 2008-09

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 279086/418241

tabulation:  Freq.  Value
              14717  0
              1.2e+05 1
              2.8e+05 .
```

flansr10 Analytic Sample- Not Special Ed, Stanford Reading 2009-10

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 277285/418241

tabulation:  Freq.  Value
              10997  0
              1.3e+05 1
              2.8e+05 .
```

flansr11 Analytic Sample- Not Special Ed, Stanford Reading 2010-11

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 276812/418241

tabulation:  Freq.  Value
              10518  0
              1.3e+05 1
              2.8e+05 .
```

flansr12

Analytic Sample- Not Special Ed, Stanford Reading 2011-12

type: numeric (float)

range: [0,1] units: 1
unique values: 2 missing .: 311080/418241

tabulation: Freq. Value
7109 0
1.0e+05 1
3.1e+05 .

flansr13

Analytic Sample- Not Special Ed, Stanford Reading 2012-13

type: numeric (float)

range: [0,1] units: 1
unique values: 2 missing .: 309539/418241

tabulation: Freq. Value
7590 0
1.0e+05 1
3.1e+05 .

flanss08

Analytic Sample- Not Special Ed, Stanford Science 2007-08

type: numeric (float)

range: [0,1] units: 1
unique values: 2 missing .: 309453/418241

tabulation: Freq. Value
11067 0
97721 1
3.1e+05 .

flanss09

Analytic Sample- Not Special Ed, Stanford Science 2008-09

type: numeric (float)

range: [0,1] units: 1
unique values: 2 missing .: 310525/418241

tabulation: Freq. Value
13128 0
94588 1
3.1e+05 .

flanss10

Analytic Sample- Not Special Ed, Stanford Science 2009-10

type: numeric (float)

range: [0,1] units: 1
unique values: 2 missing .: 308613/418241

```
tabulation:  Freq.  Value
              9741   0
              99887  1
              3.1e+05 .
```

flanss11 Analytic Sample- Not Special Ed, Stanford Science 2010-11

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 308480/418241
```

```
tabulation:  Freq.  Value
              9370   0
              1.0e+05 1
              3.1e+05 .
```

flanss12 Analytic Sample- Not Special Ed, Stanford Science 2011-12

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 342384/418241
```

```
tabulation:  Freq.  Value
              6081   0
              69776  1
              3.4e+05 .
```

flanss13 Analytic Sample- Not Special Ed, Stanford Science 2012-13

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 341743/418241
```

```
tabulation:  Freq.  Value
              6188   0
              70310  1
              3.4e+05 .
```

flanst08 Analytic Sample- Not Special Ed, Stanford Social Studies 2007-08

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 309497/418241
```

```
tabulation:  Freq.  Value
              11050  0
              97694  1
              3.1e+05 .
```

flanst09 Analytic Sample- Not Special Ed, Stanford Social Studies 2008-09

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 310560/418241
tabulation: Freq. Value
13116 0
94565 1
3.1e+05 .

flanst10 Analytic Sample- Not Special Ed, Stanford Social Studies 2009-10

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 308745/418241
tabulation: Freq. Value
9709 0
99787 1
3.1e+05 .

flanst11 Analytic Sample- Not Special Ed, Stanford Social Studies 2010-11

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 308514/418241
tabulation: Freq. Value
9357 0
1.0e+05 1
3.1e+05 .

flanst12 Analytic Sample- Not Special Ed, Stanford Social Studies 2011-12

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 342444/418241
tabulation: Freq. Value
6077 0
69720 1
3.4e+05 .

flanst13 Analytic Sample- Not Special Ed, Stanford Social Studies 2012-13

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 341768/418241

```
tabulation:  Freq.  Value
              6184  0
              70289 1
              3.4e+05 .
```

flantme08 Analytic Sample- Test Version A or K, Valid Vert Score, Eng- TAKS Math 2007-08

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 309341/418241
tabulation:  Freq.  Value
              7739  0
              1.0e+05 1
              3.1e+05 .
```

flantme09 Analytic Sample- Test Version A or K, Valid Vert Score, Eng- TAKS Math 2008-09

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 305323/418241
tabulation:  Freq.  Value
              13003  0
              99915  1
              3.1e+05 .
```

flantme10 Analytic Sample- Test Version A or K, English- TAKS Math 2009-10

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 302112/418241
tabulation:  Freq.  Value
              13500  0
              1.0e+05 1
              3.0e+05 .
```

flantme11 Analytic Sample- Test Version A or K, English Test- TAKS Math 2010-11

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 302116/418241
tabulation:  Freq.  Value
              13167  0
              1.0e+05 1
              3.0e+05 .
```

flantme12 Analytic Sample- Test Version A or K, English Test- TAKS Reading 2011-12

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 398060/418241
tabulation: Freq. Value
694 0
19487 1
4.0e+05 .

flantme13 Analytic Sample- Test Version A or K, English Test- TAKS Reading 2012-13

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 408663/418241
tabulation: Freq. Value
308 0
9270 1
4.1e+05 .

flantms08 Analytic Sample- Test Version A or K, Valid Vert Score, Span- TAKS Math 2007-08

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 309341/418241
tabulation: Freq. Value
1.0e+05 0
7725 1
3.1e+05 .

flantms09 Analytic Sample- Test Version A or K, Valid Vert Score, Span- TAKS Math 2008-09

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 305323/418241
tabulation: Freq. Value
1.0e+05 0
8141 1
3.1e+05 .

flantms10 Analytic Sample- Test Version A or K, Spanish- TAKS Math 2009-10

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 302112/418241

```
tabulation: Freq. Value
            1.1e+05 0
              7709 1
            3.0e+05 .
```

flantms11 Analytic Sample- Test Version A or K, Spanish Test- TAKS Math 2010-11

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 302116/418241

tabulation: Freq. Value
            1.1e+05 0
              7720 1
            3.0e+05 .
```

flantre08 Analytic Sample- No Missing on Vert Score, Test A/K, Eng- TAKS Reading 2007-08

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 308981/418241

tabulation: Freq. Value
            7712 0
            1.0e+05 1
            3.1e+05 .
```

flantre09 Analytic Sample- No Missing on Vert Score, Test A/K, Eng- TAKS Reading 2008-09

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 304726/418241

tabulation: Freq. Value
            13038 0
            1.0e+05 1
            3.0e+05 .
```

flantre10 Analytic Sample- Test Version A or K, English Test- TAKS Reading 2009-10

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 301829/418241

tabulation: Freq. Value
            13692 0
            1.0e+05 1
            3.0e+05 .
```

flantrel1 Analytic Sample- Test Version A or K, English Test- TAKS Reading 2010-11

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 301817/418241
tabulation: Freq. Value
13392 0
1.0e+05 1
3.0e+05 .

flantrel2 Analytic Sample- Test Version A or K, English Test- TAKS Reading 2011-12

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 397886/418241
tabulation: Freq. Value
733 0
19622 1
4.0e+05 .

flantrel3 Analytic Sample- Test Version A or K, English Test- TAKS Reading 2012-13

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 408707/418241
tabulation: Freq. Value
279 0
9255 1
4.1e+05 .

flantrs08 Analytic Sample- No Missing on Vert Score, Test A/K, Span- TAKS Reading 2007-08

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 308981/418241
tabulation: Freq. Value
1.0e+05 0
7702 1
3.1e+05 .

flantrs09 Analytic Sample- No Missing on Vert Score, Test A/K, Span- TAKS Reading 2008-09

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 304726/418241

```
tabulation: Freq. Value
            1.1e+05 0
            8158 1
            3.0e+05 .
```

flantrs10 Analytic Sample- Test Version A or K, Spanish Test- TAKS Reading 2009-10

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 301829/418241
```

```
tabulation: Freq. Value
            1.1e+05 0
            7693 1
            3.0e+05 .
```

flantrs11 Analytic Sample- Test Version A or K, Spanish Test- TAKS Reading 2010-11

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 301817/418241
```

```
tabulation: Freq. Value
            1.1e+05 0
            7735 1
            3.0e+05 .
```

flantse08 Analytic Sample- Test Version A or K, English Test- TAKS Science 2007-08

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 375982/418241
```

```
tabulation: Freq. Value
            61 0
            42198 1
            3.8e+05 .
```

flantse09 Analytic Sample- Test Version A or K, English Test- TAKS Science 2008-09

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 373397/418241
```

```
tabulation: Freq. Value
            2171 0
            42673 1
            3.7e+05 .
```

flantse10 Analytic Sample- Test Version A or K, English Test- TAKS Science 2009-10

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 371866/418241
tabulation: Freq. Value
2359 0
44016 1
3.7e+05 .

flantse11 Analytic Sample- Test Version A or K, English Test- TAKS Science 2010-11

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 370927/418241
tabulation: Freq. Value
2159 0
45155 1
3.7e+05 .

flantse12 Analytic Sample- Test Version A or K, English Test- TAKS Science 2011-12

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 398126/418241
tabulation: Freq. Value
608 0
19507 1
4.0e+05 .

flantse13 Analytic Sample- Test Version A or K, English Test- TAKS Science 2012-13

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 408647/418241
tabulation: Freq. Value
286 0
9308 1
4.1e+05 .

flantss08 Analytic Sample- Test Version A or K, Spanish Test- TAKS Science 2007-08

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 375982/418241

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 388645/418241
tabulation: Freq. Value
29596 1
3.9e+05 .

flantte10 Analytic Sample- Test A or K, English Test- TAKS Social Studies 2009-10

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 386200/418241
tabulation: Freq. Value
1453 0
30588 1
3.9e+05 .

flantte11 Analytic Sample- Test A or K, English Test- TAKS Social Studies 2010-11

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 385964/418241
tabulation: Freq. Value
1306 0
30971 1
3.9e+05 .

flantte12 Analytic Sample- Test A or K, English Test- TAKS Social Studies 2011-12

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 398333/418241
tabulation: Freq. Value
583 0
19325 1
4.0e+05 .

flantte13 Analytic Sample- Test A or K, English Test- TAKS Social Studies 2012-13

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 408659/418241
tabulation: Freq. Value

274 0
9308 1
4.1e+05 .

flantwe08 Analytic Sample- Test Version A or K, English Test- TAKS Writing 2007-08

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 392101/418241
tabulation: Freq. Value
2726 0
23414 1
3.9e+05 .

flantwe09 Analytic Sample- Test Version A or K, English Test- TAKS Writing 2008-09

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 393140/418241
tabulation: Freq. Value
2885 0
22216 1
3.9e+05 .

flantwe10 Analytic Sample- Test Version A or K, English Test- TAKS Writing 2009-10

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 390547/418241
tabulation: Freq. Value
4226 0
23468 1
3.9e+05 .

flantwe11 Analytic Sample- Test Version A or K, English Test- TAKS Writing 2010-11

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 390619/418241
tabulation: Freq. Value
4121 0
23501 1
3.9e+05 .

flantws08 Analytic Sample- Test Version A or K, Spanish Test- TAKS Writing 2007-08

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 392101/418241
tabulation: Freq. Value
23414 0
2726 1
3.9e+05 .

flantws09 Analytic Sample- Test Version A or K, Spanish Test- TAKS Writing 2008-09

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 393140/418241
tabulation: Freq. Value
22216 0
2885 1
3.9e+05 .

flantws10 Analytic Sample- Test Version A or K, Spanish Test- TAKS Writing 2009-10

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 390547/418241
tabulation: Freq. Value
24927 0
2767 1
3.9e+05 .

flantws11 Analytic Sample- Test Version A or K, Spanish Test- TAKS Writing 2010-11

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 390619/418241
tabulation: Freq. Value
24970 0
2652 1
3.9e+05 .

flaprne08 Aprenda environment file 2007-08

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 399760/418241
tabulation: Freq. Value

18481 1
4.0e+05 .

flaprne09

Aprenda environment file 2008-09

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 399801/418241
tabulation: Freq. Value
18440 1
4.0e+05 .

flaprne10

Aprenda environment file 2009-10

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 399877/418241
tabulation: Freq. Value
18364 1
4.0e+05 .

flaprne11

Aprenda environment file 2010-11

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 399984/418241
tabulation: Freq. Value
18257 1
4.0e+05 .

flaprne12

Aprenda environment file 2011-12

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 400284/418241
tabulation: Freq. Value
17957 1
4.0e+05 .

flaprne13

Aprenda environment file 2012-13

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 400076/418241

tabulation: Freq. Value
18165 1
4.0e+05 .

flaprn108 Aprenda language file 2007-08

type: numeric (float)

range: [1,1] units: 1
unique values: 1 missing .: 397762/418241

tabulation: Freq. Value
20479 1
4.0e+05 .

flaprn109 Aprenda language file 2008-09

type: numeric (float)

range: [1,1] units: 1
unique values: 1 missing .: 397487/418241

tabulation: Freq. Value
20754 1
4.0e+05 .

flaprn110 Aprenda language file 2009-10

type: numeric (float)

range: [1,1] units: 1
unique values: 1 missing .: 397930/418241

tabulation: Freq. Value
20311 1
4.0e+05 .

flaprn111 Aprenda language file 2010-11

type: numeric (float)

range: [1,1] units: 1
unique values: 1 missing .: 398187/418241

tabulation: Freq. Value
20054 1
4.0e+05 .

flaprn112 Aprenda language file 2011-12

type: numeric (float)

range: [1,1] units: 1
unique values: 1 missing .: 399207/418241

tabulation: Freq. Value
19034 1
4.0e+05 .

flaprn113

Aprenda language file 2012-13

type: numeric (float)

range: [1,1] units: 1
unique values: 1 missing .: 399894/418241

tabulation: Freq. Value
18347 1
4.0e+05 .

flaprn08

Aprenda math file 2007-08

type: numeric (float)

range: [1,1] units: 1
unique values: 1 missing .: 391526/418241

tabulation: Freq. Value
26715 1
3.9e+05 .

flaprn09

Aprenda math file 2008-09

type: numeric (float)

range: [1,1] units: 1
unique values: 1 missing .: 391207/418241

tabulation: Freq. Value
27034 1
3.9e+05 .

flaprn10

Aprenda math file 2009-10

type: numeric (float)

range: [1,1] units: 1
unique values: 1 missing .: 391853/418241

tabulation: Freq. Value
26388 1
3.9e+05 .

flaprn11

Aprenda math file 2010-11

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 391980/418241
tabulation: Freq. Value
26261 1
3.9e+05 .

flaprnml2 Aprenda math file 2011-12

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 393137/418241
tabulation: Freq. Value
25104 1
3.9e+05 .

flaprnml3 Aprenda math file 2012-13

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 393564/418241
tabulation: Freq. Value
24677 1
3.9e+05 .

flaprn08 Aprenda reading file 2007-08

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 391532/418241
tabulation: Freq. Value
26709 1
3.9e+05 .

flaprn09 Aprenda reading file 2008-09

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 391227/418241
tabulation: Freq. Value
27014 1
3.9e+05 .

flaprn10 Aprenda reading file 2009-10

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 391834/418241
tabulation: Freq. Value
26407 1
3.9e+05 .

flapnr11 Aprenda reading file 2010-11

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 391967/418241
tabulation: Freq. Value
26274 1
3.9e+05 .

flapnr12 Aprenda reading file 2011-12

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 393093/418241
tabulation: Freq. Value
25148 1
3.9e+05 .

flapnr13 Aprenda reading file 2012-13

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 393563/418241
tabulation: Freq. Value
24678 1
3.9e+05 .

flapnr08 Aprenda social studies file 2007-08

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 410078/418241
tabulation: Freq. Value
8163 1
4.1e+05 .

flaprint09

Aprenda social studies file 2008-09

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 409707/418241
tabulation: Freq. Value
8534 1
4.1e+05 .

flaprint10

Aprenda social studies file 2009-10

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 410228/418241
tabulation: Freq. Value
8013 1
4.1e+05 .

flaprint11

Aprenda social studies file 2010-11

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 410263/418241
tabulation: Freq. Value
7978 1
4.1e+05 .

flaprint12

Aprenda social studies file 2011-12

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 411071/418241
tabulation: Freq. Value
7170 1
4.1e+05 .

flaprint13

Aprenda social studies file 2012-13

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 411739/418241
tabulation: Freq. Value
6502 1

4.1e+05 .

flaprs08

Aprenda science file 2007-08

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 410076/418241
tabulation: Freq. Value
8165 1
4.1e+05 .

flaprs09

Aprenda science file 2008-09

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 409703/418241
tabulation: Freq. Value
8538 1
4.1e+05 .

flaprs10

Aprenda science file 2009-10

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 410224/418241
tabulation: Freq. Value
8017 1
4.1e+05 .

flaprs11

Aprenda science file 2010-11

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 410261/418241
tabulation: Freq. Value
7980 1
4.1e+05 .

flaprs12

Aprenda science file 2011-12

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 411066/418241

tabulation: Freq. Value
7175 1
4.1e+05 .

flaprs13

Aprenda science file 2012-13

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 411743/418241
tabulation: Freq. Value
6498 1
4.1e+05 .

flmags08

Flag, Magnet Student, 2007-08

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 380260/418241
tabulation: Freq. Value
37981 1
3.8e+05 .

flmags09

Flag, Magnet Student, 2008-09

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 378406/418241
tabulation: Freq. Value
39835 1
3.8e+05 .

flmags10

Flag, Magnet Student, 2009-10

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 377730/418241
tabulation: Freq. Value
40511 1
3.8e+05 .

flmags11

Flag, Magnet Student, 2010-11

type: numeric (float)
range: [1,1] units: 1

unique values: 1 missing .: 374279/418241

tabulation: Freq. Value
43962 1
3.7e+05 .

flmags12 Flag, Magnet Student, 2011-12

type: numeric (float)

range: [1,1] units: 1
unique values: 1 missing .: 373169/418241

tabulation: Freq. Value
45072 1
3.7e+05 .

flmags13 Flag, Magnet Student, 2012-13

type: numeric (float)

range: [1,1] units: 1
unique values: 1 missing .: 371554/418241

tabulation: Freq. Value
46687 1
3.7e+05 .

flmanae08 Analytic Sample- Aprenda Environment, Yearly Merged File 2007-08

type: numeric (float)

range: [0,1] units: 1
unique values: 2 missing .: 191731/418241

tabulation: Freq. Value
2.1e+05 0
17616 1
1.9e+05 .

flmanae09 Analytic Sample- Aprenda Environment, Yearly Merged File 2008-09

type: numeric (float)

range: [0,1] units: 1
unique values: 2 missing .: 191160/418241

tabulation: Freq. Value
2.1e+05 0
18023 1
1.9e+05 .

flmanae10 Analytic Sample- Aprenda Environment, Yearly Merged File 2009-10

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 191113/418241

tabulation: Freq. Value
2.1e+05 0
17655 1
1.9e+05 .
```

flmanae11 Analytic Sample- Aprenda Environment, Yearly Merged File 2010-11

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 197828/418241

tabulation: Freq. Value
2.0e+05 0
17545 1
2.0e+05 .
```

flmanae12 Analytic Sample- Aprenda Environment, Yearly Merged File 2011-12

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 198623/418241

tabulation: Freq. Value
2.0e+05 0
17331 1
2.0e+05 .
```

flmanae13 Analytic Sample- Aprenda Environment, Yearly Merged File 2012-13

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 202680/418241

tabulation: Freq. Value
2.0e+05 0
17303 1
2.0e+05 .
```

flmanal08 Analytic Sample- Aprenda Language, Yearly Merged File 2007-08

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 191731/418241

tabulation: Freq. Value
```

2.1e+05 0
19408 1
1.9e+05 .

flmanal09 Analytic Sample- Aprenda Language, Yearly Merged File 2008-09

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 191160/418241
tabulation: Freq. Value
2.1e+05 0
20231 1
1.9e+05 .

flmanal10 Analytic Sample- Aprenda Language, Yearly Merged File 2009-10

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 191113/418241
tabulation: Freq. Value
2.1e+05 0
19448 1
1.9e+05 .

flmanal11 Analytic Sample- Aprenda Language, Yearly Merged File 2010-11

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 197828/418241
tabulation: Freq. Value
2.0e+05 0
18989 1
2.0e+05 .

flmanal12 Analytic Sample- Aprenda Language, Yearly Merged File 2011-12

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 198623/418241
tabulation: Freq. Value
2.0e+05 0
18024 1
2.0e+05 .

flmanal13 Analytic Sample- Aprenda Language, Yearly Merged File 2012-13

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 202680/418241
tabulation: Freq. Value
2.0e+05 0
17292 1
2.0e+05 .
```

flmanam08 Analytic Sample- Aprenda Math, Yearly Merged File 2007-08

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 191731/418241
tabulation: Freq. Value
2.0e+05 0
25366 1
1.9e+05 .
```

flmanam09 Analytic Sample- Aprenda Math, Yearly Merged File 2008-09

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 191160/418241
tabulation: Freq. Value
2.0e+05 0
26372 1
1.9e+05 .
```

flmanam10 Analytic Sample- Aprenda Math, Yearly Merged File 2009-10

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 191113/418241
tabulation: Freq. Value
2.0e+05 0
25313 1
1.9e+05 .
```

flmanam11 Analytic Sample- Aprenda Math, Yearly Merged File 2010-11

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 197828/418241
tabulation: Freq. Value
```

2.0e+05 0
25082 1
2.0e+05 .

flmanam12 Analytic Sample- Aprenda Math, Yearly Merged File 2011-12

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 198623/418241
tabulation: Freq. Value
2.0e+05 0
24054 1
2.0e+05 .

flmanam13 Analytic Sample- Aprenda Math, Yearly Merged File 2012-13

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 202680/418241
tabulation: Freq. Value
1.9e+05 0
23439 1
2.0e+05 .

flmanar08 Analytic Sample- Aprenda Reading, Yearly Merged File 2007-08

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 191731/418241
tabulation: Freq. Value
2.0e+05 0
25368 1
1.9e+05 .

flmanar09 Analytic Sample- Aprenda Reading, Yearly Merged File 2008-09

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 191160/418241
tabulation: Freq. Value
2.0e+05 0
26354 1
1.9e+05 .

flmanar10 Analytic Sample- Aprenda Reading, Yearly Merged File 2009-10

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 191113/418241
tabulation: Freq. Value
2.0e+05 0
25329 1
1.9e+05 .

flmanar11 Analytic Sample- Aprenda Reading, Yearly Merged File 2010-11

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 197828/418241
tabulation: Freq. Value
2.0e+05 0
25096 1
2.0e+05 .

flmanar12 Analytic Sample- Aprenda Reading, Yearly Merged File 2011-12

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 198623/418241
tabulation: Freq. Value
2.0e+05 0
24092 1
2.0e+05 .

flmanar13 Analytic Sample- Aprenda Reading, Yearly Merged File 2012-13

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 202680/418241
tabulation: Freq. Value
1.9e+05 0
23445 1
2.0e+05 .

flmanas08 Analytic Sample- Aprenda Science, Yearly Merged File 2007-08

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 191731/418241
tabulation: Freq. Value

2.2e+05 0
7696 1
1.9e+05 .

flmanas09 Analytic Sample- Aprenda Science, Yearly Merged File 2008-09

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 191160/418241
tabulation: Freq. Value
2.2e+05 0
8296 1
1.9e+05 .

flmanas10 Analytic Sample- Aprenda Science, Yearly Merged File 2009-10

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 191113/418241
tabulation: Freq. Value
2.2e+05 0
7655 1
1.9e+05 .

flmanas11 Analytic Sample- Aprenda Science, Yearly Merged File 2010-11

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 197828/418241
tabulation: Freq. Value
2.1e+05 0
7512 1
2.0e+05 .

flmanas12 Analytic Sample- Aprenda Science, Yearly Merged File 2011-12

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 198623/418241
tabulation: Freq. Value
2.1e+05 0
6742 1
2.0e+05 .

flmanas13 Analytic Sample- Aprenda Science, Yearly Merged File 2012-13

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 202680/418241
tabulation: Freq. Value
2.1e+05 0
6126 1
2.0e+05 .
```

flmanat08 Analytic Sample- Aprenda Social Studies, Yearly Merged File 2007-08

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 191731/418241
tabulation: Freq. Value
2.2e+05 0
7694 1
1.9e+05 .
```

flmanat09 Analytic Sample- Aprenda Social Studies, Yearly Merged File 2008-09

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 191160/418241
tabulation: Freq. Value
2.2e+05 0
8292 1
1.9e+05 .
```

flmanat10 Analytic Sample- Aprenda Social Studies, Yearly Merged File 2009-10

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 191113/418241
tabulation: Freq. Value
2.2e+05 0
7653 1
1.9e+05 .
```

flmanat11 Analytic Sample- Aprenda Social Studies, Yearly Merged File 2010-11

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 197828/418241
tabulation: Freq. Value
```

2.1e+05 0
7510 1
2.0e+05 .

flmanat12 Analytic Sample- Aprenda Social Studies, Yearly Merged File 2011-12

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 198623/418241
tabulation: Freq. Value
2.1e+05 0
6740 1
2.0e+05 .

flmanat13 Analytic Sample- Aprenda Social Studies, Yearly Merged File 2012-13

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 202680/418241
tabulation: Freq. Value
2.1e+05 0
6129 1
2.0e+05 .

flmanree12 Analytic Sample- STAAR EOC, English Language, Yearly Merged File 2011-12

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 198623/418241
tabulation: Freq. Value
2.1e+05 0
4825 1
2.0e+05 .

flmanree13 Analytic Sample- STAAR EOC, English Language, Yearly Merged File 2012-13

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 202680/418241
tabulation: Freq. Value
1.9e+05 0
27335 1
2.0e+05 .

flmanrme12 Analytic Sample- STAAR Math, English Language, Yearly Merged File 2011-12

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 198623/418241
tabulation: Freq. Value
1.5e+05 0
67147 1
2.0e+05 .
```

flmanrme13 Analytic Sample- STAAR Math, English Language, Yearly Merged File 2012-13

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 202680/418241
tabulation: Freq. Value
1.5e+05 0
67857 1
2.0e+05 .
```

flmanrms12 Analytic Sample- STAAR Math, Spanish Language, Yearly Merged File 2011-12

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 198623/418241
tabulation: Freq. Value
2.1e+05 0
6857 1
2.0e+05 .
```

flmanrms13 Analytic Sample- STAAR Math, Spanish Language, Yearly Merged File 2012-13

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 202680/418241
tabulation: Freq. Value
2.1e+05 0
6252 1
2.0e+05 .
```

flmanrre12 Analytic Sample- STAAR Reading, English Language, Yearly Merged File 2011-12

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 198623/418241
tabulation: Freq. Value
```

1.5e+05 0
70792 1
2.0e+05 .

flmanrrel13 Analytic Sample- STAAR Reading, English Language, Yearly Merged File 2012-13

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 202680/418241
tabulation: Freq. Value
1.4e+05 0
71562 1
2.0e+05 .

flmanrrs12 Analytic Sample- STAAR Reading, Spanish Language, Yearly Merged File 2011-12

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 198623/418241
tabulation: Freq. Value
2.1e+05 0
6874 1
2.0e+05 .

flmanrrs13 Analytic Sample- STAAR Reading, Spanish Language, Yearly Merged File 2012-13

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 202680/418241
tabulation: Freq. Value
2.1e+05 0
6290 1
2.0e+05 .

flmanrse12 Analytic Sample- STAAR Science, English Language, Yearly Merged File 2011-12

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 198623/418241
tabulation: Freq. Value
1.9e+05 0
24949 1
2.0e+05 .

flmanrse13 Analytic Sample- STAAR Science, English Language, Yearly Merged File 2012-13

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 202680/418241
tabulation: Freq. Value
1.9e+05 0
24697 1
2.0e+05 .
```

flmanrss12 Analytic Sample- STAAR Science, Spanish Language, Yearly Merged File 2011-12

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 198623/418241
tabulation: Freq. Value
2.2e+05 0
20 1
2.0e+05 .
```

flmanrss13 Analytic Sample- STAAR Science, Spanish Language, Yearly Merged File 2012-13

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 202680/418241
tabulation: Freq. Value
2.2e+05 0
37 1
2.0e+05 .
```

flmanrte12 Analytic Sample- STAAR Social Studies, English, Yearly Merged File 2011-12

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 198623/418241
tabulation: Freq. Value
2.1e+05 0
10922 1
2.0e+05 .
```

flmanrte13 Analytic Sample- STAAR Social Studies, English, Yearly Merged File 2012-13

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 202680/418241
tabulation: Freq. Value
```

2.0e+05 0
11080 1
2.0e+05 .

flmanrwe12 Analytic Sample- STAAR Writing, English Language, Yearly Merged File 2011-12

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 198623/418241
tabulation: Freq. Value
2.0e+05 0
23285 1
2.0e+05 .

flmanrwe13 Analytic Sample- STAAR Writing, English Language, Yearly Merged File 2012-13

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 202680/418241
tabulation: Freq. Value
1.9e+05 0
24276 1
2.0e+05 .

flmanrws12 Analytic Sample- STAAR Writing, Spanish Language, Yearly Merged File 2011-12

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 198623/418241
tabulation: Freq. Value
2.2e+05 0
2202 1
2.0e+05 .

flmanrws13 Analytic Sample- STAAR Writing, Spanish Language, Yearly Merged File 2012-13

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 202680/418241
tabulation: Freq. Value
2.1e+05 0
1878 1
2.0e+05 .

flmanse08 Analytic Sample- Stanford Environment, Yearly Merged File 2007-08

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 191731/418241
tabulation: Freq. Value
2.0e+05 0
28304 1
1.9e+05 .
```

flmanse09 Analytic Sample- Stanford Environment, Yearly Merged File 2008-09

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 191160/418241
tabulation: Freq. Value
2.0e+05 0
28670 1
1.9e+05 .
```

flmanse10 Analytic Sample- Stanford Environment, Yearly Merged File 2009-10

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 191113/418241
tabulation: Freq. Value
2.0e+05 0
29052 1
1.9e+05 .
```

flmanse11 Analytic Sample- Stanford Environment, Yearly Merged File 2010-11

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 197828/418241
tabulation: Freq. Value
1.9e+05 0
29135 1
2.0e+05 .
```

flmanse12 Analytic Sample- Stanford Environment, Yearly Merged File 2011-12

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 198623/418241
tabulation: Freq. Value
```



```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 197828/418241
tabulation: Freq. Value
1.0e+05 0
1.2e+05 1
2.0e+05 .
```

flmansl12 Analytic Sample- Stanford Language, Yearly Merged File 2011-12

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 198623/418241
tabulation: Freq. Value
1.3e+05 0
85994 1
2.0e+05 .
```

flmansl13 Analytic Sample- Stanford Language, Yearly Merged File 2012-13

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 202680/418241
tabulation: Freq. Value
1.3e+05 0
86655 1
2.0e+05 .
```

flmansm08 Analytic Sample- Stanford Math, Yearly Merged File 2007-08

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 191731/418241
tabulation: Freq. Value
1.0e+05 0
1.2e+05 1
1.9e+05 .
```

flmansm09 Analytic Sample- Stanford Math, Yearly Merged File 2008-09

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 191160/418241
tabulation: Freq. Value
```

1.1e+05 0
1.2e+05 1
1.9e+05 .

flmansm10 Analytic Sample- Stanford Math, Yearly Merged File 2009-10

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 191113/418241
tabulation: Freq. Value
1.0e+05 0
1.3e+05 1
1.9e+05 .

flmansm11 Analytic Sample- Stanford Math, Yearly Merged File 2010-11

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 197828/418241
tabulation: Freq. Value
93223 0
1.3e+05 1
2.0e+05 .

flmansm12 Analytic Sample- Stanford Math, Yearly Merged File 2011-12

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 198623/418241
tabulation: Freq. Value
1.2e+05 0
96004 1
2.0e+05 .

flmansm13 Analytic Sample- Stanford Math, Yearly Merged File 2012-13

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 202680/418241
tabulation: Freq. Value
1.2e+05 0
96855 1
2.0e+05 .

flmansr08 Analytic Sample- Stanford Reading, Yearly Merged File 2007-08

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 191731/418241

tabulation: Freq. Value
1.0e+05 0
1.2e+05 1
1.9e+05 .
```

flmansr09 Analytic Sample- Stanford Reading, Yearly Merged File 2008-09

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 191160/418241

tabulation: Freq. Value
1.1e+05 0
1.2e+05 1
1.9e+05 .
```

flmansr10 Analytic Sample- Stanford Reading, Yearly Merged File 2009-10

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 191113/418241

tabulation: Freq. Value
1.0e+05 0
1.3e+05 1
1.9e+05 .
```

flmansr11 Analytic Sample- Stanford Reading, Yearly Merged File 2010-11

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 197828/418241

tabulation: Freq. Value
93572 0
1.3e+05 1
2.0e+05 .
```

flmansr12 Analytic Sample- Stanford Reading, Yearly Merged File 2011-12

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 198623/418241

tabulation: Freq. Value
```



```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 197828/418241
tabulation: Freq. Value
1.2e+05 0
97623 1
2.0e+05 .
```

flmanss12 Analytic Sample- Stanford Science, Yearly Merged File 2011-12

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 198623/418241
tabulation: Freq. Value
1.5e+05 0
66828 1
2.0e+05 .
```

flmanss13 Analytic Sample- Stanford Science, Yearly Merged File 2012-13

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 202680/418241
tabulation: Freq. Value
1.5e+05 0
67352 1
2.0e+05 .
```

flmanst08 Analytic Sample- Stanford Social Studies, Yearly Merged File 2007-08

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 191731/418241
tabulation: Freq. Value
1.3e+05 0
94963 1
1.9e+05 .
```

flmanst09 Analytic Sample- Stanford Social Studies, Yearly Merged File 2008-09

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 191160/418241
tabulation: Freq. Value
```

1.4e+05 0
92081 1
1.9e+05 .

flmanst10 Analytic Sample- Stanford Social Studies, Yearly Merged File 2009-10

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 191113/418241
tabulation: Freq. Value
1.3e+05 0
97334 1
1.9e+05 .

flmanst11 Analytic Sample- Stanford Social Studies, Yearly Merged File 2010-11

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 197828/418241
tabulation: Freq. Value
1.2e+05 0
97610 1
2.0e+05 .

flmanst12 Analytic Sample- Stanford Social Studies, Yearly Merged File 2011-12

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 198623/418241
tabulation: Freq. Value
1.5e+05 0
66778 1
2.0e+05 .

flmanst13 Analytic Sample- Stanford Social Studies, Yearly Merged File 2012-13

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 202680/418241
tabulation: Freq. Value
1.5e+05 0
67329 1
2.0e+05 .

flmantme08 Analytic Sample- TAKS Math, English Language, Yearly Merged File 2007-08

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 191731/418241
tabulation: Freq. Value
1.3e+05 0
96862 1
1.9e+05 .
```

flmantme09 Analytic Sample- TAKS Math, English Language, Yearly Merged File 2008-09

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 191160/418241
tabulation: Freq. Value
1.3e+05 0
96089 1
1.9e+05 .
```

flmantme10 Analytic Sample- TAKS Math, English Language, Yearly Merged File 2009-10

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 191113/418241
tabulation: Freq. Value
1.3e+05 0
98122 1
1.9e+05 .
```

flmantme11 Analytic Sample- TAKS Math, English Language, Yearly Merged File 2010-11

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 197828/418241
tabulation: Freq. Value
1.2e+05 0
98384 1
2.0e+05 .
```

flmantme12 Analytic Sample- TAKS Math, English Language, Yearly Merged File 2011-12

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 198623/418241
tabulation: Freq. Value
```

2.0e+05 0
18835 1
2.0e+05 .

flmantme13 Analytic Sample- TAKS Math, English Language, Yearly Merged File 2012-13

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 202680/418241

tabulation: Freq. Value
2.1e+05 0
9006 1
2.0e+05 .

flmantms08 Analytic Sample- TAKS Math, Spanish Language, Yearly Merged File 2007-08

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 191731/418241

tabulation: Freq. Value
2.2e+05 0
7566 1
1.9e+05 .

flmantms09 Analytic Sample- TAKS Math, Spanish Language, Yearly Merged File 2008-09

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 191160/418241

tabulation: Freq. Value
2.2e+05 0
7987 1
1.9e+05 .

flmantms10 Analytic Sample- TAKS Math, Spanish Language, Yearly Merged File 2009-10

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 191113/418241

tabulation: Freq. Value
2.2e+05 0
7573 1
1.9e+05 .

flmantms11 Analytic Sample- TAKS Math, Spanish Language, Yearly Merged File 2010-11

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 197828/418241

tabulation: Freq. Value
2.1e+05 0
7563 1
2.0e+05 .
```

flmantre08 Analytic Sample- TAKS Reading, English Language, Yearly Merged File 2007-08

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 191731/418241

tabulation: Freq. Value
1.3e+05 0
97445 1
1.9e+05 .
```

flmantre09 Analytic Sample- TAKS Reading, English Language, Yearly Merged File 2008-09

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 191160/418241

tabulation: Freq. Value
1.3e+05 0
96771 1
1.9e+05 .
```

flmantre10 Analytic Sample- TAKS Reading, English Language, Yearly Merged File 2009-10

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 191113/418241

tabulation: Freq. Value
1.3e+05 0
98303 1
1.9e+05 .
```

flmantre11 Analytic Sample- TAKS Reading, English Language, Yearly Merged File 2010-11

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 197828/418241

tabulation: Freq. Value
```

1.2e+05 0
98529 1
2.0e+05 .

flmantrel2 Analytic Sample- TAKS Reading, English Language, Yearly Merged File 2011-12

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 198623/418241
tabulation: Freq. Value
2.0e+05 0
18993 1
2.0e+05 .

flmantrel3 Analytic Sample- TAKS Reading, English Language, Yearly Merged File 2012-13

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 202680/418241
tabulation: Freq. Value
2.1e+05 0
9021 1
2.0e+05 .

flmantrs08 Analytic Sample- TAKS Reading, Spanish Language, Yearly Merged File 2007-08

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 191731/418241
tabulation: Freq. Value
2.2e+05 0
7564 1
1.9e+05 .

flmantrs09 Analytic Sample- TAKS Reading, Spanish Language, Yearly Merged File 2008-09

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 191160/418241
tabulation: Freq. Value
2.2e+05 0
8009 1
1.9e+05 .

flmantrs10 Analytic Sample- TAKS Reading, Spanish Language, Yearly Merged File 2009-10

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 191113/418241
tabulation: Freq. Value
2.2e+05 0
7557 1
1.9e+05 .
```

flmantrs11 Analytic Sample- TAKS Reading, Spanish Language, Yearly Merged File 2010-11

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 197828/418241
tabulation: Freq. Value
2.1e+05 0
7578 1
2.0e+05 .
```

flmantse08 Analytic Sample- TAKS Science, English Language, Yearly Merged File 2007-08

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 191731/418241
tabulation: Freq. Value
1.9e+05 0
40593 1
1.9e+05 .
```

flmantse09 Analytic Sample- TAKS Science, English Language, Yearly Merged File 2008-09

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 191160/418241
tabulation: Freq. Value
1.9e+05 0
41257 1
1.9e+05 .
```

flmantse10 Analytic Sample- TAKS Science, English Language, Yearly Merged File 2009-10

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 191113/418241
tabulation: Freq. Value
```

1.8e+05 0
42275 1
1.9e+05 .

flmantse11 Analytic Sample- TAKS Science, English Language, Yearly Merged File 2010-11

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 197828/418241
tabulation: Freq. Value
1.8e+05 0
43387 1
2.0e+05 .

flmantse12 Analytic Sample- TAKS Science, English Language, Yearly Merged File 2011-12

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 198623/418241
tabulation: Freq. Value
2.0e+05 0
18871 1
2.0e+05 .

flmantse13 Analytic Sample- TAKS Science, English Language, Yearly Merged File 2012-13

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 202680/418241
tabulation: Freq. Value
2.1e+05 0
9043 1
2.0e+05 .

flmantss08 Analytic Sample- TAKS Science, Spanish Language, Yearly Merged File 2007-08

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 191731/418241
tabulation: Freq. Value
2.3e+05 0
57 1
1.9e+05 .

flmantss09 Analytic Sample- TAKS Science, Spanish Language, Yearly Merged File 2008-09

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 191160/418241
tabulation: Freq. Value
2.3e+05 0
34 1
1.9e+05 .
```

flmantss10 Analytic Sample- TAKS Science, Spanish Language, Yearly Merged File 2009-10

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 191113/418241
tabulation: Freq. Value
2.3e+05 0
22 1
1.9e+05 .
```

flmantss11 Analytic Sample- TAKS Science, Spanish Language, Yearly Merged File 2010-11

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 197828/418241
tabulation: Freq. Value
2.2e+05 0
10 1
2.0e+05 .
```

flmantte08 Analytic Sample- TAKS Social Studies, English Lang, Yearly Merged File 2007-08

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 191731/418241
tabulation: Freq. Value
2.0e+05 0
27852 1
1.9e+05 .
```

flmantte09 Analytic Sample- TAKS Social Studies, English Lang, Yearly Merged File 2008-09

```
type: numeric (float)
range: [0,1]
unique values: 2
units: 1
missing .: 191160/418241
tabulation: Freq. Value
```

2.0e+05 0
28617 1
1.9e+05 .

flmanttel0 Analytic Sample- TAKS Social Studies, English Lang, Yearly Merged File 2009-10

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 191113/418241
tabulation: Freq. Value
2.0e+05 0
29442 1
1.9e+05 .

flmanttel1 Analytic Sample- TAKS Social Studies, English Lang, Yearly Merged File 2010-11

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 197828/418241
tabulation: Freq. Value
1.9e+05 0
29851 1
2.0e+05 .

flmanttel2 Analytic Sample- TAKS Social Studies, English Lang, Yearly Merged File 2011-12

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 198623/418241
tabulation: Freq. Value
2.0e+05 0
18704 1
2.0e+05 .

flmanttel3 Analytic Sample- TAKS Social Studies, English Lang, Yearly Merged File 2012-13

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 202680/418241
tabulation: Freq. Value
2.1e+05 0
9044 1
2.0e+05 .

flmantwe08 Analytic Sample- TAKS Writing, English Language, Yearly Merged File 2007-08

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 191731/418241

tabulation: Freq. Value
2.0e+05 0
22435 1
1.9e+05 .
```

flmantwe09 Analytic Sample- TAKS Writing, English Language, Yearly Merged File 2008-09

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 191160/418241

tabulation: Freq. Value
2.1e+05 0
21329 1
1.9e+05 .
```

flmantwe10 Analytic Sample- TAKS Writing, English Language, Yearly Merged File 2009-10

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 191113/418241

tabulation: Freq. Value
2.0e+05 0
22459 1
1.9e+05 .
```

flmantwe11 Analytic Sample- TAKS Writing, English Language, Yearly Merged File 2010-11

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 197828/418241

tabulation: Freq. Value
2.0e+05 0
22419 1
2.0e+05 .
```

flmantws08 Analytic Sample- TAKS Writing, Spanish Language, Yearly Merged File 2007-08

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 191731/418241

tabulation: Freq. Value
```

2.2e+05 0
2684 1
1.9e+05 .

flmantws09 Analytic Sample- TAKS Writing, Spanish Language, Yearly Merged File 2008-09

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 191160/418241
tabulation: Freq. Value
2.2e+05 0
2833 1
1.9e+05 .

flmantws10 Analytic Sample- TAKS Writing, Spanish Language, Yearly Merged File 2009-10

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 191113/418241
tabulation: Freq. Value
2.2e+05 0
2728 1
1.9e+05 .

flmantws11 Analytic Sample- TAKS Writing, Spanish Language, Yearly Merged File 2010-11

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 197828/418241
tabulation: Freq. Value
2.2e+05 0
2599 1
2.0e+05 .

flmyear08 Flag for Yearly Merged File, 2007-08

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 191731/418241
tabulation: Freq. Value
2.3e+05 1
1.9e+05 .

flmyear09 Flag for Yearly Merged File, 2008-09

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 191160/418241
tabulation: Freq. Value
2.3e+05 1
1.9e+05 .

flmyear10 Flag for Yearly Merged File, 2009-10

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 191113/418241
tabulation: Freq. Value
2.3e+05 1
1.9e+05 .

flmyear11 Flag for Yearly Merged File, 2010-11

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 197828/418241
tabulation: Freq. Value
2.2e+05 1
2.0e+05 .

flmyear12 Flag for Yearly Merged File, 2011-12

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 198623/418241
tabulation: Freq. Value
2.2e+05 1
2.0e+05 .

flmyear13 Flag for Yearly Merged File, 2012-13

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 202680/418241
tabulation: Freq. Value
2.2e+05 1
2.0e+05 .

flpeim08

PEIMS file 2007-08

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 218733/418241
tabulation: Freq. Value
2.0e+05 1
2.2e+05 .

flpeim09 PEIMS file 2008-09

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 218017/418241
tabulation: Freq. Value
2.0e+05 1
2.2e+05 .

flpeim10 PEIMS file 2009-10

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 215468/418241
tabulation: Freq. Value
2.0e+05 1
2.2e+05 .

flpeim11 PEIMS file 2010-11

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 213996/418241
tabulation: Freq. Value
2.0e+05 1
2.1e+05 .

flpeim12 PEIMS file 2011-12

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 215175/418241
tabulation: Freq. Value
2.0e+05 1
2.2e+05 .

flpeim13

PEIMS file 2012-13

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 214887/418241
tabulation: Freq. Value
2.0e+05 1
2.1e+05 .

flstaare12

STAAR EOC file 2011-12

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 413188/418241
tabulation: Freq. Value
5053 1
4.1e+05 .

flstaare13

STAAR EOC file 2012-13

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 389665/418241
tabulation: Freq. Value
28576 1
3.9e+05 .

flstaarm12

STAAR math file 2011-12

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 336184/418241
tabulation: Freq. Value
82057 1
3.4e+05 .

flstaarm13

STAAR math file 2012-13

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 336492/418241
tabulation: Freq. Value
81749 1

3.4e+05 .

flstaarr12

STAAR reading file 2011-12

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 333339/418241
tabulation: Freq. Value
84902 1
3.3e+05 .

flstaarr13

STAAR reading file 2012-13

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 333535/418241
tabulation: Freq. Value
84706 1
3.3e+05 .

flstaars12

STAAR science file 2011-12

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 390627/418241
tabulation: Freq. Value
27614 1
3.9e+05 .

flstaars13

STAAR science file 2012-13

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 391103/418241
tabulation: Freq. Value
27138 1
3.9e+05 .

flstaart12

STAAR social studies file 2011-12

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 405994/418241

tabulation: Freq. Value
12247 1
4.1e+05 .

flstaart13

STAAR social studies file 2012-13

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 405964/418241
tabulation: Freq. Value
12277 1
4.1e+05 .

flstaarw12

STAAR writing file 2011-12

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 390367/418241
tabulation: Freq. Value
27874 1
3.9e+05 .

flstaarw13

STAAR writing file 2012-13

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 389898/418241
tabulation: Freq. Value
28343 1
3.9e+05 .

flstane08

Stanford environment file 2007-08

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 387258/418241
tabulation: Freq. Value
30983 1
3.9e+05 .

flstane09

Stanford environment file 2008-09

type: numeric (float)
range: [1,1] units: 1

unique values: 1 missing .: 387002/418241

tabulation: Freq. Value
31239 1
3.9e+05 .

flstane10 Stanford environment file 2009-10

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 386981/418241

tabulation: Freq. Value
31260 1
3.9e+05 .

flstane11 Stanford environment file 2010-11

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 386676/418241

tabulation: Freq. Value
31565 1
3.9e+05 .

flstane12 Stanford environment file 2011-12

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 386838/418241

tabulation: Freq. Value
31403 1
3.9e+05 .

flstane13 Stanford environment file 2012-13

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 386067/418241

tabulation: Freq. Value
32174 1
3.9e+05 .

flstanl08 Stanford language file 2007-08

type: numeric (float)

range: [1,1] units: 1
unique values: 1 missing .: 287745/418241

tabulation: Freq. Value
1.3e+05 1
2.9e+05 .

flstanl09 Stanford language file 2008-09

type: numeric (float)

range: [1,1] units: 1
unique values: 1 missing .: 288950/418241

tabulation: Freq. Value
1.3e+05 1
2.9e+05 .

flstanl10 Stanford language file 2009-10

type: numeric (float)

range: [1,1] units: 1
unique values: 1 missing .: 287253/418241

tabulation: Freq. Value
1.3e+05 1
2.9e+05 .

flstanl11 Stanford language file 2010-11

type: numeric (float)

range: [1,1] units: 1
unique values: 1 missing .: 286696/418241

tabulation: Freq. Value
1.3e+05 1
2.9e+05 .

flstanl12 Stanford language file 2011-12

type: numeric (float)

range: [1,1] units: 1
unique values: 1 missing .: 321017/418241

tabulation: Freq. Value
97224 1
3.2e+05 .

flstanl13 Stanford language file 2012-13

```
type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 320127/418241
tabulation: Freq. Value
             98114 1
             3.2e+05 .
```

flstanm08 Stanford math file 2007-08

```
type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 277905/418241
tabulation: Freq. Value
             1.4e+05 1
             2.8e+05 .
```

flstanm09 Stanford math file 2008-09

```
type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 278881/418241
tabulation: Freq. Value
             1.4e+05 1
             2.8e+05 .
```

flstanm10 Stanford math file 2009-10

```
type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 277008/418241
tabulation: Freq. Value
             1.4e+05 1
             2.8e+05 .
```

flstanm11 Stanford math file 2010-11

```
type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 276425/418241
tabulation: Freq. Value
             1.4e+05 1
             2.8e+05 .
```

flstanm12

Stanford math file 2011-12

type: numeric (float)

range: [1,1] units: 1
unique values: 1 missing .: 310827/418241

tabulation: Freq. Value
1.1e+05 1
3.1e+05 .

flstanm13

Stanford math file 2012-13

type: numeric (float)

range: [1,1] units: 1
unique values: 1 missing .: 309423/418241

tabulation: Freq. Value
1.1e+05 1
3.1e+05 .

flstanr08

Stanford reading file 2007-08

type: numeric (float)

range: [1,1] units: 1
unique values: 1 missing .: 278344/418241

tabulation: Freq. Value
1.4e+05 1
2.8e+05 .

flstanr09

Stanford reading file 2008-09

type: numeric (float)

range: [1,1] units: 1
unique values: 1 missing .: 279086/418241

tabulation: Freq. Value
1.4e+05 1
2.8e+05 .

flstanr10

Stanford reading file 2009-10

type: numeric (float)

range: [1,1] units: 1
unique values: 1 missing .: 277285/418241

tabulation: Freq. Value
1.4e+05 1
2.8e+05 .

flstanr11 Stanford reading file 2010-11

type: numeric (float)

range: [1,1] units: 1
unique values: 1 missing .: 276812/418241

tabulation: Freq. Value
1.4e+05 1
2.8e+05 .

flstanr12 Stanford reading file 2011-12

type: numeric (float)

range: [1,1] units: 1
unique values: 1 missing .: 311080/418241

tabulation: Freq. Value
1.1e+05 1
3.1e+05 .

flstanr13 Stanford reading file 2012-13

type: numeric (float)

range: [1,1] units: 1
unique values: 1 missing .: 309539/418241

tabulation: Freq. Value
1.1e+05 1
3.1e+05 .

flstans08 Stanford science file 2007-08

type: numeric (float)

range: [1,1] units: 1
unique values: 1 missing .: 309453/418241

tabulation: Freq. Value
1.1e+05 1
3.1e+05 .

flstans09 Stanford science file 2008-09

type: numeric (float)

range: [1,1] units: 1
unique values: 1 missing .: 310525/418241

tabulation: Freq. Value

1.1e+05 1
3.1e+05 .

flstans10

Stanford science file 2009-10

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 308613/418241
tabulation: Freq. Value
1.1e+05 1
3.1e+05 .

flstans11

Stanford science file 2010-11

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 308480/418241
tabulation: Freq. Value
1.1e+05 1
3.1e+05 .

flstans12

Stanford science file 2011-12

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 342384/418241
tabulation: Freq. Value
75857 1
3.4e+05 .

flstans13

Stanford science file 2012-13

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 341743/418241
tabulation: Freq. Value
76498 1
3.4e+05 .

flstant08

Stanford social studies file 2007-08

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 309497/418241

tabulation: Freq. Value
1.1e+05 1
3.1e+05 .

flstant09 Stanford social studies file 2008-09

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 310560/418241
tabulation: Freq. Value
1.1e+05 1
3.1e+05 .

flstant10 Stanford social studies file 2009-10

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 308745/418241
tabulation: Freq. Value
1.1e+05 1
3.1e+05 .

flstant11 Stanford social studies file 2010-11

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 308514/418241
tabulation: Freq. Value
1.1e+05 1
3.1e+05 .

flstant12 Stanford social studies file 2011-12

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 342444/418241
tabulation: Freq. Value
75797 1
3.4e+05 .

flstant13 Stanford social studies file 2012-13

type: numeric (float)

range: [1,1] units: 1
unique values: 1 missing .: 341768/418241

tabulation: Freq. Value
76473 1
3.4e+05 .

fltaksm08

TAKS math file 2007-08

type: numeric (float)

range: [1,1] units: 1
unique values: 1 missing .: 309353/418241

tabulation: Freq. Value
1.1e+05 1
3.1e+05 .

fltaksm09

TAKS math file 2008-09

type: numeric (float)

range: [1,1] units: 1
unique values: 1 missing .: 305331/418241

tabulation: Freq. Value
1.1e+05 1
3.1e+05 .

fltaksm10

TAKS math file 2009-10

type: numeric (float)

range: [1,1] units: 1
unique values: 1 missing .: 302112/418241

tabulation: Freq. Value
1.2e+05 1
3.0e+05 .

fltaksm11

TAKS math file 2010-11

type: numeric (float)

range: [1,1] units: 1
unique values: 1 missing .: 302116/418241

tabulation: Freq. Value
1.2e+05 1
3.0e+05 .

fltaksm12

TAKS math file 2011-12

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 398060/418241
tabulation: Freq. Value
20181 1
4.0e+05 .

fltaksm13

TAKS math file 2012-13

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 408663/418241
tabulation: Freq. Value
9578 1
4.1e+05 .

fltaksr08

TAKS reading file 2007-08

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 309055/418241
tabulation: Freq. Value
1.1e+05 1
3.1e+05 .

fltaksr09

TAKS reading file 2008-09

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 304807/418241
tabulation: Freq. Value
1.1e+05 1
3.0e+05 .

fltaksr10

TAKS reading file 2009-10

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 301829/418241
tabulation: Freq. Value
1.2e+05 1
3.0e+05 .

fltaksr11

TAKS reading file 2010-11

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 301817/418241
tabulation: Freq. Value
1.2e+05 1
3.0e+05 .

fltaksr12 TAKS reading file 2011-12

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 397886/418241
tabulation: Freq. Value
20355 1
4.0e+05 .

fltaksr13 TAKS reading file 2012-13

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 408707/418241
tabulation: Freq. Value
9534 1
4.1e+05 .

fltakss08 TAKS science file 2007-08

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 375982/418241
tabulation: Freq. Value
42259 1
3.8e+05 .

fltakss09 TAKS science file 2008-09

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 373397/418241
tabulation: Freq. Value
44844 1
3.7e+05 .

fltakss10

TAKS science file 2009-10

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 371866/418241
tabulation: Freq. Value
46375 1
3.7e+05 .

fltakss11

TAKS science file 2010-11

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 370927/418241
tabulation: Freq. Value
47314 1
3.7e+05 .

fltakss12

TAKS science file 2011-12

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 398126/418241
tabulation: Freq. Value
20115 1
4.0e+05 .

fltakss13

TAKS science file 2012-13

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 408647/418241
tabulation: Freq. Value
9594 1
4.1e+05 .

fltakst08

TAKS Social Studies file 2007-08

type: numeric (float)
range: [1,1] units: 1
unique values: 1 missing .: 389309/418241
tabulation: Freq. Value
28932 1

3.9e+05 .

fltakst09 TAKS social studies file 2008-09

type: numeric (float)

range: [1,1] units: 1
unique values: 1 missing .: 388645/418241

tabulation: Freq. Value
29596 1
3.9e+05 .

fltakst10 TAKS social studies file 2009-10

type: numeric (float)

range: [1,1] units: 1
unique values: 1 missing .: 386200/418241

tabulation: Freq. Value
32041 1
3.9e+05 .

fltakst11 TAKS social studies file 2010-11

type: numeric (float)

range: [1,1] units: 1
unique values: 1 missing .: 385964/418241

tabulation: Freq. Value
32277 1
3.9e+05 .

fltakst12 TAKS social studies file 2011-12

type: numeric (float)

range: [1,1] units: 1
unique values: 1 missing .: 398333/418241

tabulation: Freq. Value
19908 1
4.0e+05 .

fltakst13 TAKS social studies file 2012-13

type: numeric (float)

range: [1,1] units: 1
unique values: 1 missing .: 408659/418241

tabulation: Freq. Value
 9582 1
 4.1e+05 .

fltaksvm08

TAKS math- merged orig & VS file 2007-08

 type: numeric (float)

 range: [1,1] units: 1
unique values: 1 missing .: 309341/418241

 tabulation: Freq. Value
 1.1e+05 1
 3.1e+05 .

fltaksvm09

TAKS math- merged original & VS file 2008-09

 type: numeric (float)

 range: [1,1] units: 1
unique values: 1 missing .: 305323/418241

 tabulation: Freq. Value
 1.1e+05 1
 3.1e+05 .

fltaksvr08

TAKS reading- merged orig & VS file 2007-08

 type: numeric (float)

 range: [1,1] units: 1
unique values: 1 missing .: 308981/418241

 tabulation: Freq. Value
 1.1e+05 1
 3.1e+05 .

fltaksvr09

TAKS reading- merged original & VS file 2008-09

 type: numeric (float)

 range: [1,1] units: 1
unique values: 1 missing .: 304726/418241

 tabulation: Freq. Value
 1.1e+05 1
 3.0e+05 .

fltaksw08

TAKS writing file 2007-08

 type: numeric (float)

 range: [1,1] units: 1

unique values: 1 missing .: 392101/418241

tabulation: Freq. Value
26140 1
3.9e+05 .

fltaksw09 TAKS writing file 2008-09

type: numeric (float)

range: [1,1] units: 1
unique values: 1 missing .: 393140/418241

tabulation: Freq. Value
25101 1
3.9e+05 .

fltaksw10 TAKS writing file 2009-10

type: numeric (float)

range: [1,1] units: 1
unique values: 1 missing .: 390547/418241

tabulation: Freq. Value
27694 1
3.9e+05 .

fltaksw11 TAKS writing file 2010-11

type: numeric (float)

range: [1,1] units: 1
unique values: 1 missing .: 390619/418241

tabulation: Freq. Value
27622 1
3.9e+05 .

flzone08 student enrolled/zoned school file 2007-08

type: numeric (float)

range: [1,1] units: 1
unique values: 1 missing .: 191924/418241

tabulation: Freq. Value
2.3e+05 1
1.9e+05 .

flzone09 student enrolled/zoned school file 2008-09

type: numeric (float)

range: [1,1] units: 1
unique values: 1 missing .: 191207/418241

tabulation: Freq. Value
2.3e+05 1
1.9e+05 .

flzone10 student enrolled/zoned school file 2009-10

type: numeric (float)

range: [1,1] units: 1
unique values: 1 missing .: 191160/418241

tabulation: Freq. Value
2.3e+05 1
1.9e+05 .

flzone11 student enrolled/zoned school file 2010-11

type: numeric (float)

range: [1,1] units: 1
unique values: 1 missing .: 197883/418241

tabulation: Freq. Value
2.2e+05 1
2.0e+05 .

flzone12 student enrolled/zoned school file 2011-12

type: numeric (float)

range: [1,1] units: 1
unique values: 1 missing .: 198730/418241

tabulation: Freq. Value
2.2e+05 1
2.0e+05 .

flzone13 student enrolled/zoned school file 2012-13

type: numeric (float)

range: [1,1] units: 1
unique values: 1 missing .: 208462/418241

tabulation: Freq. Value
2.1e+05 1
2.1e+05 .

hzdifsch08 Diff Btw Enrolled & Zoned School, Zoned File, 2007-08

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 194415/418241
tabulation: Freq. Value
1.6e+05 0
66115 1
1.9e+05 .

hzdiffsch09 Diff Btw Enrolled & Zoned School, Zoned File, 2008-09

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 195694/418241
tabulation: Freq. Value
1.6e+05 0
63642 1
2.0e+05 .

hzdiffsch10 Diff Btw Enrolled & Zoned School, Zoned File, 2009-10

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 196065/418241
tabulation: Freq. Value
1.6e+05 0
65639 1
2.0e+05 .

hzdiffsch11 Diff Btw Enrolled & Zoned School, Zoned File, 2010-11

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 203901/418241
tabulation: Freq. Value
1.5e+05 0
65939 1
2.0e+05 .

hzdiffsch12 Diff Btw Enrolled & Zoned School, Zoned File, 2011-12

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 206609/418241
tabulation: Freq. Value

1.5e+05 0
66119 1
2.1e+05 .

hzdiffsch13 Diff Btw Enrolled & Zoned School, Zoned File, 2012-13

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 215378/418241
tabulation: Freq. Value
1.4e+05 0
62967 1
2.2e+05 .

hzecampnm08 Enrolled Campus Name, Zoned File, 2007-08

type: string (str49)
unique values: 294 missing "": 191924/418241
examples: ""
""
"Edison Middle School"
"Oak Forest Elementary School"
warning: variable has embedded blanks

hzecampnm09 Enrolled Campus Name, Zoned File, 2008-09

type: string (str49)
unique values: 297 missing "": 191207/418241
examples: ""
""
"Emerson Elementary School"
"Oak Forest Elementary School"
warning: variable has embedded blanks

hzecampnm10 Enrolled Campus Name, Zoned File, 2009-10

type: string (str49)
unique values: 299 missing "": 191160/418241
examples: ""
""
"Energized for Excellence Academy"
"Oates Elementary School"
warning: variable has embedded blanks

hzecampnm11 Enrolled Campus Name, Zoned File, 2010-11

 type: string (str49)
unique values: 301 missing "": 197883/418241
examples: "
 "
 "Durkee Elementary School"
 "Ninth Grade Preparatory Academy"
warning: variable has embedded blanks

hzecampnm12 Enrolled Campus Name, Zoned File, 2011-12

 type: string (str49)
unique values: 281 missing "": 198730/418241
examples: "
 "
 "Durham Elementary School"
 "Oates Elementary School"
warning: variable has embedded blanks

hzecampnm13 Enrolled Campus Name, Zoned File, 2012-13

 type: string (str49)
unique values: 276 missing "": 208462/418241
examples: "
 "
 "Cunningham Elementary School"
 "Montgomery Elementary School"
warning: variable has embedded blanks

hzecampus08 Enrolled Campus ID, Zoned File, 2007-08

 type: string (str3)
unique values: 294 missing "": 191924/418241
examples: "
 "
 "049"
 "199"

hzecampus09 Enrolled Campus ID, Zoned File, 2008-09

 type: string (str3)

unique values: 297 missing "": 191207/418241

examples: ""
""
"053"
"210"

hzecampus10 Enrolled Campus ID, Zoned File, 2009-10

type: string (str3)

unique values: 299 missing "": 191160/418241

examples: ""
""
"054"
"212"

hzecampus11 Enrolled Campus ID, Zoned File, 2010-11

type: string (str18), but longest is str3

unique values: 301 missing "": 197883/418241

examples: ""
""
"050"
"210"

hzecampus12 Enrolled Campus ID, Zoned File, 2011-12

type: string (str3)

unique values: 281 missing "": 198730/418241

examples: ""
""
"050"
"209"

hzecampus13 Enrolled Campus ID, Zoned File, 2012-13

type: string (str12), but longest is str3

unique values: 276 missing "": 208462/418241

examples: ""
""
"043"
"196"

hzgrade08 Grade Level, Zoned File, 2007-08

```

type: numeric (long)
label: Lhzgrade08, but 12 nonmissing values are not labeled

range: [-2,12]
unique values: 15

units: 1
missing .: 191975/418241

```

```

tabulation: Freq.   Numeric   Label
            959      -2      -2.EE
            16916    -1      -1.PK
            17742     0      0.KG
            20538     1
            19238     2
            17904     3
            17517     4
            16602     5
            14042     6
            15401     7
            15011     8
            19369     9
            12941    10
            10991    11
            11095    12
            1.9e+05  .

```

```

hzgrade09                                     Grade Level, Zoned File, 2008-09

```

```

type: numeric (long)
label: Lhzgrade09, but 12 nonmissing values are not labeled

range: [-2,12]
unique values: 15

units: 1
missing .: 191244/418241

```

```

tabulation: Freq.   Numeric   Label
            894      -2      -2.EE
            18413    -1      -1.PK
            18912     0      0.KG
            20306     1
            19142     2
            18608     3
            17281     4
            16491     5
            15292     6
            14261     7
            14449     8
            17489     9
            13304    10
            10847    11
            11308    12
            1.9e+05  .

```

```

hzgrade10                                     Grade Level, Zoned File, 2009-10

```

```

type: numeric (long)
label: Lhzgrade10, but 12 nonmissing values are not labeled

range: [-2,12]
unique values: 15

units: 1
missing .: 191171/418241

```

```
tabulation: Freq.  Numeric  Label
            938      -2     -2.EE
            18097    -1     -1.PK
            18654     0     0.KG
            20050     1
            18815     2
            18716     3
            17994     4
            16488     5
            13823     6
            14665     7
            14345     8
            17154     9
            13514    10
            12142    11
            11675    12
            1.9e+05  .
```

hzgrade11

Grade Level, Zoned File, 2010-11

```
type: numeric (long)
label: Lhzgrade11, but 12 nonmissing values are not labeled

range: [-2,12]                units: 1
unique values: 15              missing .: 197884/418241
```

```
tabulation: Freq.  Numeric  Label
            1108    -2     -2.EE
            18130   -1     -1.PK
            17985    0     0.KG
            18721    1
            18260    2
            17642    3
            17360    4
            16276    5
            13711    6
            13639    7
            13874    8
            16478    9
            12888   10
            12060   11
            12225   12
            2.0e+05  .
```

hzgrade12

Grade Level, Zoned File, 2011-12

```
type: numeric (long)
label: Lhzgrade12, but 12 nonmissing values are not labeled

range: [-2,12]                units: 1
unique values: 15              missing .: 198730/418241
```

```
tabulation: Freq.  Numeric  Label
            1234    -2     -2.EE
            17702   -1     -1.PK
            18090    0     0.KG
            18653    1
            17805    2
            18039    3
```

```
16976 4
16680 5
14174 6
13779 7
13917 8
16062 9
12647 10
11962 11
11791 12
2.0e+05 .
```

hznhisd08 Student Resides Out of District, Zoned File, 2007-08

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 191924/418241

tabulation: Freq. Value
2.2e+05 0
2491 1
1.9e+05 .
```

hznhisd09 Student Resides Out of District, Zoned File, 2008-09

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 191207/418241

tabulation: Freq. Value
2.2e+05 0
4487 1
1.9e+05 .
```

hznhisd10 Student Resides Out of District, Zoned File, 2009-10

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 191160/418241

tabulation: Freq. Value
2.2e+05 0
4905 1
1.9e+05 .
```

hznhisd11 Student Resides Out of District, Zoned File, 2010-11

```
type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 197883/418241

tabulation: Freq. Value
```

2.1e+05 0
6018 1
2.0e+05 .

hznhisd12 Student Resides Out of District, Zoned File, 2011-12

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 198730/418241
tabulation: Freq. Value
2.1e+05 0
7879 1
2.0e+05 .

hznhisd13 Student Resides Out of District, Zoned File, 2012-13

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 208462/418241
tabulation: Freq. Value
2.0e+05 0
6916 1
2.1e+05 .

hzwwithdraw13 Withdrawn from Campus, Zoned File, 2012-13

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 208462/418241
tabulation: Freq. Value
2.0e+05 0
7401 1
2.1e+05 .

hzzcampnm08 Zoned Campus Name, Zoned File, 2007-08

type: string (str49)
unique values: 235 missing "": 194415/418241
examples: ""
""
"Emerson Elementary School"
"Oates Elementary School"
warning: variable has embedded blanks

hzzcampnm09 Zoned Campus Name, Zoned File, 2008-09

type: string (str49)
unique values: 234 missing "": 195694/418241
examples: ""
""
"Eliot Elementary School"
"Oak Forest Elementary School"
warning: variable has embedded blanks

hzzcampnm10 Zoned Campus Name, Zoned File, 2009-10

type: string (str49)
unique values: 231 missing "": 196065/418241
examples: ""
""
"Eliot Elementary School"
"Ortiz Middle School"
warning: variable has embedded blanks

hzzcampnm11 Zoned Campus Name, Zoned File, 2010-11

type: string (str49)
unique values: 231 missing "": 203901/418241
examples: ""
""
"Dowling Middle School"
"Ninth Grade Preparatory Academy"
warning: variable has embedded blanks

hzzcampnm12 Zoned Campus Name, Zoned File, 2011-12

type: string (str49)
unique values: 220 missing "": 206609/418241
examples: ""
""
"DeZavala Elementary School"
"Northline Elementary School"
warning: variable has embedded blanks

hzzcampnm13 Zoned Campus Name, Zoned File, 2012-13

type: string (str49)

unique values: 222 missing "": 215378/418241

examples: ""
""
"Condit Elementary School"
"Milne Elementary School"

warning: variable has embedded blanks

hzzcampus08 Zoned Campus ID, Zoned File, 2007-08

type: string (str3)

unique values: 235 missing "": 194415/418241

examples: ""
""
"046"
"182"

hzzcampus09 Zoned Campus ID, Zoned File, 2008-09

type: string (str3)

unique values: 234 missing "": 195694/418241

examples: ""
""
"047"
"182"

hzzcampus10 Zoned Campus ID, Zoned File, 2009-10

type: string (str3)

unique values: 231 missing "": 196065/418241

examples: ""
""
"045"
"185"

hzzcampus11 Zoned Campus ID, Zoned File, 2010-11

type: string (str16), but longest is str3

unique values: 231 missing "": 203901/418241

examples: ""
""
"036"
"178"

hzzcampus12

Zoned Campus ID, Zoned File, 2011-12

type: string (str3)

unique values: 220

missing "": 206609/418241

examples: ""
""
"027"
"175"

hzzcampus13

Zoned Campus ID, Zoned File, 2012-13

type: string (str13), but longest is str3

unique values: 222

missing "": 215378/418241

examples: ""
""
"023"
"171"
