


```
type: string (str3)
unique values: 216 missing "": 390627/418241
examples: ""
          ""
          ""
          ""
```

rscampus13 Campus ID- STAAR Science 2012-13

```
type: string (str3)
unique values: 218 missing "": 391103/418241
examples: ""
          ""
          ""
          ""
```

rscd12 Score Code, STAAR Science 2011-12

```
type: string (str1)
unique values: 1 missing "": 390627/418241
tabulation: Freq. Value
            3.9e+05 ""
            27614 "S"
```

rscd13 Score Code, STAAR Science 2012-13

```
type: string (str1)
unique values: 1 missing "": 391103/418241
tabulation: Freq. Value
            3.9e+05 ""
            27138 "S"
```

rsegrade12 Enrolled Grade Level, STAAR Science 2011-12

```
type: numeric (byte)
range: [4,8] units: 1
unique values: 4 missing .: 390627/418241
tabulation: Freq. Value
            12 4
            15291 5
            273 7
            12038 8
            3.9e+05 .
```


range: [0,1] units: 1
unique values: 2 missing .: 391103/418241

tabulation: Freq. Value
9387 0
17751 1
3.9e+05 .

rsp213 Level 2 Satisfactory Performance- Phase 2 Standard, STAAR Science 2012-13

type: numeric (byte)

range: [0,1] units: 1
unique values: 2 missing .: 391103/418241

tabulation: Freq. Value
14612 0
12526 1
3.9e+05 .

rsrc12 Level 2 Satisfactory Performance- Recommended Standard, STAAR Science 2011-12

type: numeric (byte)

range: [0,1] units: 1
unique values: 2 missing .: 390627/418241

tabulation: Freq. Value
19319 0
8295 1
3.9e+05 .

rsrc13 Level 2 Satisfactory Performance- Recommended Standard, STAAR Science 2012-13

type: numeric (byte)

range: [0,1] units: 1
unique values: 2 missing .: 391103/418241

tabulation: Freq. Value
19231 0
7907 1
3.9e+05 .

rsrw12 Raw Score, STAAR Science 2011-12

type: numeric (byte)

range: [0,54] units: 1
unique values: 53 missing .: 390627/418241

mean: 31.5969
std. dev: 8.73427

percentiles: 10% 25% 50% 75% 90%

19 26 32 38 42

rsrw13 Raw Score, STAAR Science 2012-13

type: numeric (byte)
range: [0,54] units: 1
unique values: 52 missing .: 391103/418241
mean: 30.1289
std. dev: 9.23243
percentiles: 10% 25% 50% 75% 90%
18 23 30 37 42

rssc12 Scale Score, STAAR Science 2011-12

type: numeric (int)
range: [569,6236] units: 1
unique values: 194 missing .: 390627/418241
mean: 3686.82
std. dev: 535.933
percentiles: 10% 25% 50% 75% 90%
3025 3345 3651 4000 4347

rssc13 Scale Score, STAAR Science 2012-13

type: numeric (int)
range: [564,6253] units: 1
unique values: 214 missing .: 391103/418241
mean: 3682.37
std. dev: 530.384
percentiles: 10% 25% 50% 75% 90%
3044 3319 3642 4000 4355

rssped12 Special Ed, STAAR Science 2011-12

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 390650/418241
tabulation: Freq. Value
25168 0
2423 1
3.9e+05 .

rssped13 Special Ed, STAAR Science 2012-13

type: numeric (byte)

range: [0,1] units: 1
unique values: 2 missing .: 391301/418241

tabulation: Freq. Value
24590 0
2350 1
3.9e+05 .

rsst13 Level 2 Satisfactory Performance- Students' Standard, STAAR Science 2012-13

type: numeric (byte)

range: [0,1] units: 1
unique values: 2 missing .: 391103/418241

tabulation: Freq. Value
9387 0
17751 1
3.9e+05 .

rstgradel2 Tested Grade Level, STAAR Science 2011-12

type: numeric (byte)

range: [5,8] units: 1
unique values: 2 missing .: 390627/418241

tabulation: Freq. Value
15303 5
12311 8
3.9e+05 .

rstgradel3 Tested Grade Level, STAAR Science 2012-13

type: numeric (byte)

range: [5,8] units: 1
unique values: 2 missing .: 391103/418241

tabulation: Freq. Value
14913 5
12225 8
3.9e+05 .

rstv12 Test Version, STAAR Science 2011-12

type: string (str1)

unique values: 3 missing "": 390627/418241

tabulation: Freq. Value

3.9e+05 ""
534 "L"
1107 "M"
25973 "S"

rstv13 Test Version, STAAR Science 2012-13

type: string (str1)
unique values: 3 missing "": 391103/418241
tabulation: Freq. Value
3.9e+05 ""
537 "L"
1030 "M"
25571 "S"

rtad12 Level 3- Advanced Performance, STAAR Social Studies 2011-12

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 405994/418241
tabulation: Freq. Value
11229 0
1018 1
4.1e+05 .

rtad13 Level 3- Advanced Performance, STAAR Social Studies 2012-13

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 405964/418241
tabulation: Freq. Value
11274 0
1003 1
4.1e+05 .

rtadmind12 Date of Admin- STAAR Social Studies 2011-12

type: string (str4)
unique values: 1 missing "": 405994/418241
tabulation: Freq. Value
4.1e+05 ""
12247 "0412"

rtadmind13 Date of Admin- STAAR Social Studies 2012-13

```
type: string (str4)
unique values: 1 missing "": 405964/418241
tabulation: Freq. Value
4.1e+05 ""
12277 "0413"
```

rtcampus12 Campus ID- STAAR Social Studies 2011-12

```
type: string (str3)
unique values: 60 missing "": 405994/418241
examples: ""
""
""
""
```

rtcampus13 Campus ID- STAAR Social Studies 2012-13

```
type: string (str3)
unique values: 60 missing "": 405964/418241
examples: ""
""
""
""
```

rtcd12 Score Code, STAAR Social Studies 2011-12

```
type: string (str1)
unique values: 1 missing "": 405994/418241
tabulation: Freq. Value
4.1e+05 ""
12247 "S"
```

rtcd13 Score Code, STAAR Social Studies 2012-13

```
type: string (str1)
unique values: 1 missing "": 405964/418241
tabulation: Freq. Value
4.1e+05 ""
12277 "S"
```

rtegradel2 Enrolled Grade Level, STAAR Social Studies 2011-12

```
type: numeric (byte)
```


range: [7,8] units: 1
unique values: 2 missing .: 405994/418241

tabulation: Freq. Value
266 7
11981 8
4.1e+05 .

rtegradel3 Enrolled Grade Level, STAAR Social Studies 2012-13

type: numeric (byte)

range: [6,8] units: 1
unique values: 3 missing .: 405964/418241

tabulation: Freq. Value
4 6
271 7
12002 8
4.1e+05 .

rtlv12 Language Version, STAAR Social Studies 2011-12

type: string (str1)

unique values: 1 missing "": 405994/418241

tabulation: Freq. Value
4.1e+05 ""
12247 "E"

rtlv13 Language Version, STAAR Social Studies 2012-13

type: string (str1)

unique values: 1 missing "": 405964/418241

tabulation: Freq. Value
4.1e+05 ""
12277 "E"

rtp112 Level 2 Satisfactory Performance- Phase 1 Standard, STAAR Social Studies 2011-12

type: numeric (byte)

range: [0,1] units: 1
unique values: 2 missing .: 405994/418241

tabulation: Freq. Value
5903 0
6344 1
4.1e+05 .

rtp113 Level 2 Satisfactory Performance- Phase 1 Standard, STAAR Social Studies 2012-13

type: numeric (byte)

range: [0,1] units: 1
unique values: 2 missing .: 405964/418241

tabulation: Freq. Value
5490 0
6787 1
4.1e+05 .

rtp213 Level 2 Satisfactory Performance- Phase 2 Standard, STAAR Social Studies 2012-13

type: numeric (byte)

range: [0,1] units: 1
unique values: 2 missing .: 405964/418241

tabulation: Freq. Value
7891 0
4386 1
4.1e+05 .

rtrc12 Level 2 Satisfactory Performance- Recommended Std, STAAR Social Studies 2011-12

type: numeric (byte)

range: [0,1] units: 1
unique values: 2 missing .: 405994/418241

tabulation: Freq. Value
10006 0
2241 1
4.1e+05 .

rtrc13 Level 2 Satisfactory Performance- Recommended Std, STAAR Social Studies 2012-13

type: numeric (byte)

range: [0,1] units: 1
unique values: 2 missing .: 405964/418241

tabulation: Freq. Value
9975 0
2302 1
4.1e+05 .

rtrw12 Raw Score, STAAR Social Studies 2011-12

type: numeric (byte)

range: [0,52] units: 1
unique values: 50 missing .: 405994/418241

mean: 26.1902
std. dev: 10.3057

percentiles:	10%	25%	50%	75%	90%
	14	18	25	34	41

rtrw13 Raw Score, STAAR Social Studies 2012-13

type: numeric (byte)

range: [0,52] units: 1
unique values: 49 missing .: 405964/418241

mean: 27.5224
std. dev: 9.69062

percentiles:	10%	25%	50%	75%	90%
	15	20	27	35	41

rtsc12 Scale Score, STAAR Social Studies 2011-12

type: numeric (int)

range: [1055,5991] units: 1
unique values: 102 missing .: 405994/418241

mean: 3530.85
std. dev: 494.255

percentiles:	10%	25%	50%	75%	90%
	2983	3168	3449	3840	4173

rtsc13 Scale Score, STAAR Social Studies 2012-13

type: numeric (int)

range: [938,6006] units: 1
unique values: 107 missing .: 405964/418241

mean: 3555.63
std. dev: 477.979

percentiles:	10%	25%	50%	75%	90%
	2972	3204	3500	3864	4166

rtspced12 Special Ed, STAAR Social Studies 2011-12

type: numeric (byte)

range: [0,1] units: 1
unique values: 2 missing .: 406002/418241

tabulation: Freq. Value
11140 0

1099 1
4.1e+05 .

rtspeced13

Special Ed, STAAR Social Studies 2012-13

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 406069/418241
tabulation: Freq. Value
11103 0
1069 1
4.1e+05 .

rtst13

Level 2 Satisfactory Performance- Students' Std, STAAR Social Studies 2012-13

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 405964/418241
tabulation: Freq. Value
5490 0
6787 1
4.1e+05 .

rttgradel2

Tested Grade Level, STAAR Social Studies 2011-12

type: numeric (byte)
range: [8,8] units: 1
unique values: 1 missing .: 405994/418241
tabulation: Freq. Value
12247 8
4.1e+05 .

rttgradel3

Tested Grade Level, STAAR Social Studies 2012-13

type: numeric (byte)
range: [8,8] units: 1
unique values: 1 missing .: 405964/418241
tabulation: Freq. Value
12277 8
4.1e+05 .

rttv12

Test Version, STAAR Social Studies 2011-12

type: string (str1)

unique values: 3

missing "": 405994/418241

tabulation: Freq. Value
4.1e+05 ""
306 "L"
548 "M"
11393 "S"

rttv13

Test Version, STAAR Social Studies 2012-13

type: string (str1)

unique values: 3

missing "": 405964/418241

tabulation: Freq. Value
4.1e+05 ""
333 "L"
494 "M"
11450 "S"

rwad12

Level 3 Satisfactory Performance- Advanced Performance, STAAR Writing 2011-12

type: numeric (byte)

range: [0,1]

units: 1

unique values: 2

missing .: 390367/418241

tabulation: Freq. Value
25796 0
2078 1
3.9e+05 .

rwad13

Level 3 Satisfactory Performance- Advanced Performance, STAAR Writing 2012-13

type: numeric (byte)

range: [0,1]

units: 1

unique values: 2

missing .: 389898/418241

tabulation: Freq. Value
26477 0
1866 1
3.9e+05 .

rwadmind12

Date of Admin- STAAR Writing 2011-12

type: string (str4)

unique values: 1

missing "": 390367/418241

tabulation: Freq. Value
3.9e+05 ""
27874 "0412"

type: string (str4)

unique values: 1 missing "": 389898/418241

tabulation:	Freq.	Value
	3.9e+05	""
	28343	"0413"

rwc112

Written Comp 1 Score, STAAR Writing 2011-12

type: numeric (byte)

range:	[0,8]	units:	1
unique values:	8	missing .:	390367/418241

tabulation:	Freq.	Value
	382	0
	4283	2
	4583	3
	9362	4
	4681	5
	2964	6
	1089	7
	530	8
	3.9e+05	.

rwc212

Written Comp 2 Score, STAAR Writing 2011-12

type: numeric (byte)

range:	[0,8]	units:	1
unique values:	8	missing .:	391611/418241

tabulation:	Freq.	Value
	154	0
	3197	2
	3414	3
	8745	4
	5398	5
	4142	6
	1081	7
	499	8
	3.9e+05	.

rwcampus12

Campus ID- STAAR Writing 2011-12

type: string (str3)

unique values: 217 missing "": 390367/418241

examples: ""
""
""
""

rwcampus13

Campus ID- STAAR Writing 2012-13

type: string (str3)

unique values: 217

missing "": 389898/418241

examples: ""
""
""
""

rwcd12

Score Code, STAAR Writing 2011-12

type: string (str1)

unique values: 1

missing "": 390367/418241

tabulation: Freq. Value
3.9e+05 ""
27874 "S"

rwcd13

Score Code, STAAR Writing 2012-13

type: string (str1)

unique values: 1

missing "": 389898/418241

tabulation: Freq. Value
3.9e+05 ""
28343 "S"

rwegrade12

Enrolled Grade Level, STAAR Writing 2011-12

type: numeric (byte)

range: [3,8]

units: 1

unique values: 5

missing .: 390367/418241

tabulation: Freq. Value
3 3
15509 4
208 6
12150 7
4 8
3.9e+05 .

rwegrade13

Enrolled Grade Level, STAAR Writing 2012-13

type: numeric (byte)

range: [1,8]

units: 1

unique values: 7

missing .: 389898/418241

```

tabulation:  Freq.  Value
              1      1
              7      3
            15750    4
              4      5
              79     6
            12499    7
              3      8
            3.9e+05 .

```

```

rwlvl12

```

```

Language Version, STAAR Writing 2011-12

```

```

type:  string (str1)

```

```

unique values:  2                               missing "":  390367/418241

```

```

tabulation:  Freq.  Value
            3.9e+05 ""
            25624  "E"
            2250  "S"

```

```

rwlvl13

```

```

Language Version, STAAR Writing 2012-13

```

```

type:  string (str1)

```

```

unique values:  2                               missing "":  389898/418241

```

```

tabulation:  Freq.  Value
            3.9e+05 ""
            26422  "E"
            1921  "S"

```

```

rwp112

```

```

Level 2 Satisfactory Performance- Phase 1 Standard, STAAR Writing 2011-12

```

```

type:  numeric (byte)

```

```

range:  [0,1]                               units:  1
unique values:  2                           missing .:  390367/418241

```

```

tabulation:  Freq.  Value
            8806    0
            19068   1
            3.9e+05 .

```

```

rwp113

```

```

Level 2 Satisfactory Performance- Phase 1 Standard, STAAR Writing 2012-13

```

```

type:  numeric (byte)

```

```

range:  [0,1]                               units:  1
unique values:  2                           missing .:  389898/418241

```

```

tabulation:  Freq.  Value
            9595    0
            18748   1

```



```

type: numeric (byte)
range: [0,72]
unique values: 72
units: 1
missing .: 389898/418241
mean: 33.339
std. dev: 12.8038
percentiles: 10% 25% 50% 75% 90%
              18 24 32 42 52

```

rwsc12 Scale Score, STAAR Writing 2011-12

```

type: numeric (int)
range: [699,6680]
unique values: 255
units: 1
missing .: 390367/418241
mean: 3714.5
std. dev: 549
percentiles: 10% 25% 50% 75% 90%
              3040 3363 3686 4057 4388

```

rwsc13 Scale Score, STAAR Writing 2012-13

```

type: numeric (int)
range: [645,6439]
unique values: 207
units: 1
missing .: 389898/418241
mean: 3690.99
std. dev: 556.642
percentiles: 10% 25% 50% 75% 90%
              3005 3331 3671 4000 4402

```

rwspeced12 Special Ed, STAAR Writing 2011-12

```

type: numeric (byte)
range: [0,1]
unique values: 2
units: 1
missing .: 390405/418241
tabulation: Freq. Value
              25546 0
              2290 1
              3.9e+05 .

```

rwspeced13 Special Ed, STAAR Writing 2012-13

```

type: numeric (byte)
range: [0,1]
unique values: 2
units: 1
missing .: 390070/418241

```

tabulation: Freq. Value
25941 0
2230 1
3.9e+05 .

rwst13 Level 2 Satisfactory Performance- Students' Standard, STAAR Writing 2012-13

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 389898/418241

tabulation: Freq. Value
9595 0
18748 1
3.9e+05 .

rwtgrade12 Tested Grade Level, STAAR Writing 2011-12

type: numeric (byte)
range: [4,7] units: 1
unique values: 2 missing .: 390367/418241

tabulation: Freq. Value
15512 4
12362 7
3.9e+05 .

rwtgrade13 Tested Grade Level, STAAR Writing 2012-13

type: numeric (byte)
range: [4,7] units: 1
unique values: 2 missing .: 389898/418241

tabulation: Freq. Value
15758 4
12585 7
3.9e+05 .

rwtv12 Test Version, STAAR Writing 2011-12

type: string (str1)
unique values: 2 missing "": 390367/418241

tabulation: Freq. Value
3.9e+05 ""
1244 "M"
26630 "S"

rwtv13 Test Version, STAAR Writing 2012-13

type: string (str1)
unique values: 2 missing "": 389898/418241
tabulation: Freq. Value
3.9e+05 ""
1162 "M"
27181 "S"

schyr08 Academic Year (Spring Semester), Yearly Merged File 2007-08

type: string (str2)
unique values: 1 missing "": 191731/418241
tabulation: Freq. Value
1.9e+05 ""
2.3e+05 "08"

schyr09 Academic Year (Spring Semester), Yearly Merged File 2008-09

type: string (str2)
unique values: 1 missing "": 191160/418241
tabulation: Freq. Value
1.9e+05 ""
2.3e+05 "09"

schyr10 Academic Year (Spring Semester), Yearly Merged File 2009-10

type: string (str2)
unique values: 1 missing "": 191113/418241
tabulation: Freq. Value
1.9e+05 ""
2.3e+05 "10"

schyr11 Academic Year (Spring Semester), Yearly Merged File 2010-11

type: string (str2)
unique values: 1 missing "": 197828/418241
tabulation: Freq. Value
2.0e+05 ""
2.2e+05 "11"

schyr12 Academic Year (Spring Semester), Yearly Merged File 2011-12

```
type: string (str2)
unique values: 1 missing "": 198623/418241
tabulation: Freq. Value
2.0e+05 ""
2.2e+05 "12"
```

schyr13 Academic Year (Spring Semester), Yearly Merged File 2012-13

```
type: string (str2)
unique values: 1 missing "": 202680/418241
tabulation: Freq. Value
2.0e+05 ""
2.2e+05 "13"
```

secampus08 Campus ID- Stanford Environment 2007-08

```
type: string (str3)
unique values: 187 missing "": 387258/418241
examples: ""
          ""
          ""
          ""
```

secampus09 Campus ID- Stanford Environment 2008-09

```
type: string (str3)
unique values: 186 missing "": 387002/418241
examples: ""
          ""
          ""
          ""
```

secampus10 Campus ID- Stanford Environment 2009-10

```
type: string (str3)
unique values: 180 missing "": 386981/418241
examples: ""
          ""
          ""
          ""
```

secampus11 Campus ID- Stanford Environment 2010-11

```
type: string (str3)
unique values: 182 missing "": 386676/418241
examples: ""
           ""
           ""
           ""
```

```
secampus12 Campus ID- Stanford Environment 2011-12
```

```
type: string (str3)
unique values: 173 missing "": 386838/418241
examples: ""
           ""
           ""
           ""
```

```
secampus13 Campus ID- Stanford Environment 2012-13
```

```
type: string (str3)
unique values: 175 missing "": 386067/418241
examples: ""
           ""
           ""
           ""
```

```
seethnic08 Ethnicity, Stanford Environment 2007-08
```

```
type: numeric (byte)
label: Lseethnic08

range: [1,5] units: 1
unique values: 5 missing .: 387524/418241

tabulation: Freq. Numeric Label
              39         1 1.American Indian
              1492        2 2.Asian/PI
              12314       3 3.Black
              13101       4 4.Hispanic
              3771        5 5.White
              3.9e+05      .
```

```
seethnic09 Ethnicity, Stanford Environment 2008-09
```

```
type: numeric (byte)
label: Lseethnic09

range: [1,5] units: 1
unique values: 5 missing .: 387128/418241
```

tabulation:	Freq.	Numeric	Label
	58	1	1.American Indian
	1535	2	2.Asian/PI
	12297	3	3.Black
	13454	4	4.Hispanic
	3769	5	5.White
	3.9e+05	.	

seethnic10 Ethnicity, Stanford Environment 2009-10

type: numeric (byte)
label: Lseethnic10

range: [1,5] units: 1
unique values: 5 missing .: 387260/418241

tabulation:	Freq.	Numeric	Label
	54	1	1.American Indian
	1608	2	2.Asian/PI
	11809	3	3.Black
	13654	4	4.Hispanic
	3856	5	5.White
	3.9e+05	.	

seethnic11 Ethnicity, Stanford Environment 2010-11

type: numeric (byte)
label: Lseethnic11

range: [1,5] units: 1
unique values: 5 missing .: 389014/418241

tabulation:	Freq.	Numeric	Label
	95	1	1.American Indian
	1534	2	2.Asian/PI
	10753	3	3.Black
	13042	4	4.Hispanic
	3803	5	5.White
	3.9e+05	.	

seethnic12 Ethnicity, Stanford Environment 2011-12

type: numeric (long)
label: Lseethnic12

range: [1,6] units: 1
unique values: 6 missing .: 387835/418241

tabulation:	Freq.	Numeric	Label
	136	1	1.American Indian
	1757	2	2.Asian/PI
	10993	3	3.Black
	13107	4	4.Hispanic
	3983	5	5.White
	430	6	6.Multiracial
	3.9e+05	.	

seethnic13

Ethnicity, Stanford Environment 2012-13

type: numeric (long)
label: Lseethnic13

range: [1,6] units: 1
unique values: 6 missing : 387926/418241

tabulation:	Freq.	Numeric	Label
	75	1	1.American Indian
	1794	2	2.Asian/PI
	10866	3	3.Black
	13502	4	4.Hispanic
	3625	5	5.White
	453	6	6.Multiracial
	3.9e+05	.	

sege08

Grade Equivalent Score, Stanford Environment 2007-08

type: numeric (float)

range: [.1,33.3] units: .1
unique values: 40 missing : 387258/418241

mean: 5.20329
std. dev: 8.49151

percentiles:	10%	25%	50%	75%	90%
	.4	.8	1.8	3.6	22.2

sege09

Grade Equivalent Score, Stanford Environment 2008-09

type: numeric (float)

range: [.1,33.3] units: .1
unique values: 44 missing : 387002/418241

mean: 5.72587
std. dev: 8.7425

percentiles:	10%	25%	50%	75%	90%
	.4	1	2	4.7	22.2

sege10

Grade Equivalent Score, Stanford Environment 2009-10

type: numeric (float)

range: [.1,33.3] units: .1
unique values: 41 missing : 386981/418241

mean: 5.86583
std. dev: 9.11288

percentiles:	10%	25%	50%	75%	90%
	.4	1	2	4.2	22.2

range: [0,2] units: 1
unique values: 3 missing .: 386067/418241

tabulation: Freq. Value
10607 0
10814 1
10753 2
3.9e+05 .

senc08 Local Normal Curve Equivalent Score, Stanford Environment 2007-08

type: numeric (float)

range: [0,99] units: .1
unique values: 51 missing .: 387258/418241

mean: 46.665
std. dev: 20.6552

percentiles: 10% 25% 50% 75% 90%
18.9 31.5 44.7 62.9 73.7

senc09 Local Normal Curve Equivalent Score, Stanford Environment 2008-09

type: numeric (float)

range: [1,99] units: .1
unique values: 49 missing .: 387002/418241

mean: 48.3838
std. dev: 21.3198

percentiles: 10% 25% 50% 75% 90%
20.4 33.7 48.4 64.2 75.8

senc10 Local Normal Curve Equivalent Score, Stanford Environment 2009-10

type: numeric (float)

range: [1,99] units: .1
unique values: 49 missing .: 386981/418241

mean: 48.0734
std. dev: 20.837

percentiles: 10% 25% 50% 75% 90%
20.4 33.7 47.9 62.3 77

senc11 Local Normal Curve Equivalent Score, Stanford Environment 2010-11

type: numeric (float)

range: [1,99] units: .1
unique values: 47 missing .: 386676/418241

mean: 50.0611
std. dev: 21.4277

percentiles:	10%	25%	50%	75%	90%
	23	34.4	51.6	65.6	79.6

senc12 Local Normal Curve Equivalent Score, Stanford Environment 2011-12

type: numeric (float)

range:	[1,99]	units:	.1
unique values:	53	missing .:	386838/418241

mean: 50.8057
std. dev: 22.0256

percentiles:	10%	25%	50%	75%	90%
	20.4	34.4	51.6	66.3	81.1

senc13 Local Normal Curve Equivalent Score, Stanford Environment 2012-13

type: numeric (float)

range:	[1,99]	units:	.1
unique values:	47	missing .:	386067/418241

mean: 49.1489
std. dev: 21.516

percentiles:	10%	25%	50%	75%	90%
	20.4	33.7	48.4	65.6	77

sepr08 Local Percentile Rank Score, Stanford Environment 2007-08

type: numeric (byte)

range:	[0,99]	units:	1
unique values:	51	missing .:	387258/418241

mean: 45.1898
std. dev: 29.3152

percentiles:	10%	25%	50%	75%	90%
	7	19	40	73	87

sepr09 Local Percentile Rank Score, Stanford Environment 2008-09

type: numeric (byte)

range:	[1,99]	units:	1
unique values:	49	missing .:	387002/418241

mean: 47.6736
std. dev: 30.0581

percentiles:	10%	25%	50%	75%	90%
	8	22	47	75	89

sepr10 Local Percentile Rank Score, Stanford Environment 2009-10

type: numeric (byte)

range: [1,99] units: 1
unique values: 49 missing .: 386981/418241

mean: 47.1565
std. dev: 29.5386

percentiles:	10%	25%	50%	75%	90%
	8	22	46	72	90

sepr11 Local Percentile Rank Score, Stanford Environment 2010-11

type: numeric (byte)

range: [1,99] units: 1
unique values: 47 missing .: 386676/418241

mean: 49.8823
std. dev: 30.0795

percentiles:	10%	25%	50%	75%	90%
	10	23	53	77	92

sepr12 Local Percentile Rank Score, Stanford Environment 2011-12

type: numeric (byte)

range: [1,99] units: 1
unique values: 53 missing .: 386838/418241

mean: 51.2404
std. dev: 30.6277

percentiles:	10%	25%	50%	75%	90%
	8	23	53	78	93

sepr13 Local Percentile Rank Score, Stanford Environment 2012-13

type: numeric (byte)

range: [1,99] units: 1
unique values: 47 missing .: 386067/418241

mean: 48.7064
std. dev: 30.1308

percentiles:	10%	25%	50%	75%	90%
	8	22	47	77	90

serw08 Raw Score, Stanford Environment 2007-08

type: numeric (int)
range: [0,40] units: 1
unique values: 41 missing .: 387258/418241
mean: 27.5463
std. dev: 5.50466
percentiles: 10% 25% 50% 75% 90%
20 24 28 32 34

serw09 Raw Score, Stanford Environment 2008-09

type: numeric (int)
range: [0,40] units: 1
unique values: 41 missing .: 387002/418241
mean: 27.583
std. dev: 5.63364
percentiles: 10% 25% 50% 75% 90%
20 24 28 32 34

serw10 Raw Score, Stanford Environment 2009-10

type: numeric (int)
range: [0,40] units: 1
unique values: 41 missing .: 386981/418241
mean: 28.1935
std. dev: 5.48744
percentiles: 10% 25% 50% 75% 90%
21 25 29 32 35

serw11 Raw Score, Stanford Environment 2010-11

type: numeric (int)
range: [0,40] units: 1
unique values: 41 missing .: 386676/418241
mean: 29.5942
std. dev: 5.48879
percentiles: 10% 25% 50% 75% 90%
22 26 30 34 36

serw12 Raw Score, Stanford Environment 2011-12

type: numeric (int)
range: [0,40] units: 1
unique values: 41 missing .: 386838/418241
mean: 29.0803
std. dev: 5.63567
percentiles: 10% 25% 50% 75% 90%
21 26 30 33 36

serw13 Raw Score, Stanford Environment 2012-13

type: numeric (int)
range: [0,40] units: 1
unique values: 41 missing .: 386067/418241
mean: 29.3432
std. dev: 5.52724
percentiles: 10% 25% 50% 75% 90%
22 26 30 33 36

sesc08 Scale Score, Stanford Environment 2007-08

type: numeric (int)
range: [376,727] units: 1
unique values: 97 missing .: 387258/418241
mean: 572.912
std. dev: 36.0514
percentiles: 10% 25% 50% 75% 90%
529 548 572 595 617

sesc09 Scale Score, Stanford Environment 2008-09

type: numeric (int)
range: [376,739] units: 1
unique values: 100 missing .: 387002/418241
mean: 576.995
std. dev: 38.3678
percentiles: 10% 25% 50% 75% 90%
529 551 576 600 625

sesc10 Scale Score, Stanford Environment 2009-10

type: numeric (int)

range: [376,727] units: 1
unique values: 97 missing .: 386981/418241

mean: 576.24
std. dev: 36.8094

percentiles: 10% 25% 50% 75% 90%
529 553 576 600 623

sesc11 Scale Score, Stanford Environment 2010-11

type: numeric (int)

range: [376,727] units: 1
unique values: 95 missing .: 386676/418241

mean: 585.224
std. dev: 40.7644

percentiles: 10% 25% 50% 75% 90%
533 558 583 611 639

sesc12 Scale Score, Stanford Environment 2011-12

type: numeric (int)

range: [376,739] units: 1
unique values: 100 missing .: 386838/418241

mean: 586.106
std. dev: 42.2625

percentiles: 10% 25% 50% 75% 90%
533 558 585 615 642

sesc13 Scale Score, Stanford Environment 2012-13

type: numeric (int)

range: [376,727] units: 1
unique values: 98 missing .: 386067/418241

mean: 583.33
std. dev: 40.2525

percentiles: 10% 25% 50% 75% 90%
533 556 582 611 632

sespeced08 Special Ed, Stanford Environment 2007-08

type: numeric (float)

range: [0,1] units: 1
unique values: 2 missing .: 387258/418241


```
tabulation:  Freq.  Value
              29447  0
              1536  1
              3.9e+05  .
```

sespeded09

Special Ed, Stanford Environment 2008-09

```
type:  numeric (float)
range:  [0,1]
unique values:  2
units:  1
missing .:  387002/418241
```

```
tabulation:  Freq.  Value
              29690  0
              1549  1
              3.9e+05  .
```

sespeded10

Special Ed, Stanford Environment 2009-10

```
type:  numeric (float)
range:  [0,1]
unique values:  2
units:  1
missing .:  386981/418241
```

```
tabulation:  Freq.  Value
              30002  0
              1258  1
              3.9e+05  .
```

sespeded11

Special Ed, Stanford Environment 2010-11

```
type:  numeric (float)
range:  [0,1]
unique values:  2
units:  1
missing .:  386676/418241
```

```
tabulation:  Freq.  Value
              30424  0
              1141  1
              3.9e+05  .
```

sespeded12

Special Ed, Stanford Environment 2011-12

```
type:  numeric (float)
range:  [0,1]
unique values:  2
units:  1
missing .:  386838/418241
```

```
tabulation:  Freq.  Value
              30369  0
              1034  1
              3.9e+05  .
```

```

type: numeric (byte)
range: [0,1]
unique values: 2
units: 1
missing .: 386067/418241

tabulation: Freq. Value
             30781 0
             1393 1
             3.9e+05 .

```

```
setestc08 Test Date- Century, Stanford Environment 2007-08
```

```

type: string (str2)
unique values: 1
missing "": 387258/418241

tabulation: Freq. Value
             3.9e+05 ""
             30983 "20"

```

```
setestc09 Test Date- Century, Stanford Environment 2008-09
```

```

type: string (str2)
unique values: 1
missing "": 387002/418241

tabulation: Freq. Value
             3.9e+05 ""
             31239 "20"

```

```
setestc10 Test Date- Century, Stanford Environment 2009-10
```

```

type: string (str2)
unique values: 1
missing "": 386981/418241

tabulation: Freq. Value
             3.9e+05 ""
             31260 "20"

```

```
setestc11 Test Date- Century, Stanford Environment 2010-11
```

```

type: string (str2)
unique values: 1
missing "": 386676/418241

tabulation: Freq. Value
             3.9e+05 ""
             31565 "20"

```

```
setestc12 Test Date- Century, Stanford Environment 2011-12
```

type: string (str2)
unique values: 1 missing "": 386838/418241
tabulation: Freq. Value
3.9e+05 ""
31403 "20"

setestc13 Test Date- Century, Stanford Environment 2012-13

type: string (str2)
unique values: 1 missing "": 386067/418241
tabulation: Freq. Value
3.9e+05 ""
32174 "20"

setestd08 Test Date- Day, Stanford Environment 2007-08

type: string (str2)
unique values: 1 missing "": 387258/418241
tabulation: Freq. Value
3.9e+05 ""
30983 "14"

setestd09 Test Date- Day, Stanford Environment 2008-09

type: string (str2)
unique values: 2 missing "": 387002/418241
tabulation: Freq. Value
3.9e+05 ""
9878 "12"
21361 "20"

setestd10 Test Date- Day, Stanford Environment 2009-10

type: string (str2)
unique values: 2 missing "": 386981/418241
tabulation: Freq. Value
3.9e+05 ""
10024 "11"
21236 "20"

setestd11 Test Date- Day, Stanford Environment 2010-11

```
type: string (str2)
unique values: 2 missing "": 386676/418241
tabulation: Freq. Value
3.9e+05 ""
10056 "01"
21509 "09"
```

setestd12 Test Date- Day, Stanford Environment 2011-12

```
type: string (str2)
unique values: 2 missing "": 386838/418241
tabulation: Freq. Value
3.9e+05 ""
10080 "05"
21323 "07"
```

setestd13 Test Date- Day, Stanford Environment 2012-13

```
type: string (str2)
unique values: 2 missing "": 386067/418241
tabulation: Freq. Value
3.9e+05 ""
10607 "03"
21567 "06"
```

setestm08 Test Date- Month, Stanford Environment 2007-08

```
type: string (str2)
unique values: 1 missing "": 387258/418241
tabulation: Freq. Value
3.9e+05 ""
30983 "01"
```

setestm09 Test Date- Month, Stanford Environment 2008-09

```
type: string (str2)
unique values: 1 missing "": 387002/418241
tabulation: Freq. Value
3.9e+05 ""
31239 "01"
```

setestm10 Test Date- Month, Stanford Environment 2009-10

type: string (str2)

unique values: 1

missing "": 386981/418241

tabulation:	Freq.	Value
	3.9e+05	""
	31260	"01"

setestm11

Test Date- Month, Stanford Environment 2010-11

type: string (str2)

unique values: 1

missing "": 396732/418241

tabulation:	Freq.	Value
	4.0e+05	""
	21509	"05"

setestm12

Test Date- Month, Stanford Environment 2011-12

type: string (str2)

unique values: 2

missing "": 386838/418241

tabulation:	Freq.	Value
	3.9e+05	""
	21323	"05"
	10080	"12"

setestm13

Test Date- Month, Stanford Environment 2012-13

type: string (str2)

unique values: 2

missing "": 386067/418241

tabulation:	Freq.	Value
	3.9e+05	""
	21567	"05"
	10607	"12"

setesty08

Test Date- Year, Stanford Environment 2007-08

type: string (str2)

unique values: 1

missing "": 387258/418241

tabulation:	Freq.	Value
	3.9e+05	""
	30983	"08"

setesty09

Test Date- Year, Stanford Environment 2008-09

type: string (str2)

unique values: 1

missing "": 387002/418241

tabulation:	Freq.	Value
	3.9e+05	""
	31239	"09"

setesty10

Test Date- Year, Stanford Environment 2009-10

type: string (str2)

unique values: 1

missing "": 386981/418241

tabulation:	Freq.	Value
	3.9e+05	""
	31260	"10"

setesty11

Test Date- Year, Stanford Environment 2010-11

type: string (str2)

unique values: 2

missing "": 386676/418241

tabulation:	Freq.	Value
	3.9e+05	""
	10056	"10"
	21509	"11"

setesty12

Test Date- Year, Stanford Environment 2011-12

type: string (str2)

unique values: 2

missing "": 386838/418241

tabulation:	Freq.	Value
	3.9e+05	""
	10080	"11"
	21323	"12"

setesty13

Test Date- Year, Stanford Environment 2012-13

type: string (str2)

unique values: 2

missing "": 386067/418241

tabulation:	Freq.	Value
	3.9e+05	""
	10607	"12"
	21567	"13"

slcampus08

Campus ID- Stanford Language 2007-08

```
type: string (str3)
unique values: 280 missing "": 287745/418241
examples: ""
          ""
          ""
          "055"
```

slcampus09 Campus ID- Stanford Language 2008-09

```
type: string (str3)
unique values: 284 missing "": 288950/418241
examples: ""
          ""
          ""
          "056"
```

slcampus10 Campus ID- Stanford Language 2009-10

```
type: string (str3)
unique values: 285 missing "": 287253/418241
examples: ""
          ""
          ""
          "059"
```

slcampus11 Campus ID- Stanford Language 2010-11

```
type: string (str3)
unique values: 284 missing "": 286696/418241
examples: ""
          ""
          ""
          "061"
```

slcampus12 Campus ID- Stanford Language 2011-12

```
type: string (str3)
unique values: 222 missing "": 321017/418241
examples: ""
          ""
          ""
          "055"
```

slcampus13 Campus ID- Stanford Language 2012-13

type: string (str3)
unique values: 222 missing "": 320127/418241
examples: ""
""
""
"055"

slethnic08 Ethnicity, Stanford Language 2007-08

type: numeric (byte)
label: Lslethnic08
range: [1,5] units: 1
unique values: 5 missing .: 288653/418241

tabulation:	Freq.	Numeric	Label
	95	1	1.American Indian
	4941	2	2.Asian/PI
	42445	3	3.Black
	69597	4	4.Hispanic
	12510	5	5.White
	2.9e+05	.	.

slethnic09 Ethnicity, Stanford Language 2008-09

type: numeric (byte)
label: Lslethnic09
range: [1,5] units: 1
unique values: 5 missing .: 289575/418241

tabulation:	Freq.	Numeric	Label
	111	1	1.American Indian
	4922	2	2.Asian/PI
	41117	3	3.Black
	70332	4	4.Hispanic
	12184	5	5.White
	2.9e+05	.	.

slethnic10 Ethnicity, Stanford Language 2009-10

type: numeric (byte)
label: Lslethnic10
range: [1,5] units: 1
unique values: 5 missing .: 288267/418241

tabulation:	Freq.	Numeric	Label
	153	1	1.American Indian
	5009	2	2.Asian/PI
	40401	3	3.Black
	72491	4	4.Hispanic
	11920	5	5.White

2.9e+05 .

slethnic11 Ethnicity, Stanford Language 2010-11

type: numeric (byte)
label: Lslethnic11

range: [1,5] units: 1
unique values: 5 missing .: 289082/418241

tabulation:	Freq.	Numeric	Label
	351	1	1.American Indian
	4968	2	2.Asian/PI
	38489	3	3.Black
	73080	4	4.Hispanic
	12271	5	5.White
	2.9e+05	.	

slethnic12 Ethnicity, Stanford Language 2011-12

type: numeric (long)
label: Lslethnic12

range: [1,6] units: 1
unique values: 6 missing .: 322922/418241

tabulation:	Freq.	Numeric	Label
	466	1	1.American Indian
	3999	2	2.Asian/PI
	28041	3	3.Black
	52508	4	4.Hispanic
	9496	5	5.White
	809	6	6.Multiracial
	3.2e+05	.	

slethnic13 Ethnicity, Stanford Language 2012-13

type: numeric (long)
label: Lslethnic13

range: [1,6] units: 1
unique values: 6 missing .: 323651/418241

tabulation:	Freq.	Numeric	Label
	185	1	1.American Indian
	3957	2	2.Asian/PI
	26895	3	3.Black
	54303	4	4.Hispanic
	8378	5	5.White
	872	6	6.Multiracial
	3.2e+05	.	

slge08 Grade Equivalent Score, Stanford Language 2007-08

type: numeric (float)

range: [.1,33.3] units: .1
unique values: 99 missing .: 287745/418241
mean: 6.00459
std. dev: 3.822
percentiles: 10% 25% 50% 75% 90%
1.8 2.8 5.3 8.6 13

slge09 Grade Equivalent Score, Stanford Language 2008-09

type: numeric (float)
range: [.1,33.3] units: .1
unique values: 100 missing .: 288950/418241
mean: 6.20844
std. dev: 3.91463
percentiles: 10% 25% 50% 75% 90%
1.8 2.8 5.5 8.8 13

slge10 Grade Equivalent Score, Stanford Language 2009-10

type: numeric (float)
range: [.1,33.3] units: .1
unique values: 99 missing .: 287253/418241
mean: 6.15966
std. dev: 3.81123
percentiles: 10% 25% 50% 75% 90%
1.9 2.9 5.5 8.7 13

slge11 Grade Equivalent Score, Stanford Language 2010-11

type: numeric (float)
range: [.1,33.3] units: .1
unique values: 99 missing .: 286696/418241
mean: 6.57372
std. dev: 3.79926
percentiles: 10% 25% 50% 75% 90%
2.1 3.2 5.8 9.6 13

slge12 Grade Equivalent Score, Stanford Language 2011-12

type: numeric (float)
range: [.1,33.3] units: .1
unique values: 87 missing .: 321017/418241

14141 9
11072 10
8764 11
2.9e+05 .

slgrade10

Grade Level, Stanford Language 2009-10

type: numeric (byte)
range: [1,11] units: 1
unique values: 11 missing .: 287253/418241

tabulation: Freq. Value
10886 1
10386 2
11150 3
12820 4
14044 5
12402 6
12384 7
11934 8
13849 9
11279 10
9854 11
2.9e+05 .

slgrade11

Grade Level, Stanford Language 2010-11

type: numeric (byte)
range: [1,11] units: 1
unique values: 11 missing .: 286696/418241

tabulation: Freq. Value
10817 1
10757 2
10782 3
13001 4
14721 5
12219 6
12018 7
12074 8
13587 9
11629 10
9940 11
2.9e+05 .

slgrade12

Grade Level, Stanford Language 2011-12

type: numeric (byte)
range: [1,8] units: 1
unique values: 8 missing .: 321017/418241

tabulation: Freq. Value
10732 1
10621 2

11452 3
13047 4
14977 5
12522 6
11960 7
11913 8
3.2e+05 .

slgrade13

Grade Level, Stanford Language 2012-13

type: numeric (byte)

range: [1,8] units: 1
unique values: 8 missing .: 320127/418241

tabulation: Freq. Value
10814 1
10764 2
11437 3
13661 4
14626 5
12766 6
12153 7
11893 8
3.2e+05 .

slnc08

Local Normal Curve Equivalent Score, Stanford Language 2007-08

type: numeric (float)

range: [1,99] units: .1
unique values: 97 missing .: 287745/418241

mean: 46.8677
std. dev: 18.9624

percentiles: 10% 25% 50% 75% 90%
20.4 35.1 47.4 59.3 70.1

slnc09

Local Normal Curve Equivalent Score, Stanford Language 2008-09

type: numeric (float)

range: [1,99] units: .1
unique values: 99 missing .: 288950/418241

mean: 47.6109
std. dev: 18.9227

percentiles: 10% 25% 50% 75% 90%
21.8 35.1 47.4 61 71.8

slnc10

Local Normal Curve Equivalent Score, Stanford Language 2009-10

type: numeric (float)

range: [1,99] units: .1
unique values: 97 missing .: 287253/418241

mean: 47.497
std. dev: 19.0252

percentiles: 10% 25% 50% 75% 90%
21.8 35.1 47.4 61 72.8

slnc11 Local Normal Curve Equivalent Score, Stanford Language 2010-11

type: numeric (float)

range: [1,99] units: .1
unique values: 96 missing .: 286696/418241

mean: 47.5128
std. dev: 19.8941

percentiles: 10% 25% 50% 75% 90%
20.4 34.4 47.4 61 73.7

slnc12 Local Normal Curve Equivalent Score, Stanford Language 2011-12

type: numeric (float)

range: [1,99] units: .1
unique values: 91 missing .: 321017/418241

mean: 47.5665
std. dev: 20.5352

percentiles: 10% 25% 50% 75% 90%
20.4 33.7 47.4 62.3 75.8

slnc13 Local Normal Curve Equivalent Score, Stanford Language 2012-13

type: numeric (float)

range: [1,99] units: .1
unique values: 92 missing .: 320127/418241

mean: 47.3575
std. dev: 20.9955

percentiles: 10% 25% 50% 75% 90%
18.9 33 47.4 61 74.7

slpr08 Local Percentile Rank Score, Stanford Language 2007-08

type: numeric (byte)

range: [1,99] units: 1
unique values: 97 missing .: 287745/418241

mean: 45.6283
std. dev: 27.0903

percentiles:	10%	25%	50%	75%	90%
	8	24	45	67	83

slpr09 Local Percentile Rank Score, Stanford Language 2008-09

type: numeric (byte)

range: [1,99] units: 1
unique values: 99 missing .: 288950/418241

mean: 46.5627
std. dev: 27.1951

percentiles:	10%	25%	50%	75%	90%
	9	24	45	70	85

slpr10 Local Percentile Rank Score, Stanford Language 2009-10

type: numeric (byte)

range: [1,99] units: 1
unique values: 97 missing .: 287253/418241

mean: 46.4481
std. dev: 27.1674

percentiles:	10%	25%	50%	75%	90%
	9	24	45	70	86

slpr11 Local Percentile Rank Score, Stanford Language 2010-11

type: numeric (byte)

range: [1,99] units: 1
unique values: 96 missing .: 286696/418241

mean: 46.5305
std. dev: 27.9628

percentiles:	10%	25%	50%	75%	90%
	8	23	45	70	87

slpr12 Local Percentile Rank Score, Stanford Language 2011-12

type: numeric (byte)

range: [1,99] units: 1
unique values: 91 missing .: 321017/418241

mean: 46.625
std. dev: 28.6783

percentiles:	10%	25%	50%	75%	90%
	8	22	45	72	89

slpr13 Local Percentile Rank Score, Stanford Language 2012-13

type: numeric (byte)

range: [1,99] units: 1
unique values: 92 missing .: 320127/418241

mean: 46.3843
std. dev: 29.0419

percentiles:	10%	25%	50%	75%	90%
	7	21	45	70	88

slrw08 Raw Score, Stanford Language 2007-08

type: numeric (int)

range: [0,48] units: 1
unique values: 49 missing .: 287745/418241

mean: 30.3404
std. dev: 9.50442

percentiles:	10%	25%	50%	75%	90%
	16	24	31	38	42

slrw09 Raw Score, Stanford Language 2008-09

type: numeric (int)

range: [0,48] units: 1
unique values: 49 missing .: 288950/418241

mean: 30.4992
std. dev: 9.47704

percentiles:	10%	25%	50%	75%	90%
	17	24	32	38	42

slrw10 Raw Score, Stanford Language 2009-10

type: numeric (int)

range: [0,48] units: 1
unique values: 49 missing .: 287253/418241

mean: 30.8321
std. dev: 9.38331

percentiles:	10%	25%	50%	75%	90%
	17	24	32	38	43

slrw11 Raw Score, Stanford Language 2010-11

type: numeric (int)
range: [0,48] units: 1
unique values: 49 missing .: 286696/418241
mean: 32.1638
std. dev: 9.45378
percentiles: 10% 25% 50% 75% 90%
18 26 34 40 44

slrw12 Raw Score, Stanford Language 2011-12

type: numeric (int)
range: [0,48] units: 1
unique values: 49 missing .: 321017/418241
mean: 32.7584
std. dev: 9.37478
percentiles: 10% 25% 50% 75% 90%
19 27 34 40 44

slrw13 Raw Score, Stanford Language 2012-13

type: numeric (int)
range: [0,48] units: 1
unique values: 49 missing .: 320127/418241
mean: 32.997
std. dev: 9.45826
percentiles: 10% 25% 50% 75% 90%
19 27 35 40 44

slsc08 Scale Score, Stanford Language 2007-08

type: numeric (int)
range: [393,838] units: 1
unique values: 240 missing .: 287745/418241
mean: 638.983
std. dev: 55.1495
percentiles: 10% 25% 50% 75% 90%
563 607 644 677 704

slsc09 Scale Score, Stanford Language 2008-09

type: numeric (int)
range: [391,839] units: 1
unique values: 254 missing .: 288950/418241
mean: 641.348
std. dev: 56.5264
percentiles: 10% 25% 50% 75% 90%
563 608 647 679 707

slsc10 Scale Score, Stanford Language 2009-10

type: numeric (int)
range: [393,838] units: 1
unique values: 243 missing .: 287253/418241
mean: 641.456
std. dev: 54.202
percentiles: 10% 25% 50% 75% 90%
566 610 647 678 705

slsc11 Scale Score, Stanford Language 2010-11

type: numeric (int)
range: [393,838] units: 1
unique values: 245 missing .: 286696/418241
mean: 648.064
std. dev: 51.3299
percentiles: 10% 25% 50% 75% 90%
579 617 652 682 709

slsc12 Scale Score, Stanford Language 2011-12

type: numeric (int)
range: [391,806] units: 1
unique values: 212 missing .: 321017/418241
mean: 636.167
std. dev: 53.3291
percentiles: 10% 25% 50% 75% 90%
563 602 640 672 699

slsc13 Scale Score, Stanford Language 2012-13

type: numeric (int)

```
      range: [393,800]          units: 1
unique values: 205             missing .: 320127/418241

      mean: 635.802
      std. dev: 52.3849

percentiles:      10%      25%      50%      75%      90%
                  566      602      640      671      699
```

slspeced08 Special Ed, Stanford Language 2007-08

```
      type: numeric (byte)

      range: [0,1]             units: 1
unique values: 2             missing .: 287745/418241

      tabulation: Freq. Value
                  1.2e+05 0
                  12320  1
                  2.9e+05 .
```

slspeced09 Special Ed, Stanford Language 2008-09

```
      type: numeric (byte)

      range: [0,1]             units: 1
unique values: 2             missing .: 288950/418241

      tabulation: Freq. Value
                  1.1e+05 0
                  14419  1
                  2.9e+05 .
```

slspeced10 Special Ed, Stanford Language 2009-10

```
      type: numeric (byte)

      range: [0,1]             units: 1
unique values: 2             missing .: 287253/418241

      tabulation: Freq. Value
                  1.2e+05 0
                  10755  1
                  2.9e+05 .
```

slspeced11 Special Ed, Stanford Language 2010-11

```
      type: numeric (byte)

      range: [0,1]             units: 1
unique values: 2             missing .: 286696/418241

      tabulation: Freq. Value
                  1.2e+05 0
```

10391 1
2.9e+05 .

slspeced12

Special Ed, Stanford Language 2011-12

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 321017/418241
tabulation: Freq. Value
90113 0
7111 1
3.2e+05 .

slspeced13

Special Ed, Stanford Language 2012-13

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 320127/418241
tabulation: Freq. Value
90816 0
7298 1
3.2e+05 .

sltestc08

Test Date- Century, Stanford Language 2007-08

type: string (str2)
unique values: 1 missing "": 287745/418241
tabulation: Freq. Value
2.9e+05 ""
1.3e+05 "20"

sltestc09

Test Date- Century, Stanford Language 2008-09

type: string (str2)
unique values: 1 missing "": 288950/418241
tabulation: Freq. Value
2.9e+05 ""
1.3e+05 "20"

sltestc10

Test Date- Century, Stanford Language 2009-10

type: string (str2)
unique values: 1 missing "": 287253/418241

tabulation: Freq. Value
2.9e+05 ""
1.3e+05 "20"

sltestc11 Test Date- Century, Stanford Language 2010-11

type: string (str2)
unique values: 1 missing "": 286696/418241
tabulation: Freq. Value
2.9e+05 ""
1.3e+05 "20"

sltestc12 Test Date- Century, Stanford Language 2011-12

type: string (str2)
unique values: 1 missing "": 321017/418241
tabulation: Freq. Value
3.2e+05 ""
97224 "20"

sltestc13 Test Date- Century, Stanford Language 2012-13

type: string (str2)
unique values: 1 missing "": 320127/418241
tabulation: Freq. Value
3.2e+05 ""
98114 "20"

sltestd08 Test Date- Day, Stanford Language 2007-08

type: string (str2)
unique values: 1 missing "": 287745/418241
tabulation: Freq. Value
2.9e+05 ""
1.3e+05 "14"

sltestd09 Test Date- Day, Stanford Language 2008-09

type: string (str2)
unique values: 1 missing "": 288950/418241
tabulation: Freq. Value
2.9e+05 ""
1.3e+05 "20"

sltestd10 Test Date- Day, Stanford Language 2009-10

type: string (str2)

unique values: 1 missing "": 287253/418241

tabulation: Freq. Value
2.9e+05 ""
1.3e+05 "20"

sltestd11 Test Date- Day, Stanford Language 2010-11

type: string (str2)

unique values: 2 missing "": 286696/418241

tabulation: Freq. Value
2.9e+05 ""
96389 "09"
35156 "25"

sltestd12 Test Date- Day, Stanford Language 2011-12

type: string (str2)

unique values: 1 missing "": 321017/418241

tabulation: Freq. Value
3.2e+05 ""
97224 "07"

sltestd13 Test Date- Day, Stanford Language 2012-13

type: string (str2)

unique values: 1 missing "": 320127/418241

tabulation: Freq. Value
3.2e+05 ""
98114 "06"

sltestm08 Test Date- Month, Stanford Language 2007-08

type: string (str2)

unique values: 1 missing "": 287745/418241

tabulation: Freq. Value
2.9e+05 ""
1.3e+05 "01"

sltestm09

Test Date- Month, Stanford Language 2008-09

type: string (str2)

unique values: 1

missing "": 288950/418241

tabulation: Freq. Value
2.9e+05 ""
1.3e+05 "01"

sltestm10

Test Date- Month, Stanford Language 2009-10

type: string (str2)

unique values: 1

missing "": 287253/418241

tabulation: Freq. Value
2.9e+05 ""
1.3e+05 "01"

sltestm11

Test Date- Month, Stanford Language 2010-11

type: string (str2)

unique values: 2

missing "": 286696/418241

tabulation: Freq. Value
2.9e+05 ""
96389 "05"
35156 "10"

sltestm12

Test Date- Month, Stanford Language 2011-12

type: string (str2)

unique values: 1

missing "": 321017/418241

tabulation: Freq. Value
3.2e+05 ""
97224 "05"

sltestm13

Test Date- Month, Stanford Language 2012-13

type: string (str2)

unique values: 1

missing "": 320127/418241

tabulation: Freq. Value
3.2e+05 ""
98114 "05"

sltesty08

Test Date- Year, Stanford Language 2007-08

type: string (str2)

unique values: 1

missing "": 287745/418241

tabulation: Freq. Value
2.9e+05 ""
1.3e+05 "08"

slttesty09

Test Date- Year, Stanford Language 2008-09

type: string (str2)

unique values: 1

missing "": 288950/418241

tabulation: Freq. Value
2.9e+05 ""
1.3e+05 "09"

slttesty10

Test Date- Year, Stanford Language 2009-10

type: string (str2)

unique values: 1

missing "": 287253/418241

tabulation: Freq. Value
2.9e+05 ""
1.3e+05 "10"

slttesty11

Test Date- Year, Stanford Language 2010-11

type: string (str2)

unique values: 2

missing "": 286696/418241

tabulation: Freq. Value
2.9e+05 ""
35156 "10"
96389 "11"

slttesty12

Test Date- Year, Stanford Language 2011-12

type: string (str2)

unique values: 1

missing "": 321017/418241

tabulation: Freq. Value
3.2e+05 ""
97224 "12"

slttesty13

Test Date- Year, Stanford Language 2012-13

type: string (str2)

unique values: 1 missing "": 320127/418241

tabulation: Freq. Value
3.2e+05 ""
98114 "13"

smcampus08 Campus ID- Stanford Math 2007-08

type: string (str3)

unique values: 282 missing "": 277905/418241

examples: ""
""
""
"068"

smcampus09 Campus ID- Stanford Math 2008-09

type: string (str3)

unique values: 286 missing "": 278881/418241

examples: ""
""
""
"075"

smcampus10 Campus ID- Stanford Math 2009-10

type: string (str3)

unique values: 288 missing "": 277008/418241

examples: ""
""
""
"080"

smcampus11 Campus ID- Stanford Math 2010-11

type: string (str3)

unique values: 287 missing "": 276425/418241

examples: ""
""
""
"098"

smcampus12 Campus ID- Stanford Math 2011-12

```
type: string (str3)
unique values: 225 missing "": 310827/418241
examples: ""
           ""
           ""
           "075"
```

smcampus13 Campus ID- Stanford Math 2012-13

```
type: string (str3)
unique values: 224 missing "": 309423/418241
examples: ""
           ""
           ""
           "075"
```

smethnic08 Ethnicity, Stanford Math 2007-08

```
type: numeric (byte)
label: Lsmethnic08
range: [1,5] units: 1
unique values: 5 missing .: 278896/418241
```

tabulation:	Freq.	Numeric	Label
	113	1	1.American Indian
	5420	2	2.Asian/PI
	46298	3	3.Black
	73732	4	4.Hispanic
	13782	5	5.White
	2.8e+05	.	

smethnic09 Ethnicity, Stanford Math 2008-09

```
type: numeric (byte)
label: Lsmethnic09
range: [1,5] units: 1
unique values: 5 missing .: 279546/418241
```

tabulation:	Freq.	Numeric	Label
	136	1	1.American Indian
	5425	2	2.Asian/PI
	44972	3	3.Black
	74654	4	4.Hispanic
	13508	5	5.White
	2.8e+05	.	

smethnic10 Ethnicity, Stanford Math 2009-10

```
type: numeric (byte)
```

label: Lsmethnic10
range: [1,5] units: 1
unique values: 5 missing .: 278122/418241

tabulation:	Freq.	Numeric	Label
	180	1	1.American Indian
	5574	2	2.Asian/PI
	44141	3	3.Black
	76954	4	4.Hispanic
	13270	5	5.White
	2.8e+05	.	

smethnic11 Ethnicity, Stanford Math 2010-11

type: numeric (byte)
label: Lsmethnic11
range: [1,5] units: 1
unique values: 5 missing .: 280682/418241

tabulation:	Freq.	Numeric	Label
	372	1	1.American Indian
	5460	2	2.Asian/PI
	41559	3	3.Black
	76809	4	4.Hispanic
	13359	5	5.White
	2.8e+05	.	

smethnic12 Ethnicity, Stanford Math 2011-12

type: numeric (long)
label: Lsmethnic12
range: [1,6] units: 1
unique values: 6 missing .: 312959/418241

tabulation:	Freq.	Numeric	Label
	493	1	1.American Indian
	4570	2	2.Asian/PI
	31507	3	3.Black
	56997	4	4.Hispanic
	10762	5	5.White
	953	6	6.Multiracial
	3.1e+05	.	

smethnic13 Ethnicity, Stanford Math 2012-13

type: numeric (long)
label: Lsmethnic13
range: [1,6] units: 1
unique values: 6 missing .: 313607/418241

tabulation:	Freq.	Numeric	Label
	221	1	1.American Indian
	4576	2	2.Asian/PI

30388	3	3.Black
58797	4	4.Hispanic
9628	5	5.White
1024	6	6.Multiracial
3.1e+05	.	

smge08 Grade Equivalent Score, Stanford Math 2007-08

```

type: numeric (float)
range: [.1,33.3]           units: .1
unique values: 111         missing .: 277905/418241

mean: 6.99707
std. dev: 4.89301

percentiles:      10%      25%      50%      75%      90%
                  1.6      3.3      6.1      10       13

```

smge09 Grade Equivalent Score, Stanford Math 2008-09

```

type: numeric (float)
range: [.1,33.3]           units: .1
unique values: 108         missing .: 278881/418241

mean: 7.10152
std. dev: 4.93401

percentiles:      10%      25%      50%      75%      90%
                  1.6      3.3      6.1      10.2     13

```

smge10 Grade Equivalent Score, Stanford Math 2009-10

```

type: numeric (float)
range: [.1,33.3]           units: .1
unique values: 111         missing .: 277008/418241

mean: 7.14493
std. dev: 4.86222

percentiles:      10%      25%      50%      75%      90%
                  1.6      3.3      6.3      10.4     13

```

smge11 Grade Equivalent Score, Stanford Math 2010-11

```

type: numeric (float)
range: [.1,33.3]           units: .1
unique values: 111         missing .: 276425/418241

mean: 7.6739
std. dev: 4.77003

```


range: [0,11]
unique values: 12

units: 1
missing .: 278881/418241

tabulation: Freq. Value
9936 0
10739 1
10693 2
10759 3
11975 4
14182 5
12570 6
12118 7
12450 8
14096 9
11082 10
8760 11
2.8e+05 .

smgrade10

Grade Level, Stanford Math 2009-10

type: numeric (byte)

range: [0,11]
unique values: 12

units: 1
missing .: 277008/418241

tabulation: Freq. Value
10053 0
10886 1
10380 2
11154 3
12826 4
14053 5
12421 6
12395 7
11976 8
13911 9
11318 10
9860 11
2.8e+05 .

smgrade11

Grade Level, Stanford Math 2010-11

type: numeric (byte)

range: [0,11]
unique values: 12

units: 1
missing .: 276425/418241

tabulation: Freq. Value
10089 0
10837 1
10763 2
10802 3
13013 4
14727 5
12210 6
12000 7
12090 8
13649 9
11672 10

9964 11
2.8e+05 .

smgrade12

Grade Level, Stanford Math 2011-12

type: numeric (byte)
range: [0,8] units: 1
unique values: 9 missing .: 310827/418241

tabulation: Freq. Value
10124 0
10745 1
10619 2
11464 3
13074 4
14976 5
12515 6
11976 7
11921 8
3.1e+05 .

smgrade13

Grade Level, Stanford Math 2012-13

type: numeric (byte)
range: [0,8] units: 1
unique values: 9 missing .: 309423/418241

tabulation: Freq. Value
10655 0
10838 1
10762 2
11445 3
13682 4
14631 5
12767 6
12144 7
11894 8
3.1e+05 .

smnc08

Local Normal Curve Equivalent Score, Stanford Math 2007-08

type: numeric (float)
range: [1,99] units: .1
unique values: 99 missing .: 277905/418241

mean: 50.2801
std. dev: 19.4057

percentiles: 10% 25% 50% 75% 90%
25.3 36.5 50.5 63.5 75.8

smnc09

Local Normal Curve Equivalent Score, Stanford Math 2008-09

```
type: numeric (float)
range: [1,99] units: .1
unique values: 99 missing .: 278881/418241
mean: 50.8318
std. dev: 19.4978
percentiles: 10% 25% 50% 75% 90%
              25.3 37.1 51.1 64.2 75.8
```

smnc10 Local Normal Curve Equivalent Score, Stanford Math 2009-10

```
type: numeric (float)
range: [1,99] units: .1
unique values: 99 missing .: 277008/418241
mean: 51.6748
std. dev: 19.6842
percentiles: 10% 25% 50% 75% 90%
              26.3 38.3 52.1 64.9 77
```

smnc11 Local Normal Curve Equivalent Score, Stanford Math 2010-11

```
type: numeric (float)
range: [1,99] units: .1
unique values: 99 missing .: 276425/418241
mean: 53.8061
std. dev: 20.3391
percentiles: 10% 25% 50% 75% 90%
              27.2 40.2 54.8 67.7 79.6
```

smnc12 Local Normal Curve Equivalent Score, Stanford Math 2011-12

```
type: numeric (float)
range: [1,99] units: .1
unique values: 99 missing .: 310827/418241
mean: 52.3437
std. dev: 21.4836
percentiles: 10% 25% 50% 75% 90%
              23 37.7 53.2 67 79.6
```

smnc13 Local Normal Curve Equivalent Score, Stanford Math 2012-13

```
type: numeric (float)
```


range: [1,99] units: .1
unique values: 99 missing .: 309423/418241

mean: 52.3584
std. dev: 21.6388

percentiles: 10% 25% 50% 75% 90%
23 37.1 53.2 67.7 79.6

smpr08 Local Percentile Rank Score, Stanford Math 2007-08

type: numeric (byte)

range: [1,99] units: 1
unique values: 99 missing .: 277905/418241

mean: 50.1939
std. dev: 27.7406

percentiles: 10% 25% 50% 75% 90%
12 26 51 74 89

smpr09 Local Percentile Rank Score, Stanford Math 2008-09

type: numeric (byte)

range: [1,99] units: 1
unique values: 99 missing .: 278881/418241

mean: 51.1202
std. dev: 27.7694

percentiles: 10% 25% 50% 75% 90%
12 27 52 75 89

smpr10 Local Percentile Rank Score, Stanford Math 2009-10

type: numeric (byte)

range: [1,99] units: 1
unique values: 99 missing .: 277008/418241

mean: 52.2584
std. dev: 27.9393

percentiles: 10% 25% 50% 75% 90%
13 29 54 76 90

smpr11 Local Percentile Rank Score, Stanford Math 2010-11

type: numeric (byte)

range: [1,99] units: 1
unique values: 99 missing .: 276425/418241

mean: 55.4513
std. dev: 28.2506

percentiles:	10%	25%	50%	75%	90%
	14	32	59	80	92

smpr12 Local Percentile Rank Score, Stanford Math 2011-12

type: numeric (byte)

range: [1,99] units: 1
unique values: 99 missing .: 310827/418241

mean: 53.377
std. dev: 29.519

percentiles:	10%	25%	50%	75%	90%
	10	28	56	79	92

smpr13 Local Percentile Rank Score, Stanford Math 2012-13

type: numeric (byte)

range: [1,99] units: 1
unique values: 99 missing .: 309423/418241

mean: 53.3312
std. dev: 29.7452

percentiles:	10%	25%	50%	75%	90%
	10	27	56	80	92

smrw08 Raw Score, Stanford Math 2007-08

type: numeric (int)

range: [0,80] units: 1
unique values: 81 missing .: 277905/418241

mean: 38.8229
std. dev: 17.6909

percentiles:	10%	25%	50%	75%	90%
	16	24	37	53	64

smrw09 Raw Score, Stanford Math 2008-09

type: numeric (int)

range: [0,80] units: 1
unique values: 81 missing .: 278881/418241

mean: 39.6563
std. dev: 17.8728

smsc08

Scale Score, Stanford Math 2007-08

type: numeric (int)
range: [292,886] units: 1
unique values: 354 missing .: 277905/418241
mean: 637.067
std. dev: 77.7046
percentiles: 10% 25% 50% 75% 90%
520 594 654 690 719

smsc09

Scale Score, Stanford Math 2008-09

type: numeric (int)
range: [292,893] units: 1
unique values: 353 missing .: 278881/418241
mean: 638.192
std. dev: 77.8174
percentiles: 10% 25% 50% 75% 90%
520 595 655 693 721

smsc10

Scale Score, Stanford Math 2009-10

type: numeric (int)
range: [292,886] units: 1
unique values: 354 missing .: 277008/418241
mean: 640.317
std. dev: 77.7714
percentiles: 10% 25% 50% 75% 90%
524 597 656 694 723

smsc11

Scale Score, Stanford Math 2010-11

type: numeric (int)
range: [292,886] units: 1
unique values: 348 missing .: 276425/418241
mean: 649.992
std. dev: 76.326
percentiles: 10% 25% 50% 75% 90%
537 613 666 700 729

smsc12

Scale Score, Stanford Math 2011-12

```

type: numeric (int)
range: [292,865]
unique values: 316
units: 1
missing .: 310827/418241

mean: 629.246
std. dev: 77.5917

percentiles:      10%      25%      50%      75%      90%
                  515      585      643      681      716

```

smsc13 Scale Score, Stanford Math 2012-13

```

type: numeric (int)
range: [292,866]
unique values: 310
units: 1
missing .: 309423/418241

mean: 628.73
std. dev: 78.0705

percentiles:      10%      25%      50%      75%      90%
                  515      582      641      682      716

```

smspeced08 Special Ed, Stanford Math 2007-08

```

type: numeric (byte)
range: [0,1]
unique values: 2
units: 1
missing .: 277905/418241

tabulation: Freq. Value
             1.3e+05 0
             12672  1
             2.8e+05 .

```

smspeced09 Special Ed, Stanford Math 2008-09

```

type: numeric (byte)
range: [0,1]
unique values: 2
units: 1
missing .: 278881/418241

tabulation: Freq. Value
             1.2e+05 0
             14762  1
             2.8e+05 .

```

smspeced10 Special Ed, Stanford Math 2009-10

```

type: numeric (byte)
range: [0,1]
unique values: 2
units: 1
missing .: 277008/418241

```

```
tabulation: Freq. Value
            1.3e+05 0
            11033  1
            2.8e+05 .
```

smspeced11 Special Ed, Stanford Math 2010-11

```
type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 276425/418241
```

```
tabulation: Freq. Value
            1.3e+05 0
            10542  1
            2.8e+05 .
```

smspeced12 Special Ed, Stanford Math 2011-12

```
type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 310827/418241
```

```
tabulation: Freq. Value
            1.0e+05 0
            7110  1
            3.1e+05 .
```

smspeced13 Special Ed, Stanford Math 2012-13

```
type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 309423/418241
```

```
tabulation: Freq. Value
            1.0e+05 0
            7599  1
            3.1e+05 .
```

smtestc08 Test Date- Century, Stanford Math 2007-08

```
type: string (str2)
unique values: 1 missing "": 277905/418241
```

```
tabulation: Freq. Value
            2.8e+05 ""
            1.4e+05 "20"
```

smtestc09 Test Date- Century, Stanford Math 2008-09

type: string (str2)

unique values: 1

missing "": 278881/418241

tabulation: Freq. Value
2.8e+05 ""
1.4e+05 "20"

smtestc10

Test Date- Century, Stanford Math 2009-10

type: string (str2)

unique values: 1

missing "": 277008/418241

tabulation: Freq. Value
2.8e+05 ""
1.4e+05 "20"

smtestc11

Test Date- Century, Stanford Math 2010-11

type: string (str2)

unique values: 1

missing "": 276425/418241

tabulation: Freq. Value
2.8e+05 ""
1.4e+05 "20"

smtestc12

Test Date- Century, Stanford Math 2011-12

type: string (str2)

unique values: 1

missing "": 310827/418241

tabulation: Freq. Value
3.1e+05 ""
1.1e+05 "20"

smtestc13

Test Date- Century, Stanford Math 2012-13

type: string (str2)

unique values: 1

missing "": 309423/418241

tabulation: Freq. Value
3.1e+05 ""
1.1e+05 "20"

smtestd08

Test Date- Day, Stanford Math 2007-08

type: string (str2)

unique values: 1

missing "": 277905/418241

tabulation: Freq. Value
2.8e+05 ""
1.4e+05 "14"

smtestd09

Test Date- Day, Stanford Math 2008-09

type: string (str2)

unique values: 2

missing "": 278881/418241

tabulation: Freq. Value
2.8e+05 ""
9936 "12"
1.3e+05 "20"

smtestd10

Test Date- Day, Stanford Math 2009-10

type: string (str2)

unique values: 2

missing "": 277008/418241

tabulation: Freq. Value
2.8e+05 ""
10053 "11"
1.3e+05 "20"

smtestd11

Test Date- Day, Stanford Math 2010-11

type: string (str2)

unique values: 3

missing "": 276425/418241

tabulation: Freq. Value
2.8e+05 ""
10089 "01"
96442 "09"
35285 "25"

smtestd12

Test Date- Day, Stanford Math 2011-12

type: string (str2)

unique values: 2

missing "": 310827/418241

tabulation: Freq. Value
3.1e+05 ""
10124 "05"
97290 "07"

smtestd13

Test Date- Day, Stanford Math 2012-13

type: string (str2)

unique values: 2

missing "": 309423/418241

tabulation:	Freq.	Value
	3.1e+05	""
	10655	"03"
	98163	"06"

smtestm08

Test Date- Month, Stanford Math 2007-08

type: string (str2)

unique values: 1

missing "": 277905/418241

tabulation:	Freq.	Value
	2.8e+05	""
	1.4e+05	"01"

smtestm09

Test Date- Month, Stanford Math 2008-09

type: string (str2)

unique values: 1

missing "": 278881/418241

tabulation:	Freq.	Value
	2.8e+05	""
	1.4e+05	"01"

smtestm10

Test Date- Month, Stanford Math 2009-10

type: string (str2)

unique values: 1

missing "": 277008/418241

tabulation:	Freq.	Value
	2.8e+05	""
	1.4e+05	"01"

smtestm11

Test Date- Month, Stanford Math 2010-11

type: string (str2)

unique values: 3

missing "": 276425/418241

tabulation:	Freq.	Value
	2.8e+05	""
	96442	"05"
	35285	"10"
	10089	"12"

smtestm12

Test Date- Month, Stanford Math 2011-12

```
type: string (str2)
unique values: 2 missing "": 310827/418241
tabulation: Freq. Value
3.1e+05 ""
97290 "05"
10124 "12"
```

smtestml3 Test Date- Month, Stanford Math 2012-13

```
type: string (str2)
unique values: 2 missing "": 309423/418241
tabulation: Freq. Value
3.1e+05 ""
98163 "05"
10655 "12"
```

smtesty08 Test Date- Year, Stanford Math 2007-08

```
type: string (str2)
unique values: 1 missing "": 277905/418241
tabulation: Freq. Value
2.8e+05 ""
1.4e+05 "08"
```

smtesty09 Test Date- Year, Stanford Math 2008-09

```
type: string (str2)
unique values: 1 missing "": 278881/418241
tabulation: Freq. Value
2.8e+05 ""
1.4e+05 "09"
```

smtesty10 Test Date- Year, Stanford Math 2009-10

```
type: string (str2)
unique values: 1 missing "": 277008/418241
tabulation: Freq. Value
2.8e+05 ""
1.4e+05 "10"
```

smtesty11 Test Date- Year, Stanford Math 2010-11

```
type: string (str2)
```

unique values: 2

missing "": 276425/418241

tabulation: Freq. Value
2.8e+05 ""
45374 "10"
96442 "11"

smtesty12

Test Date- Year, Stanford Math 2011-12

type: string (str2)

unique values: 2

missing "": 310827/418241

tabulation: Freq. Value
3.1e+05 ""
10124 "11"
97290 "12"

smtesty13

Test Date- Year, Stanford Math 2012-13

type: string (str2)

unique values: 2

missing "": 309423/418241

tabulation: Freq. Value
3.1e+05 ""
10655 "12"
98163 "13"

srcampus08

Campus ID- Stanford Reading 2007-08

type: string (str3)

unique values: 282

missing "": 278344/418241

examples: ""
""
""
"068"

srcampus09

Campus ID- Stanford Reading 2008-09

type: string (str3)

unique values: 286

missing "": 279086/418241

examples: ""
""
""
"075"

srcampus10

Campus ID- Stanford Reading 2009-10

```
type: string (str3)
unique values: 288 missing "": 277285/418241
examples: ""
          ""
          ""
          "079"
```

```
srcampus11 Campus ID- Stanford Reading 2010-11
```

```
type: string (str3)
unique values: 287 missing "": 276812/418241
examples: ""
          ""
          ""
          "098"
```

```
srcampus12 Campus ID- Stanford Reading 2011-12
```

```
type: string (str3)
unique values: 225 missing "": 311080/418241
examples: ""
          ""
          ""
          "075"
```

```
srcampus13 Campus ID- Stanford Reading 2012-13
```

```
type: string (str3)
unique values: 224 missing "": 309539/418241
examples: ""
          ""
          ""
          "075"
```

```
srethnic08 Ethnicity, Stanford Reading 2007-08
```

```
type: numeric (byte)
label: Lsrethnic08
range: [1,5] units: 1
unique values: 5 missing .: 279324/418241
```

```
tabulation: Freq. Numeric Label
             113      1 1.American Indian
             5407     2 2.Asian/PI
             46141    3 3.Black
```

```
73520      4  4.Hispanic
13736      5  5.White
2.8e+05    .
```

srethnic09 Ethnicity, Stanford Reading 2008-09

```
type: numeric (byte)
label: Lsrethnic09
```

```
range: [1,5]          units: 1
unique values: 5      missing .: 279751/418241
```

```
tabulation: Freq.  Numeric  Label
             138      1      1.American Indian
             5430     2      2.Asian/PI
             44921    3      3.Black
             74506    4      4.Hispanic
             13495    5      5.White
             2.8e+05  .
```

srethnic10 Ethnicity, Stanford Reading 2009-10

```
type: numeric (byte)
label: Lsrethnic10
```

```
range: [1,5]          units: 1
unique values: 5      missing .: 278387/418241
```

```
tabulation: Freq.  Numeric  Label
             179      1      1.American Indian
             5574     2      2.Asian/PI
             44060    3      3.Black
             76792    4      4.Hispanic
             13249    5      5.White
             2.8e+05  .
```

srethnic11 Ethnicity, Stanford Reading 2010-11

```
type: numeric (byte)
label: Lsrethnic11
```

```
range: [1,5]          units: 1
unique values: 5      missing .: 281026/418241
```

```
tabulation: Freq.  Numeric  Label
             372      1      1.American Indian
             5444     2      2.Asian/PI
             41429    3      3.Black
             76656    4      4.Hispanic
             13314    5      5.White
             2.8e+05  .
```

srethnic12 Ethnicity, Stanford Reading 2011-12

```
type: numeric (long)
```

label: Lsrethnic12
 range: [1,6] units: 1
 unique values: 6 missing .: 313167/418241

tabulation:	Freq.	Numeric	Label
	492	1	1.American Indian
	4558	2	2.Asian/PI
	31410	3	3.Black
	56908	4	4.Hispanic
	10755	5	5.White
	951	6	6.Multiracial
	3.1e+05	.	

srethnic13 Ethnicity, Stanford Reading 2012-13

type: numeric (long)
 label: Lsrethnic13
 range: [1,6] units: 1
 unique values: 6 missing .: 313720/418241

tabulation:	Freq.	Numeric	Label
	221	1	1.American Indian
	4572	2	2.Asian/PI
	30348	3	3.Black
	58728	4	4.Hispanic
	9626	5	5.White
	1026	6	6.Multiracial
	3.1e+05	.	

srge08 Grade Equivalent Score, Stanford Reading 2007-08

type: numeric (float)
 range: [.1,33.3] units: .1
 unique values: 115 missing .: 278344/418241

mean: 5.6582
 std. dev: 4.21938

percentiles:	10%	25%	50%	75%	90%
	1.2	2.5	4.9	8.1	12.2

srge09 Grade Equivalent Score, Stanford Reading 2008-09

type: numeric (float)
 range: [.1,33.3] units: .1
 unique values: 112 missing .: 279086/418241

mean: 5.91015
 std. dev: 4.31043

percentiles:	10%	25%	50%	75%	90%
	1.2	2.5	5.2	8.6	13

type: numeric (byte)
range: [0,11] units: 1
unique values: 12 missing .: 278344/418241

tabulation: Freq. Value
9527 0
11012 1
10512 2
10322 3
12250 4
14167 5
12496 6
12922 7
12637 8
15196 9
10227 10
8629 11
2.8e+05 .

srgrade09

Grade Level, Stanford Reading 2008-09

type: numeric (byte)
range: [0,11] units: 1
unique values: 12 missing .: 279086/418241

tabulation: Freq. Value
9886 0
10706 1
10678 2
10737 3
11972 4
14189 5
12580 6
12130 7
12448 8
14092 9
11013 10
8724 11
2.8e+05 .

srgrade10

Grade Level, Stanford Reading 2009-10

type: numeric (byte)
range: [0,11] units: 1
unique values: 12 missing .: 277285/418241

tabulation: Freq. Value
10001 0
10831 1
10340 2
11127 3
12807 4
14059 5
12433 6
12419 7

11999 8
13830 9
11263 10
9847 11
2.8e+05 .

srgrade11

Grade Level, Stanford Reading 2010-11

type: numeric (byte)
range: [0,11] units: 1
unique values: 12 missing .: 276812/418241

tabulation: Freq. Value
10048 0
10775 1
10747 2
10735 3
12957 4
14727 5
12218 6
12066 7
12112 8
13551 9
11589 10
9904 11
2.8e+05 .

srgrade12

Grade Level, Stanford Reading 2011-12

type: numeric (byte)
range: [0,8] units: 1
unique values: 9 missing .: 311080/418241

tabulation: Freq. Value
10075 0
10627 1
10617 2
11393 3
13044 4
14973 5
12526 6
11975 7
11931 8
3.1e+05 .

srgrade13

Grade Level, Stanford Reading 2012-13

type: numeric (byte)
range: [0,8] units: 1
unique values: 9 missing .: 309539/418241

tabulation: Freq. Value
10605 0
10798 1

10738 2
11423 3
13648 4
14625 5
12784 6
12166 7
11915 8
3.1e+05 .

srnc08 Local Normal Curve Equivalent Score, Stanford Reading 2007-08

type: numeric (float)
range: [1,99] units: .1
unique values: 99 missing .: 278344/418241
mean: 44.8448
std. dev: 20.3328
percentiles: 10% 25% 50% 75% 90%
18.9 30.7 44.1 58.1 71.8

srnc09 Local Normal Curve Equivalent Score, Stanford Reading 2008-09

type: numeric (float)
range: [1,99] units: .1
unique values: 99 missing .: 279086/418241
mean: 46.7213
std. dev: 20.3429
percentiles: 10% 25% 50% 75% 90%
20.4 33 46.3 60.4 73.7

srnc10 Local Normal Curve Equivalent Score, Stanford Reading 2009-10

type: numeric (float)
range: [1,99] units: .1
unique values: 99 missing .: 277285/418241
mean: 46.2543
std. dev: 20.3197
percentiles: 10% 25% 50% 75% 90%
18.9 32.3 45.2 59.8 72.8

srnc11 Local Normal Curve Equivalent Score, Stanford Reading 2010-11

type: numeric (float)
range: [1,99] units: .1
unique values: 99 missing .: 276812/418241

mean: 46.358
std. dev: 21.3237

percentiles:	10%	25%	50%	75%	90%
	18.9	32.3	45.7	60.4	74.7

srnc12 Local Normal Curve Equivalent Score, Stanford Reading 2011-12

type: numeric (float)

range:	[1,99]	units:	.1
unique values:	98	missing .:	311080/418241

mean: 46.5259
std. dev: 21.4605

percentiles:	10%	25%	50%	75%	90%
	17.3	32.3	45.7	61	74.7

srnc13 Local Normal Curve Equivalent Score, Stanford Reading 2012-13

type: numeric (float)

range:	[1,99]	units:	.1
unique values:	98	missing .:	309539/418241

mean: 45.4054
std. dev: 21.9439

percentiles:	10%	25%	50%	75%	90%
	15.4	30.7	44.7	60.4	75.8

srpr08 Local Percentile Rank Score, Stanford Reading 2007-08

type: numeric (byte)

range:	[1,99]	units:	1
unique values:	99	missing .:	278344/418241

mean: 42.5891
std. dev: 28.2549

percentiles:	10%	25%	50%	75%	90%
	7	18	39	65	85

srpr09 Local Percentile Rank Score, Stanford Reading 2008-09

type: numeric (byte)

range:	[1,99]	units:	1
unique values:	99	missing .:	279086/418241

mean: 45.2488
std. dev: 28.3101

percentiles:	10%	25%	50%	75%	90%
	8	21	43	69	87

srpr10 Local Percentile Rank Score, Stanford Reading 2009-10

type: numeric (byte)

range: [1,99] units: 1
unique values: 99 missing .: 277285/418241

mean: 44.5306
std. dev: 28.3386

percentiles:	10%	25%	50%	75%	90%
	7	20	41	68	86

srpr11 Local Percentile Rank Score, Stanford Reading 2010-11

type: numeric (byte)

range: [1,99] units: 1
unique values: 99 missing .: 276812/418241

mean: 44.883
std. dev: 29.0633

percentiles:	10%	25%	50%	75%	90%
	7	20	42	69	88

srpr12 Local Percentile Rank Score, Stanford Reading 2011-12

type: numeric (byte)

range: [1,99] units: 1
unique values: 98 missing .: 311080/418241

mean: 45.1556
std. dev: 29.2

percentiles:	10%	25%	50%	75%	90%
	6	20	42	70	88

srpr13 Local Percentile Rank Score, Stanford Reading 2012-13

type: numeric (byte)

range: [1,99] units: 1
unique values: 98 missing .: 309539/418241

mean: 43.6483
std. dev: 29.6191

percentiles:	10%	25%	50%	75%	90%
	5	18	40	69	89

srrw08

Raw Score, Stanford Reading 2007-08

type: numeric (int)
range: [0,130] units: 1
unique values: 130 missing .: 278344/418241
mean: 60.9219
std. dev: 21.3715
percentiles: 10% 25% 50% 75% 90%
34 46 59 73 90

srrw09

Raw Score, Stanford Reading 2008-09

type: numeric (int)
range: [1,130] units: 1
unique values: 130 missing .: 279086/418241
mean: 62.3066
std. dev: 21.1359
percentiles: 10% 25% 50% 75% 90%
36 48 61 74 91

srrw10

Raw Score, Stanford Reading 2009-10

type: numeric (int)
range: [0,130] units: 1
unique values: 131 missing .: 277285/418241
mean: 62.6468
std. dev: 21.5367
percentiles: 10% 25% 50% 75% 90%
36 48 61 75 93

srrw11

Raw Score, Stanford Reading 2010-11

type: numeric (int)
range: [0,130] units: 1
unique values: 130 missing .: 276812/418241
mean: 65.1504
std. dev: 23.0131
percentiles: 10% 25% 50% 75% 90%
37 50 63 78 97

srrw12

Raw Score, Stanford Reading 2011-12

type: numeric (int)
range: [2,130] units: 1
unique values: 128 missing .: 311080/418241
mean: 68.6251
std. dev: 23.7994
percentiles: 10% 25% 50% 75% 90%
39 52 66 84 102

srrw13 Raw Score, Stanford Reading 2012-13

type: numeric (int)
range: [0,130] units: 1
unique values: 129 missing .: 309539/418241
mean: 68.2623
std. dev: 24.0065
percentiles: 10% 25% 50% 75% 90%
38 51 66 84 101

srsc08 Scale Score, Stanford Reading 2007-08

type: numeric (int)
range: [280,868] units: 1
unique values: 394 missing .: 278344/418241
mean: 632.585
std. dev: 72.8939
percentiles: 10% 25% 50% 75% 90%
526 599 644 681 712

srsc09 Scale Score, Stanford Reading 2008-09

type: numeric (int)
range: [255,867] units: 1
unique values: 393 missing .: 279086/418241
mean: 636.106
std. dev: 74.0066
percentiles: 10% 25% 50% 75% 90%
528 602 649 685 715

srsc10 Scale Score, Stanford Reading 2009-10

type: numeric (int)

range: [295,868] units: 1
unique values: 389 missing .: 277285/418241

mean: 635.784
std. dev: 71.9504

percentiles: 10% 25% 50% 75% 90%
533 602 648 684 714

srsc11 Scale Score, Stanford Reading 2010-11

type: numeric (int)

range: [306,868] units: 1
unique values: 388 missing .: 276812/418241

mean: 641.555
std. dev: 69.9995

percentiles: 10% 25% 50% 75% 90%
550 612 654 688 715

srsc12 Scale Score, Stanford Reading 2011-12

type: numeric (int)

range: [306,839] units: 1
unique values: 352 missing .: 311080/418241

mean: 625.383
std. dev: 70.3739

percentiles: 10% 25% 50% 75% 90%
522 594 640 673 699

srsc13 Scale Score, Stanford Reading 2012-13

type: numeric (int)

range: [295,835] units: 1
unique values: 355 missing .: 309539/418241

mean: 622.652
std. dev: 70.7475

percentiles: 10% 25% 50% 75% 90%
518 591 635 670 698

srspeced08 Special Ed, Stanford Reading 2007-08

type: numeric (byte)

range: [0,1] units: 1
unique values: 2 missing .: 278344/418241

tabulation: Freq. Value
1.3e+05 0
12631 1
2.8e+05 .

srspeced09

Special Ed, Stanford Reading 2008-09

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 279086/418241

tabulation: Freq. Value
1.2e+05 0
14717 1
2.8e+05 .

srspeced10

Special Ed, Stanford Reading 2009-10

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 277285/418241

tabulation: Freq. Value
1.3e+05 0
10997 1
2.8e+05 .

srspeced11

Special Ed, Stanford Reading 2010-11

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 276812/418241

tabulation: Freq. Value
1.3e+05 0
10518 1
2.8e+05 .

srspeced12

Special Ed, Stanford Reading 2011-12

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 311080/418241

tabulation: Freq. Value
1.0e+05 0
7109 1
3.1e+05 .

srspeced13

Special Ed, Stanford Reading 2012-13

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 309539/418241

tabulation: Freq. Value
1.0e+05 0
7590 1
3.1e+05 .

srtestc08 Test Date- Century, Stanford Reading 2007-08

type: string (str2)
unique values: 1 missing "": 278344/418241

tabulation: Freq. Value
2.8e+05 ""
1.4e+05 "20"

srtestc09 Test Date- Century, Stanford Reading 2008-09

type: string (str2)
unique values: 1 missing "": 279086/418241

tabulation: Freq. Value
2.8e+05 ""
1.4e+05 "20"

srtestc10 Test Date- Century, Stanford Reading 2009-10

type: string (str2)
unique values: 1 missing "": 277285/418241

tabulation: Freq. Value
2.8e+05 ""
1.4e+05 "20"

srtestc11 Test Date- Century, Stanford Reading 2010-11

type: string (str2)
unique values: 1 missing "": 276812/418241

tabulation: Freq. Value
2.8e+05 ""
1.4e+05 "20"

srtestc12 Test Date- Century, Stanford Reading 2011-12

type: string (str2)

unique values: 1

missing "": 311080/418241

tabulation: Freq. Value
3.1e+05 ""
1.1e+05 "20"

srtestc13

Test Date- Century, Stanford Reading 2012-13

type: string (str2)

unique values: 1

missing "": 309539/418241

tabulation: Freq. Value
3.1e+05 ""
1.1e+05 "20"

srtestd08

Test Date- Day, Stanford Reading 2007-08

type: string (str2)

unique values: 1

missing "": 278344/418241

tabulation: Freq. Value
2.8e+05 ""
1.4e+05 "14"

srtestd09

Test Date- Day, Stanford Reading 2008-09

type: string (str2)

unique values: 2

missing "": 279086/418241

tabulation: Freq. Value
2.8e+05 ""
9886 "12"
1.3e+05 "20"

srtestd10

Test Date- Day, Stanford Reading 2009-10

type: string (str2)

unique values: 2

missing "": 277285/418241

tabulation: Freq. Value
2.8e+05 ""
10001 "11"
1.3e+05 "20"

srtestd11

Test Date- Day, Stanford Reading 2010-11

```
type: string (str2)
unique values: 3 missing "": 276812/418241
tabulation: Freq. Value
2.8e+05 ""
10048 "01"
96337 "09"
35044 "25"
```

srtestd12 Test Date- Day, Stanford Reading 2011-12

```
type: string (str2)
unique values: 2 missing "": 311080/418241
tabulation: Freq. Value
3.1e+05 ""
10075 "05"
97086 "07"
```

srtestd13 Test Date- Day, Stanford Reading 2012-13

```
type: string (str2)
unique values: 2 missing "": 309539/418241
tabulation: Freq. Value
3.1e+05 ""
10605 "03"
98097 "06"
```

srtestm08 Test Date- Month, Stanford Reading 2007-08

```
type: string (str2)
unique values: 1 missing "": 278344/418241
tabulation: Freq. Value
2.8e+05 ""
1.4e+05 "01"
```

srtestm09 Test Date- Month, Stanford Reading 2008-09

```
type: string (str2)
unique values: 1 missing "": 279086/418241
tabulation: Freq. Value
2.8e+05 ""
1.4e+05 "01"
```

srtestm10 Test Date- Month, Stanford Reading 2009-10

type: string (str2)

unique values: 1

missing "": 277285/418241

tabulation:	Freq.	Value
	2.8e+05	""
	1.4e+05	"01"

srtestm11

Test Date- Month, Stanford Reading 2010-11

type: string (str2)

unique values: 3

missing "": 276812/418241

tabulation:	Freq.	Value
	2.8e+05	""
	96337	"05"
	35044	"10"
	10048	"12"

srtestm12

Test Date- Month, Stanford Reading 2011-12

type: string (str2)

unique values: 2

missing "": 311080/418241

tabulation:	Freq.	Value
	3.1e+05	""
	97086	"05"
	10075	"12"

srtestm13

Test Date- Month, Stanford Reading 2012-13

type: string (str2)

unique values: 2

missing "": 309539/418241

tabulation:	Freq.	Value
	3.1e+05	""
	98097	"05"
	10605	"12"

srtesty08

Test Date- Year, Stanford Reading 2007-08

type: string (str2)

unique values: 1

missing "": 278344/418241

tabulation:	Freq.	Value
	2.8e+05	""
	1.4e+05	"08"

srtesty09

Test Date- Year, Stanford Reading 2008-09

type: string (str2)
unique values: 1 missing "": 279086/418241
tabulation: Freq. Value
2.8e+05 ""
1.4e+05 "09"

srtesty10 Test Date- Year, Stanford Reading 2009-10

type: string (str2)
unique values: 1 missing "": 277285/418241
tabulation: Freq. Value
2.8e+05 ""
1.4e+05 "10"

srtesty11 Test Date- Year, Stanford Reading 2010-11

type: string (str2)
unique values: 2 missing "": 276812/418241
tabulation: Freq. Value
2.8e+05 ""
45092 "10"
96337 "11"

srtesty12 Test Date- Year, Stanford Reading 2011-12

type: string (str2)
unique values: 2 missing "": 311080/418241
tabulation: Freq. Value
3.1e+05 ""
10075 "11"
97086 "12"

srtesty13 Test Date- Year, Stanford Reading 2012-13

type: string (str2)
unique values: 2 missing "": 309539/418241
tabulation: Freq. Value
3.1e+05 ""
10605 "12"
98097 "13"

sscampus08 Campus ID- Stanford Science 2007-08

type: string (str3)
unique values: 277 missing "": 309453/418241
examples: ""
""
""
"024"

sscampus09 Campus ID- Stanford Science 2008-09

type: string (str3)
unique values: 282 missing "": 310525/418241
examples: ""
""
""
"027"

sscampus10 Campus ID- Stanford Science 2009-10

type: string (str3)
unique values: 283 missing "": 308613/418241
examples: ""
""
""
"029"

sscampus11 Campus ID- Stanford Science 2010-11

type: string (str3)
unique values: 282 missing "": 308480/418241
examples: ""
""
""
"033"

sscampus12 Campus ID- Stanford Science 2011-12

type: string (str3)
unique values: 220 missing "": 342384/418241
examples: ""
""
""
""

sscampus13

Campus ID- Stanford Science 2012-13

type: string (str3)
unique values: 219 missing "": 341743/418241
examples: ""
 ""
 ""
 ""

ssethnic08

Ethnicity, Stanford Science 2007-08

type: numeric (byte)
label: Lssethnic08
range: [1,5] units: 1
unique values: 5 missing .: 310167/418241
tabulation: Freq. Numeric Label
 75 1 1.American Indian
 3923 2 2.Asian/PI
 33771 3 3.Black
 60355 4 4.Hispanic
 9950 5 5.White
 3.1e+05 .

ssethnic09

Ethnicity, Stanford Science 2008-09

type: numeric (byte)
label: Lssethnic09
range: [1,5] units: 1
unique values: 5 missing .: 311062/418241
tabulation: Freq. Numeric Label
 79 1 1.American Indian
 3885 2 2.Asian/PI
 32526 3 3.Black
 60993 4 4.Hispanic
 9696 5 5.White
 3.1e+05 .

ssethnic10

Ethnicity, Stanford Science 2009-10

type: numeric (byte)
label: Lssethnic10
range: [1,5] units: 1
unique values: 5 missing .: 309440/418241
tabulation: Freq. Numeric Label
 125 1 1.American Indian
 3957 2 2.Asian/PI
 32221 3 3.Black

63128 4 4.Hispanic
9370 5 5.White
3.1e+05 .

ssethnic11 Ethnicity, Stanford Science 2010-11

type: numeric (byte)
label: Lssethnic11

range: [1,5] units: 1
unique values: 5 missing .: 310354/418241

tabulation:	Freq.	Numeric	Label
	278	1	1.American Indian
	3909	2	2.Asian/PI
	30628	3	3.Black
	63570	4	4.Hispanic
	9502	5	5.White
	3.1e+05	.	

ssethnic12 Ethnicity, Stanford Science 2011-12

type: numeric (long)
label: Lssethnic12

range: [1,6] units: 1
unique values: 6 missing .: 343474/418241

tabulation:	Freq.	Numeric	Label
	361	1	1.American Indian
	2808	2	2.Asian/PI
	20459	3	3.Black
	43854	4	4.Hispanic
	6761	5	5.White
	524	6	6.Multiracial
	3.4e+05	.	

ssethnic13 Ethnicity, Stanford Science 2012-13

type: numeric (long)
label: Lssethnic13

range: [1,6] units: 1
unique values: 6 missing .: 344056/418241

tabulation:	Freq.	Numeric	Label
	146	1	1.American Indian
	2783	2	2.Asian/PI
	19463	3	3.Black
	45223	4	4.Hispanic
	5998	5	5.White
	572	6	6.Multiracial
	3.4e+05	.	

ssge08 Grade Equivalent Score, Stanford Science 2007-08

```
type: numeric (float)
range: [.1,33.3] units: .1
unique values: 92 missing .: 309453/418241
mean: 7.30456
std. dev: 3.81745
percentiles: 10% 25% 50% 75% 90%
              2.3 4.2 6.8 10.3 13
```

ssge09 Grade Equivalent Score, Stanford Science 2008-09

```
type: numeric (float)
range: [.1,33.3] units: .1
unique values: 98 missing .: 310525/418241
mean: 7.73247
std. dev: 3.76996
percentiles: 10% 25% 50% 75% 90%
              2.5 4.7 7.8 10.5 13
```

ssge10 Grade Equivalent Score, Stanford Science 2009-10

```
type: numeric (float)
range: [.1,33.3] units: .1
unique values: 92 missing .: 308613/418241
mean: 7.70546
std. dev: 3.86253
percentiles: 10% 25% 50% 75% 90%
              2.3 4.6 7.8 10.6 13
```

ssge11 Grade Equivalent Score, Stanford Science 2010-11

```
type: numeric (float)
range: [.1,33.3] units: .1
unique values: 92 missing .: 308480/418241
mean: 8.35488
std. dev: 3.75518
percentiles: 10% 25% 50% 75% 90%
              2.8 5.4 8.7 12.3 13
```

ssge12 Grade Equivalent Score, Stanford Science 2011-12

```
type: numeric (float)
```

```

    range: [.1,33.3]           units: .1
unique values: 87             missing .: 342384/418241

    mean: 7.48508
    std. dev: 3.75136

percentiles:      10%      25%      50%      75%      90%
                  2.4      4.6      7.1      10.4     13

```

ssge13 Grade Equivalent Score, Stanford Science 2012-13

```

    type: numeric (float)

    range: [.1,33.3]           units: .1
unique values: 83             missing .: 341743/418241

    mean: 7.25709
    std. dev: 3.8543

percentiles:      10%      25%      50%      75%      90%
                  2.3      4.2      6.6      10.4     13

```

ssgrade08 Grade Level, Stanford Science 2007-08

```

    type: numeric (byte)

    range: [3,11]             units: 1
unique values: 9             missing .: 309453/418241

    tabulation: Freq.  Value
                10336  3
                12253  4
                14133  5
                12454  6
                12899  7
                12607  8
                15207  9
                10243  10
                 8656  11
                3.1e+05 .

```

ssgrade09 Grade Level, Stanford Science 2008-09

```

    type: numeric (byte)

    range: [3,11]             units: 1
unique values: 9             missing .: 310525/418241

    tabulation: Freq.  Value
                10720  3
                11955  4
                14151  5
                12542  6
                12069  7
                12412  8
                14084  9
                11061  10

```

8722 11
3.1e+05 .

ssgrade10

Grade Level, Stanford Science 2009-10

type: numeric (byte)
range: [3,11] units: 1
unique values: 9 missing .: 308613/418241

tabulation: Freq. Value
11141 3
12809 4
14033 5
12400 6
12373 7
11945 8
13848 9
11257 10
9822 11
3.1e+05 .

ssgrade11

Grade Level, Stanford Science 2010-11

type: numeric (byte)
range: [3,11] units: 1
unique values: 9 missing .: 308480/418241

tabulation: Freq. Value
10765 3
12989 4
14710 5
12203 6
12007 7
12058 8
13584 9
11557 10
9888 11
3.1e+05 .

ssgrade12

Grade Level, Stanford Science 2011-12

type: numeric (byte)
range: [3,8] units: 1
unique values: 6 missing .: 342384/418241

tabulation: Freq. Value
11432 3
13043 4
14979 5
12524 6
11971 7
11908 8
3.4e+05 .

ssgrade13

Grade Level, Stanford Science 2012-13

type: numeric (byte)
range: [3,8] units: 1
unique values: 6 missing .: 341743/418241
tabulation: Freq. Value
11430 3
13657 4
14625 5
12758 6
12134 7
11894 8
3.4e+05 .

ssnc08

Local Normal Curve Equivalent Score, Stanford Science 2007-08

type: numeric (float)
range: [1,99] units: .1
unique values: 88 missing .: 309453/418241
mean: 48.316
std. dev: 19.8656
percentiles: 10% 25% 50% 75% 90%
21.8 34.4 46.8 62.3 75.8

ssnc09

Local Normal Curve Equivalent Score, Stanford Science 2008-09

type: numeric (float)
range: [1,99] units: .1
unique values: 86 missing .: 310525/418241
mean: 51.2144
std. dev: 19.6557
percentiles: 10% 25% 50% 75% 90%
26.3 37.1 51.6 64.9 78.2

ssnc10

Local Normal Curve Equivalent Score, Stanford Science 2009-10

type: numeric (float)
range: [1,99] units: .1
unique values: 88 missing .: 308613/418241
mean: 50.8471
std. dev: 19.8415
percentiles: 10% 25% 50% 75% 90%
25.3 36.5 51.6 64.9 78.2

ssnc11 Local Normal Curve Equivalent Score, Stanford Science 2010-11

type: numeric (float)

range: [1,99] units: .1
unique values: 87 missing .: 308480/418241

mean: 53.6611
std. dev: 20.4629

percentiles:	10%	25%	50%	75%	90%
	26.3	39	55.3	68.5	81.1

ssnc12 Local Normal Curve Equivalent Score, Stanford Science 2011-12

type: numeric (float)

range: [1,99] units: .1
unique values: 81 missing .: 342384/418241

mean: 54.6514
std. dev: 20.9318

percentiles:	10%	25%	50%	75%	90%
	27.2	40.2	56.4	70.1	81.1

ssnc13 Local Normal Curve Equivalent Score, Stanford Science 2012-13

type: numeric (float)

range: [1,99] units: .1
unique values: 78 missing .: 341743/418241

mean: 53.0663
std. dev: 21.7873

percentiles:	10%	25%	50%	75%	90%
	23	37.7	54.8	70.1	81.1

sspr08 Local Percentile Rank Score, Stanford Science 2007-08

type: numeric (byte)

range: [1,99] units: 1
unique values: 88 missing .: 309453/418241

mean: 47.4633
std. dev: 28.5147

percentiles:	10%	25%	50%	75%	90%
	9	23	44	72	89

sspr09 Local Percentile Rank Score, Stanford Science 2008-09

```
type: numeric (byte)
range: [1,99] units: 1
unique values: 86 missing .: 310525/418241
mean: 51.5208
std. dev: 28.3964
percentiles: 10% 25% 50% 75% 90%
              13 27 53 76 91
```

sspr10 Local Percentile Rank Score, Stanford Science 2009-10

```
type: numeric (byte)
range: [1,99] units: 1
unique values: 88 missing .: 308613/418241
mean: 51.2077
std. dev: 28.514
percentiles: 10% 25% 50% 75% 90%
              12 26 53 76 91
```

sspr11 Local Percentile Rank Score, Stanford Science 2010-11

```
type: numeric (byte)
range: [1,99] units: 1
unique values: 87 missing .: 308480/418241
mean: 55.3174
std. dev: 28.9276
percentiles: 10% 25% 50% 75% 90%
              13 30 60 81 93
```

sspr12 Local Percentile Rank Score, Stanford Science 2011-12

```
type: numeric (byte)
range: [1,99] units: 1
unique values: 81 missing .: 342384/418241
mean: 56.5536
std. dev: 29.3274
percentiles: 10% 25% 50% 75% 90%
              14 32 62 83 93
```

sspr13 Local Percentile Rank Score, Stanford Science 2012-13

```
type: numeric (byte)
```

range: [1,99] units: 1
unique values: 78 missing .: 341743/418241
mean: 54.4986
std. dev: 30.2874
percentiles: 10% 25% 50% 75% 90%
10 28 59 83 93

ssrw08 Raw Score, Stanford Science 2007-08

type: numeric (int)
range: [0,40] units: 1
unique values: 41 missing .: 309453/418241
mean: 22.5665
std. dev: 7.19765
percentiles: 10% 25% 50% 75% 90%
13 17 22 28 32

ssrw09 Raw Score, Stanford Science 2008-09

type: numeric (int)
range: [0,40] units: 1
unique values: 41 missing .: 310525/418241
mean: 22.9172
std. dev: 7.16651
percentiles: 10% 25% 50% 75% 90%
13 18 23 28 32

ssrw10 Raw Score, Stanford Science 2009-10

type: numeric (int)
range: [0,40] units: 1
unique values: 41 missing .: 308613/418241
mean: 23.4871
std. dev: 7.13436
percentiles: 10% 25% 50% 75% 90%
14 18 24 29 33

ssrw11 Raw Score, Stanford Science 2010-11

type: numeric (int)
range: [0,40] units: 1
unique values: 41 missing .: 308480/418241

mean: 24.7886
std. dev: 7.44382

percentiles:	10%	25%	50%	75%	90%
	14	19	25	31	34

ssrw12 Raw Score, Stanford Science 2011-12

type: numeric (int)

range:	[0,40]	units:	1
unique values:	41	missing .:	342384/418241

mean: 26.2206
std. dev: 6.82193

percentiles:	10%	25%	50%	75%	90%
	17	22	27	31	35

ssrw13 Raw Score, Stanford Science 2012-13

type: numeric (int)

range:	[0,40]	units:	1
unique values:	41	missing .:	341743/418241

mean: 26.2576
std. dev: 7.16321

percentiles:	10%	25%	50%	75%	90%
	16	21	27	32	35

sssc08 Scale Score, Stanford Science 2007-08

type: numeric (int)

range:	[445,857]	units:	1
unique values:	206	missing .:	309453/418241

mean: 657.104
std. dev: 39.1626

percentiles:	10%	25%	50%	75%	90%
	608	632	658	683	706

sssc09 Scale Score, Stanford Science 2008-09

type: numeric (int)

range:	[454,862]	units:	1
unique values:	214	missing .:	310525/418241

mean: 661.765
std. dev: 38.9076

percentiles:	10%	25%	50%	75%	90%
	613	636	662	686	711

sssc10 Scale Score, Stanford Science 2009-10

type: numeric (int)

range:	[464,838]	units:	1
unique values:	204	missing .:	308613/418241
mean:	661.111		
std. dev:	39.8886		

percentiles:	10%	25%	50%	75%	90%
	609	635	662	687	711

sssc11 Scale Score, Stanford Science 2010-11

type: numeric (int)

range:	[445,857]	units:	1
unique values:	207	missing .:	308480/418241
mean:	667.717		
std. dev:	38.9337		

percentiles:	10%	25%	50%	75%	90%
	618	643	668	692	716

sssc12 Scale Score, Stanford Science 2011-12

type: numeric (int)

range:	[454,821]	units:	1
unique values:	162	missing .:	342384/418241
mean:	658.851		
std. dev:	37.8403		

percentiles:	10%	25%	50%	75%	90%
	611	634	659	684	705

sssc13 Scale Score, Stanford Science 2012-13

type: numeric (int)

range:	[445,828]	units:	1
unique values:	160	missing .:	341743/418241
mean:	656.321		
std. dev:	39.3864		

percentiles:	10%	25%	50%	75%	90%
	605	632	656	681	706

ssspeced08

Special Ed, Stanford Science 2007-08

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 309453/418241
tabulation: Freq. Value
97721 0
11067 1
3.1e+05 .

ssspeced09

Special Ed, Stanford Science 2008-09

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 310525/418241
tabulation: Freq. Value
94588 0
13128 1
3.1e+05 .

ssspeced10

Special Ed, Stanford Science 2009-10

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 308613/418241
tabulation: Freq. Value
99887 0
9741 1
3.1e+05 .

ssspeced11

Special Ed, Stanford Science 2010-11

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 308480/418241
tabulation: Freq. Value
1.0e+05 0
9370 1
3.1e+05 .

ssspeced12

Special Ed, Stanford Science 2011-12

type: numeric (byte)
range: [0,1] units: 1

unique values: 2

missing .: 342384/418241

tabulation: Freq. Value
69776 0
6081 1
3.4e+05 .

ssspeced13

Special Ed, Stanford Science 2012-13

type: numeric (byte)

range: [0,1]
unique values: 2

units: 1
missing .: 341743/418241

tabulation: Freq. Value
70310 0
6188 1
3.4e+05 .

sstestc08

Test Date- Century, Stanford Science 2007-08

type: string (str2)

unique values: 1

missing "": 309453/418241

tabulation: Freq. Value
3.1e+05 ""
1.1e+05 "20"

sstestc09

Test Date- Century, Stanford Science 2008-09

type: string (str2)

unique values: 1

missing "": 310525/418241

tabulation: Freq. Value
3.1e+05 ""
1.1e+05 "20"

sstestc10

Test Date- Century, Stanford Science 2009-10

type: string (str2)

unique values: 1

missing "": 308613/418241

tabulation: Freq. Value
3.1e+05 ""
1.1e+05 "20"

sstestc11

Test Date- Century, Stanford Science 2010-11

type: string (str2)

unique values: 1 missing "": 308480/418241

tabulation: Freq. Value
3.1e+05 ""
1.1e+05 "20"

sstestc12 Test Date- Century, Stanford Science 2011-12

type: string (str2)

unique values: 1 missing "": 342384/418241

tabulation: Freq. Value
3.4e+05 ""
75857 "20"

sstestc13 Test Date- Century, Stanford Science 2012-13

type: string (str2)

unique values: 1 missing "": 341743/418241

tabulation: Freq. Value
3.4e+05 ""
76498 "20"

sstestd08 Test Date- Day, Stanford Science 2007-08

type: string (str2)

unique values: 1 missing "": 309453/418241

tabulation: Freq. Value
3.1e+05 ""
1.1e+05 "14"

sstestd09 Test Date- Day, Stanford Science 2008-09

type: string (str2)

unique values: 1 missing "": 310525/418241

tabulation: Freq. Value
3.1e+05 ""
1.1e+05 "20"

sstestd10 Test Date- Day, Stanford Science 2009-10

type: string (str2)

unique values: 1 missing "": 308613/418241

tabulation: Freq. Value

3.1e+05 ""
1.1e+05 "20"

sstestd11

Test Date- Day, Stanford Science 2010-11

type: string (str2)

unique values: 2

missing "": 308480/418241

tabulation: Freq. Value
3.1e+05 ""
74732 "09"
35029 "25"

sstestd12

Test Date- Day, Stanford Science 2011-12

type: string (str2)

unique values: 1

missing "": 342384/418241

tabulation: Freq. Value
3.4e+05 ""
75857 "07"

sstestd13

Test Date- Day, Stanford Science 2012-13

type: string (str2)

unique values: 1

missing "": 341743/418241

tabulation: Freq. Value
3.4e+05 ""
76498 "06"

sstestm08

Test Date- Month, Stanford Science 2007-08

type: string (str2)

unique values: 1

missing "": 309453/418241

tabulation: Freq. Value
3.1e+05 ""
1.1e+05 "01"

sstestm09

Test Date- Month, Stanford Science 2008-09

type: string (str2)

unique values: 1

missing "": 310525/418241

tabulation: Freq. Value
3.1e+05 ""
1.1e+05 "01"

sstestm10 Test Date- Month, Stanford Science 2009-10

type: string (str2)
unique values: 1 missing "": 308613/418241
tabulation: Freq. Value
3.1e+05 ""
1.1e+05 "01"

sstestm11 Test Date- Month, Stanford Science 2010-11

type: string (str2)
unique values: 2 missing "": 308480/418241
tabulation: Freq. Value
3.1e+05 ""
74732 "05"
35029 "10"

sstestm12 Test Date- Month, Stanford Science 2011-12

type: string (str2)
unique values: 1 missing "": 342384/418241
tabulation: Freq. Value
3.4e+05 ""
75857 "05"

sstestm13 Test Date- Month, Stanford Science 2012-13

type: string (str2)
unique values: 1 missing "": 341743/418241
tabulation: Freq. Value
3.4e+05 ""
76498 "05"

sstesty08 Test Date- Year, Stanford Science 2007-08

type: string (str2)
unique values: 1 missing "": 309453/418241
tabulation: Freq. Value
3.1e+05 ""
1.1e+05 "08"

sstesty09

Test Date- Year, Stanford Science 2008-09

type: string (str2)

unique values: 1

missing "": 310525/418241

tabulation: Freq. Value
3.1e+05 ""
1.1e+05 "09"

sstesty10

Test Date- Year, Stanford Science 2009-10

type: string (str2)

unique values: 1

missing "": 308613/418241

tabulation: Freq. Value
3.1e+05 ""
1.1e+05 "10"

sstesty11

Test Date- Year, Stanford Science 2010-11

type: string (str2)

unique values: 2

missing "": 308480/418241

tabulation: Freq. Value
3.1e+05 ""
35029 "10"
74732 "11"

sstesty12

Test Date- Year, Stanford Science 2011-12

type: string (str2)

unique values: 1

missing "": 342384/418241

tabulation: Freq. Value
3.4e+05 ""
75857 "12"

sstesty13

Test Date- Year, Stanford Science 2012-13

type: string (str2)

unique values: 1

missing "": 341743/418241

tabulation: Freq. Value
3.4e+05 ""
76498 "13"
