
Dataset: *\HERC\data_merging\data\herc.student.full.08-13.dta
Number of variables: 2,744
Number of observations: 418,241
Codebook 6: stcampus08-yrid13 (# vars)
Updated: 10-24-14

stcampus08 Campus ID- Stanford Social Studies 2007-08

type: string (str3)
unique values: 277 missing "": 309497/418241
examples: ""
""
""
"024"

stcampus09 Campus ID- Stanford Social Studies 2008-09

type: string (str3)
unique values: 282 missing "": 310560/418241
examples: ""
""
""
"027"

stcampus10 Campus ID- Stanford Social Studies 2009-10

type: string (str3)
unique values: 283 missing "": 308745/418241
examples: ""
""
""
"029"

stcampus11 Campus ID- Stanford Social Studies 2010-11

type: string (str3)
unique values: 282 missing "": 308514/418241
examples: ""
""
""
"033"

stcampus12 Campus ID- Stanford Social Studies 2011-12

```
type: string (str3)
unique values: 220 missing "": 342444/418241
examples: ""
          ""
          ""
          ""
```

stcampus13 Campus ID- Stanford Social Studies 2012-13

```
type: string (str3)
unique values: 219 missing "": 341768/418241
examples: ""
          ""
          ""
          ""
```

stethnic08 Ethnicity, Stanford Social Studies 2007-08

```
type: numeric (byte)
label: Lstethnic08
range: [1,5] units: 1
unique values: 5 missing .: 310212/418241
```

tabulation:	Freq.	Numeric	Label
	74	1	1.American Indian
	3927	2	2.Asian/PI
	33721	3	3.Black
	60362	4	4.Hispanic
	9945	5	5.White
	3.1e+05	.	

stethnic09 Ethnicity, Stanford Social Studies 2008-09

```
type: numeric (byte)
label: Lstethnic09
range: [1,5] units: 1
unique values: 5 missing .: 311094/418241
```

tabulation:	Freq.	Numeric	Label
	80	1	1.American Indian
	3886	2	2.Asian/PI
	32527	3	3.Black
	60971	4	4.Hispanic
	9683	5	5.White
	3.1e+05	.	

stethnic10 Ethnicity, Stanford Social Studies 2009-10

```
type: numeric (byte)
label: Lstethnic10

range: [1,5] units: 1
unique values: 5 missing .: 309561/418241
```

```
tabulation: Freq. Numeric Label
             124      1 1.American Indian
             3960     2 2.Asian/PI
             32156    3 3.Black
             63069    4 4.Hispanic
             9371     5 5.White
             3.1e+05 .
```

```
stethnic11 Ethnicity, Stanford Social Studies 2010-11
```

```
type: numeric (byte)
label: Lstethnic11

range: [1,5] units: 1
unique values: 5 missing .: 310395/418241
```

```
tabulation: Freq. Numeric Label
             277      1 1.American Indian
             3915     2 2.Asian/PI
             30601    3 3.Black
             63558    4 4.Hispanic
             9495     5 5.White
             3.1e+05 .
```

```
stethnic12 Ethnicity, Stanford Social Studies 2011-12
```

```
type: numeric (long)
label: Lstethnic12

range: [1,6] units: 1
unique values: 6 missing .: 343535/418241
```

```
tabulation: Freq. Numeric Label
             360      1 1.American Indian
             2809     2 2.Asian/PI
             20427    3 3.Black
             43829    4 4.Hispanic
             6758     5 5.White
             523      6 6.Multiracial
             3.4e+05 .
```

```
stethnic13 Ethnicity, Stanford Social Studies 2012-13
```

```
type: numeric (long)
label: Lstethnic13

range: [1,6] units: 1
unique values: 6 missing .: 344068/418241
```

```
tabulation: Freq. Numeric Label
             145      1 1.American Indian
```

```
      2781      2 2.Asian/PI
      19453     3 3.Black
      45227     4 4.Hispanic
       5997     5 5.White
        570     6 6.Multiracial
     3.4e+05     .
```

stge08 Grade Equivalent Score, Stanford Social Studies 2007-08

```
type: numeric (float)
range: [.1,33.3] units: .1
unique values: 89 missing.: 309497/418241
mean: 6.85698
std. dev: 4.08137
percentiles: 10% 25% 50% 75% 90%
              2.1 3.7 5.9 9.3 13
```

stge09 Grade Equivalent Score, Stanford Social Studies 2008-09

```
type: numeric (float)
range: [.1,33.3] units: .1
unique values: 85 missing.: 310560/418241
mean: 7.00846
std. dev: 3.97683
percentiles: 10% 25% 50% 75% 90%
              2.3 4 6.4 10 13
```

stge10 Grade Equivalent Score, Stanford Social Studies 2009-10

```
type: numeric (float)
range: [.1,33.3] units: .1
unique values: 89 missing.: 308745/418241
mean: 7.17908
std. dev: 4.13222
percentiles: 10% 25% 50% 75% 90%
              2.2 4 6.5 10.3 13
```

stge11 Grade Equivalent Score, Stanford Social Studies 2010-11

```
type: numeric (float)
range: [.1,33.3] units: .1
unique values: 89 missing.: 308514/418241
mean: 7.64414
std. dev: 3.97986
```



```

tabulation:  Freq.  Value
              10705  3
              11954  4
              14148  5
              12539  6
              12073  7
              12408  8
              14074  9
              11041  10
               8739  11
              3.1e+05 .

```

stgrade10

Grade Level, Stanford Social Studies 2009-10

```

type:  numeric (byte)

range:  [3,11]          units:  1
unique values:  9      missing  .:  308745/418241

```

```

tabulation:  Freq.  Value
              11131  3
              12809  4
              14026  5
              12385  6
              12370  7
              11941  8
              13799  9
              11245  10
               9790  11
              3.1e+05 .

```

stgrade11

Grade Level, Stanford Social Studies 2010-11

```

type:  numeric (byte)

range:  [3,11]          units:  1
unique values:  9      missing  .:  308514/418241

```

```

tabulation:  Freq.  Value
              10768  3
              12987  4
              14700  5
              12187  6
              12003  7
              12050  8
              13550  9
              11575  10
               9907  11
              3.1e+05 .

```

stgrade12

Grade Level, Stanford Social Studies 2011-12

```

type:  numeric (byte)

range:  [3,8]          units:  1
unique values:  6      missing  .:  342444/418241

```

```
tabulation: Freq. Value
            11423  3
            13041  4
            14976  5
            12503  6
            11952  7
            11902  8
            3.4e+05 .
```

stgrade13

Grade Level, Stanford Social Studies 2012-13

type: numeric (byte)

range: [3,8] units: 1
unique values: 6 missing : 341768/418241

```
tabulation: Freq. Value
            11428  3
            13654  4
            14628  5
            12743  6
            12141  7
            11879  8
            3.4e+05 .
```

stnc08

Local Normal Curve Equivalent Score, Stanford Social Studies 2007-08

type: numeric (float)

range: [1,99] units: .1
unique values: 92 missing : 309497/418241

mean: 45.1056
std. dev: 18.6749

percentiles:	10%	25%	50%	75%	90%
	21.8	32.3	43.6	58.1	70.1

stnc09

Local Normal Curve Equivalent Score, Stanford Social Studies 2008-09

type: numeric (float)

range: [1,99] units: .1
unique values: 93 missing : 310560/418241

mean: 46.1995
std. dev: 18.9124

percentiles:	10%	25%	50%	75%	90%
	21.8	33.7	45.2	58.7	70.9

stnc10

Local Normal Curve Equivalent Score, Stanford Social Studies 2009-10

type: numeric (float)

range: [1,99] units: .1
unique values: 87 missing .: 308745/418241
mean: 47.02
std. dev: 18.7852
percentiles: 10% 25% 50% 75% 90%
23 33.7 45.2 60.4 71.8

stnc11 Local Normal Curve Equivalent Score, Stanford Social Studies 2010-11

type: numeric (float)
range: [1,99] units: .1
unique values: 87 missing .: 308514/418241
mean: 48.6935
std. dev: 19.5595
percentiles: 10% 25% 50% 75% 90%
23 35.1 47.9 61.7 73.7

stnc12 Local Normal Curve Equivalent Score, Stanford Social Studies 2011-12

type: numeric (float)
range: [1,99] units: .1
unique values: 80 missing .: 342444/418241
mean: 46.8935
std. dev: 19.9549
percentiles: 10% 25% 50% 75% 90%
20.4 33 45.7 61 73.7

stnc13 Local Normal Curve Equivalent Score, Stanford Social Studies 2012-13

type: numeric (float)
range: [1,99] units: .1
unique values: 81 missing .: 341768/418241
mean: 46.9178
std. dev: 20.9782
percentiles: 10% 25% 50% 75% 90%
20.4 32.3 45.7 61 77

stpr08 Local Percentile Rank Score, Stanford Social Studies 2007-08

type: numeric (byte)
range: [1,99] units: 1
unique values: 92 missing .: 309497/418241

mean: 42.5119
std. dev: 27.0908

percentiles:	10%	25%	50%	75%	90%
	9	20	38	65	83

stpr09 Local Percentile Rank Score, Stanford Social Studies 2008-09

type: numeric (byte)

range:	[1,99]	units:	1
unique values:	93	missing .:	310560/418241

mean: 44.1707
std. dev: 27.2962

percentiles:	10%	25%	50%	75%	90%
	9	22	41	66	84

stpr10 Local Percentile Rank Score, Stanford Social Studies 2009-10

type: numeric (byte)

range:	[1,99]	units:	1
unique values:	87	missing .:	308745/418241

mean: 45.3755
std. dev: 27.2807

percentiles:	10%	25%	50%	75%	90%
	10	22	41	69	85

stpr11 Local Percentile Rank Score, Stanford Social Studies 2010-11

type: numeric (byte)

range:	[1,99]	units:	1
unique values:	87	missing .:	308514/418241

mean: 47.9329
std. dev: 28.0698

percentiles:	10%	25%	50%	75%	90%
	10	24	46	71	87

stpr12 Local Percentile Rank Score, Stanford Social Studies 2011-12

type: numeric (byte)

range:	[1,99]	units:	1
unique values:	80	missing .:	342444/418241

mean: 45.3503
std. dev: 28.1332

percentiles:	10%	25%	50%	75%	90%
	8	21	42	70	87

stpr13 Local Percentile Rank Score, Stanford Social Studies 2012-13

type: numeric (byte)

range: [1,99] units: 1
unique values: 81 missing .: 341768/418241

mean: 45.4112
std. dev: 29.3805

percentiles:	10%	25%	50%	75%	90%
	8	20	42	70	90

strw08 Raw Score, Stanford Social Studies 2007-08

type: numeric (int)

range: [0,40] units: 1
unique values: 41 missing .: 309497/418241

mean: 19.8392
std. dev: 7.50809

percentiles:	10%	25%	50%	75%	90%
	10	14	19	25	30

strw09 Raw Score, Stanford Social Studies 2008-09

type: numeric (int)

range: [0,40] units: 1
unique values: 41 missing .: 310560/418241

mean: 20.0578
std. dev: 7.71495

percentiles:	10%	25%	50%	75%	90%
	10	14	20	26	31

strw10 Raw Score, Stanford Social Studies 2009-10

type: numeric (int)

range: [0,40] units: 1
unique values: 41 missing .: 308745/418241

mean: 20.6109
std. dev: 7.54108

percentiles:	10%	25%	50%	75%	90%
	11	15	20	26	31

strw11 Raw Score, Stanford Social Studies 2010-11

type: numeric (int)
range: [0,40] units: 1
unique values: 41 missing .: 308514/418241
mean: 21.7415
std. dev: 8.05011
percentiles: 10% 25% 50% 75% 90%
11 15 22 28 33

strw12 Raw Score, Stanford Social Studies 2011-12

type: numeric (int)
range: [0,40] units: 1
unique values: 41 missing .: 342444/418241
mean: 23.4343
std. dev: 7.73103
percentiles: 10% 25% 50% 75% 90%
13 18 24 29 34

strw13 Raw Score, Stanford Social Studies 2012-13

type: numeric (int)
range: [0,40] units: 1
unique values: 41 missing .: 341768/418241
mean: 23.5615
std. dev: 7.964
percentiles: 10% 25% 50% 75% 90%
12 17 24 30 34

stsc08 Scale Score, Stanford Social Studies 2007-08

type: numeric (int)
range: [447,837] units: 1
unique values: 205 missing .: 309497/418241
mean: 648.737
std. dev: 40.1478
percentiles: 10% 25% 50% 75% 90%
596 623 649 675 698

stsc09 Scale Score, Stanford Social Studies 2008-09

type: numeric (int)
range: [462,864] units: 1
unique values: 200 missing .: 310560/418241
mean: 650.68
std. dev: 39.6589
percentiles: 10% 25% 50% 75% 90%
601 627 651 676 699

stsc10 Scale Score, Stanford Social Studies 2009-10

type: numeric (int)
range: [447,837] units: 1
unique values: 203 missing .: 308745/418241
mean: 651.876
std. dev: 40.3309
percentiles: 10% 25% 50% 75% 90%
600 626 653 679 701

stsc11 Scale Score, Stanford Social Studies 2010-11

type: numeric (int)
range: [447,860] units: 1
unique values: 206 missing .: 308514/418241
mean: 657.328
std. dev: 39.1501
percentiles: 10% 25% 50% 75% 90%
608 632 658 683 705

stsc12 Scale Score, Stanford Social Studies 2011-12

type: numeric (int)
range: [441,829] units: 1
unique values: 161 missing .: 342444/418241
mean: 644.267
std. dev: 39.0119
percentiles: 10% 25% 50% 75% 90%
596 621 645 668 692

stsc13 Scale Score, Stanford Social Studies 2012-13

type: numeric (int)

range: [447,836] units: 1
unique values: 164 missing .: 341768/418241
mean: 644.422
std. dev: 40.828
percentiles: 10% 25% 50% 75% 90%
592 619 644 670 697

stspeced08 Special Ed, Stanford Social Studies 2007-08

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 309497/418241
tabulation: Freq. Value
97694 0
11050 1
3.1e+05 .

stspeced09 Special Ed, Stanford Social Studies 2008-09

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 310560/418241
tabulation: Freq. Value
94565 0
13116 1
3.1e+05 .

stspeced10 Special Ed, Stanford Social Studies 2009-10

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 308745/418241
tabulation: Freq. Value
99787 0
9709 1
3.1e+05 .

stspeced11 Special Ed, Stanford Social Studies 2010-11

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 308514/418241
tabulation: Freq. Value
1.0e+05 0

9357 1
3.1e+05 .

stspeced12 Special Ed, Stanford Social Studies 2011-12

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 342444/418241
tabulation: Freq. Value
69720 0
6077 1
3.4e+05 .

stspeced13 Special Ed, Stanford Social Studies 2012-13

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 341768/418241
tabulation: Freq. Value
70289 0
6184 1
3.4e+05 .

sttestc08 Test Date- Century, Stanford Social Studies 2007-08

type: string (str2)
unique values: 1 missing "": 309497/418241
tabulation: Freq. Value
3.1e+05 ""
1.1e+05 "20"

sttestc09 Test Date- Century, Stanford Social Studies 2008-09

type: string (str2)
unique values: 1 missing "": 310560/418241
tabulation: Freq. Value
3.1e+05 ""
1.1e+05 "20"

sttestc10 Test Date- Century, Stanford Social Studies 2009-10

type: string (str2)
unique values: 1 missing "": 308745/418241

tabulation: Freq. Value
3.1e+05 ""
1.1e+05 "20"

sttestc11 Test Date- Century, Stanford Social Studies 2010-11

type: string (str2)
unique values: 1 missing "": 308514/418241
tabulation: Freq. Value
3.1e+05 ""
1.1e+05 "20"

sttestc12 Test Date- Century, Stanford Social Studies 2011-12

type: string (str2)
unique values: 1 missing "": 342444/418241
tabulation: Freq. Value
3.4e+05 ""
75797 "20"

sttestc13 Test Date- Century, Stanford Social Studies 2012-13

type: string (str2)
unique values: 1 missing "": 341768/418241
tabulation: Freq. Value
3.4e+05 ""
76473 "20"

sttestd08 Test Date- Day, Stanford Social Studies 2007-08

type: string (str2)
unique values: 1 missing "": 309497/418241
tabulation: Freq. Value
3.1e+05 ""
1.1e+05 "14"

sttestd09 Test Date- Day, Stanford Social Studies 2008-09

type: string (str2)
unique values: 1 missing "": 310560/418241
tabulation: Freq. Value
3.1e+05 ""
1.1e+05 "20"

sttestd10 Test Date- Day, Stanford Social Studies 2009-10

type: string (str2)
unique values: 1 missing "": 308745/418241
tabulation: Freq. Value
3.1e+05 ""
1.1e+05 "20"

sttestd11 Test Date- Day, Stanford Social Studies 2010-11

type: string (str2)
unique values: 2 missing "": 308514/418241
tabulation: Freq. Value
3.1e+05 ""
74695 "09"
35032 "25"

sttestd12 Test Date- Day, Stanford Social Studies 2011-12

type: string (str2)
unique values: 1 missing "": 342444/418241
tabulation: Freq. Value
3.4e+05 ""
75797 "07"

sttestd13 Test Date- Day, Stanford Social Studies 2012-13

type: string (str2)
unique values: 1 missing "": 341768/418241
tabulation: Freq. Value
3.4e+05 ""
76473 "06"

sttestm08 Test Date- Month, Stanford Social Studies 2007-08

type: string (str2)
unique values: 1 missing "": 309497/418241
tabulation: Freq. Value
3.1e+05 ""
1.1e+05 "01"

sttestm09

Test Date- Month, Stanford Social Studies 2008-09

type: string (str2)

unique values: 1

missing "": 310560/418241

tabulation: Freq. Value
3.1e+05 ""
1.1e+05 "01"

sttestm10

Test Date- Month, Stanford Social Studies 2009-10

type: string (str2)

unique values: 1

missing "": 308745/418241

tabulation: Freq. Value
3.1e+05 ""
1.1e+05 "01"

sttestm11

Test Date- Month, Stanford Social Studies 2010-11

type: string (str2)

unique values: 2

missing "": 308514/418241

tabulation: Freq. Value
3.1e+05 ""
74695 "05"
35032 "10"

sttestm12

Test Date- Month, Stanford Social Studies 2011-12

type: string (str2)

unique values: 1

missing "": 342444/418241

tabulation: Freq. Value
3.4e+05 ""
75797 "05"

sttestm13

Test Date- Month, Stanford Social Studies 2012-13

type: string (str2)

unique values: 1

missing "": 341768/418241

tabulation: Freq. Value
3.4e+05 ""
76473 "05"

sttesty08

Test Date- Year, Stanford Social Studies 2007-08

type: string (str2)

unique values: 1 missing "": 309497/418241

tabulation: Freq. Value
3.1e+05 ""
1.1e+05 "08"

sttesty09 Test Date- Year, Stanford Social Studies 2008-09

type: string (str2)

unique values: 1 missing "": 310560/418241

tabulation: Freq. Value
3.1e+05 ""
1.1e+05 "09"

sttesty10 Test Date- Year, Stanford Social Studies 2009-10

type: string (str2)

unique values: 1 missing "": 308745/418241

tabulation: Freq. Value
3.1e+05 ""
1.1e+05 "10"

sttesty11 Test Date- Year, Stanford Social Studies 2010-11

type: string (str2)

unique values: 2 missing "": 308514/418241

tabulation: Freq. Value
3.1e+05 ""
35032 "10"
74695 "11"

sttesty12 Test Date- Year, Stanford Social Studies 2011-12

type: string (str2)

unique values: 1 missing "": 342444/418241

tabulation: Freq. Value
3.4e+05 ""
75797 "12"

sttesty13 Test Date- Year, Stanford Social Studies 2012-13

type: string (str2)

unique values: 1 missing "": 341768/418241

tabulation: Freq. Value
3.4e+05 ""
76473 "13"

tmadmind08 Date of Admin, TAKS Math 2007-08

type: string (str4)

unique values: 1 missing "": 309353/418241

tabulation: Freq. Value
3.1e+05 ""
1.1e+05 "0408"

tmadmind09 Date of Admin, TAKS Math 2008-09

type: string (str4)

unique values: 1 missing "": 305331/418241

tabulation: Freq. Value
3.1e+05 ""
1.1e+05 "0409"

tmadmind10 Admin Date, TAKS Math 2009-10

type: string (str4)

unique values: 1 missing "": 302112/418241

tabulation: Freq. Value
3.0e+05 ""
1.2e+05 "0410"

tmadmind11 Admin Date, TAKS Math 2010-11

type: string (str4)

unique values: 1 missing "": 302116/418241

tabulation: Freq. Value
3.0e+05 ""
1.2e+05 "0411"

tmadmind12 Date of Admin- TAKS Math 2011-12

type: string (str4)

unique values: 1 missing "": 398060/418241

```
tabulation: Freq. Value
            4.0e+05 ""
            20181  "0412"
```

tmadmind13

Date of Admin- TAKS Math 2012-13

```
type: string (str4)
unique values: 1 missing "": 408663/418241
tabulation: Freq. Value
            4.1e+05 ""
            9578  "0413"
```

tmcampus08

Campus ID- TAKS Math 2007-08

```
type: string (str3)
unique values: 270 missing "": 309342/418241
examples: ""
          ""
          ""
          "027"
```

tmcampus09

Campus ID- TAKS Math 2008-09

```
type: string (str3)
unique values: 276 missing "": 305323/418241
examples: ""
          ""
          ""
          "042"
```

tmcampus10

Campus ID- TAKS Math 2009-10

```
type: string (str3)
unique values: 279 missing "": 302112/418241
examples: ""
          ""
          ""
          "045"
```

tmcampus11

Campus ID- TAKS Math 2010-11

```
type: string (str3)
unique values: 278 missing "": 302116/418241
```

```
examples: ""
          ""
          ""
          "046"
```

tmcd08 Campus ID- TAKS Math 2011-12

```
type: string (str3)
unique values: 48          missing "": 398060/418241
examples: ""
          ""
          ""
          ""
```

tmcd09 Campus ID- TAKS Math 2012-13

```
type: string (str3)
unique values: 45          missing "": 408663/418241
examples: ""
          ""
          ""
          ""
```

tmcd10 Score Code, TAKS Math 2007-08

```
type: string (str1)
unique values: 1          missing "": 309353/418241
tabulation: Freq. Value
             3.1e+05 ""
             1.1e+05 "S"
```

tmcd11 Score Code, TAKS Math 2008-09

```
type: string (str1)
unique values: 1          missing "": 305331/418241
tabulation: Freq. Value
             3.1e+05 ""
             1.1e+05 "S"
```

tmcd12 Score Code, TAKS Math 2009-10

```
type: string (str1)
unique values: 1          missing "": 302112/418241
```

tabulation: Freq. Value
3.0e+05 ""
1.2e+05 "S"

tmcd11

Score Code, TAKS Math 2010-11

type: string (str1)

unique values: 1 missing "": 302116/418241

tabulation: Freq. Value
3.0e+05 ""
1.2e+05 "S"

tmcd12

Score Code, TAKS Math 2011-12

type: string (str1)

unique values: 1 missing "": 398060/418241

tabulation: Freq. Value
4.0e+05 ""
20181 "S"

tmcd13

Score Code, TAKS Math 2012-13

type: string (str1)

unique values: 1 missing "": 408663/418241

tabulation: Freq. Value
4.1e+05 ""
9578 "S"

tmcm08

Commended Performance, TAKS Math 2007-08

type: numeric (float)

range: [0,1] units: 1
unique values: 2 missing .: 309353/418241

tabulation: Freq. Value
84508 0
24380 1
3.1e+05 .

tmcm09

Commended Performance, TAKS Math 2008-09

type: numeric (float)

range: [0,1] units: 1
unique values: 2 missing .: 305331/418241

tabulation: Freq. Value
82791 0
30119 1
3.1e+05 .

tmcm10 Commended Performance, TAKS Math 2009-10

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 302112/418241

tabulation: Freq. Value
86271 0
29858 1
3.0e+05 .

tmcm11 Commended Performance, TAKS Math 2010-11

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 302116/418241

tabulation: Freq. Value
83255 0
32870 1
3.0e+05 .

tmcm12 Commended Performance, TAKS Math 2011-12

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 398060/418241

tabulation: Freq. Value
15456 0
4725 1
4.0e+05 .

tmcm13 Commended Performance, TAKS Math 2012-13

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 408663/418241

tabulation: Freq. Value
7394 0
2184 1
4.1e+05 .

tmgrade08 Grade Level, TAKS Math 2007-08

type: numeric (byte)
range: [3,11] units: 1
unique values: 9 missing .: 309341/418241

tabulation: Freq. Value
14796 3
14340 4
13314 5
11595 6
11929 7
11655 8
13686 9
9379 10
8206 11
3.1e+05 .

tmgrade09

Grade Level, TAKS Math 2008-09

type: numeric (byte)
range: [3,11] units: 1
unique values: 9 missing .: 305323/418241

tabulation: Freq. Value
15966 3
14849 4
14043 5
12411 6
11879 7
12148 8
12533 9
10746 10
8343 11
3.1e+05 .

tmgrade10

Grade Level, TAKS Math 2009-10

type: numeric (byte)
range: [3,11] units: 1
unique values: 9 missing .: 302112/418241

tabulation: Freq. Value
16193 3
15627 4
13972 5
12329 6
12341 7
11837 8
13231 9
10830 10
9769 11
3.0e+05 .

tmgrade11

Grade Level, TAKS Math 2010-11

type: numeric (byte)
range: [3,11] units: 1
unique values: 9 missing .: 302116/418241

tabulation: Freq. Value
15955 3
15768 4
14733 5
12187 6
12075 7
12052 8
12783 9
10738 10
9834 11
3.0e+05 .

tmgrade12 Grade Level, TAKS Math 2011-12

type: numeric (byte)
range: [10,11] units: 1
unique values: 2 missing .: 398060/418241

tabulation: Freq. Value
10349 10
9832 11
4.0e+05 .

tmgrade13 Grade Level, TAKS Math 2012-13

type: numeric (byte)
range: [11,11] units: 1
unique values: 1 missing .: 408663/418241

tabulation: Freq. Value
9578 11
4.1e+05 .

tmlv08 Language Version, TAKS Math 2007-08

type: string (str1)
unique values: 2 missing "": 309341/418241

tabulation: Freq. Value
3.1e+05 ""
1.0e+05 "E"
7731 "S"

tmlv09 Language Version, TAKS Math 2008-09

```

type: string (str1)
unique values: 2 missing "": 305323/418241
tabulation: Freq. Value
              3.1e+05 ""
              1.0e+05 "E"
              8148 "S"

```

```

tmlv10 Language Version, TAKS Math 2009-10

```

```

type: string (str1)
unique values: 2 missing "": 302112/418241
tabulation: Freq. Value
              3.0e+05 ""
              1.1e+05 "E"
              7718 "S"

```

```

tmlv11 Language Version, TAKS Math 2010-11

```

```

type: string (str1)
unique values: 2 missing "": 302116/418241
tabulation: Freq. Value
              3.0e+05 ""
              1.1e+05 "E"
              7732 "S"

```

```

tmmerge08 Merge Flag, TAKS Math 2007-08

```

```

type: numeric (byte)
label: Ltmmerge08
range: [1,2] units: 1
unique values: 2 missing .: 309353/418241
tabulation: Freq. Numeric Label
              24967 1 1.Grade 5&8 File
              83921 2 2.Grade 3-10x File
              3.1e+05 .

```

```

tmmerge09 Merge Flag, TAKS Math 2008-09

```

```

type: numeric (byte)
label: Ltmmerge09
range: [1,2] units: 1
unique values: 2 missing .: 305331/418241
tabulation: Freq. Numeric Label
              26187 1 1.5&8 Grade File
              86723 2 2.3-10x Grade File

```

3.1e+05 .

tmmmerge10 Merge Flag, TAKS Math 2009-10

type: numeric (byte)
label: Ltmmmerge10

range: [1,2] units: 1
unique values: 2 missing .: 302112/418241

tabulation: Freq. Numeric Label
25809 1 1.5&8 Grade File
90320 2 2.3-10x Grade File
3.0e+05 .

tmmmerge11 Merge Flag- 5&8 file or 3-10x file, TAKS Math 2010-11

type: numeric (byte)
label: Ltmmmerge11

range: [1,2] units: 1
unique values: 2 missing .: 302116/418241

tabulation: Freq. Numeric Label
26785 1 1.5&8 Grade File
89340 2 2.3-10x Grade File
3.0e+05 .

tmmt08 Met Standard, TAKS Math 2007-08

type: numeric (float)

range: [0,1] units: 1
unique values: 2 missing .: 309353/418241

tabulation: Freq. Value
31749 0
77139 1
3.1e+05 .

tmmt09 Met Standard, TAKS Math 2008-09

type: numeric (float)

range: [0,1] units: 1
unique values: 2 missing .: 305331/418241

tabulation: Freq. Value
28809 0
84101 1
3.1e+05 .

tmmt10 Met Standard, TAKS Math 2009-10

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 302112/418241
tabulation: Freq. Value
25376 0
90753 1
3.0e+05 .

tmmt11 Met Standard, TAKS Math 2010-11

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 302116/418241
tabulation: Freq. Value
22894 0
93231 1
3.0e+05 .

tmmt12 Met Standard, TAKS Math 2011-12

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 398060/418241
tabulation: Freq. Value
4058 0
16123 1
4.0e+05 .

tmmt13 Met Standard, TAKS Math 2012-13

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 408663/418241
tabulation: Freq. Value
1375 0
8203 1
4.1e+05 .

tmmtms08 Flag for Imputed Met Standard, TAKS Math 2007-08

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 309353/418241
tabulation: Freq. Value

1.1e+05 0
127 1
3.1e+05 .

tmrsc08 Reg Scale Score, TAKS Math 2007-08

type: numeric (float)
range: [925,2952] units: 1
unique values: 413 missing .: 309341/418241
mean: 2211.88
std. dev: 220.742
percentiles: 10% 25% 50% 75% 90%
1944 2058 2196 2337 2513

tmrsc09 Reg Scale Score, TAKS Math 2008-09

type: numeric (float)
range: [933,3084] units: 1
unique values: 507 missing .: 305323/418241
mean: 2240.19
std. dev: 223.97
percentiles: 10% 25% 50% 75% 90%
1967 2084 2222 2400 2547

tmrw08 Raw Score, TAKS Math 2007-08

type: numeric (float)
range: [0,60] units: 1
unique values: 61 missing .: 309353/418241
mean: 33.657
std. dev: 9.884
percentiles: 10% 25% 50% 75% 90%
19 27 35 40 45

tmrw09 Raw Score, TAKS Math 2008-09

type: numeric (float)
range: [0,60] units: 1
unique values: 61 missing .: 305331/418241
mean: 34.2937
std. dev: 9.88753
percentiles: 10% 25% 50% 75% 90%
20 28 36 41 46

tmrw10 Raw Score, TAKS Math 2009-10

type: numeric (float)
range: [0,60] units: 1
unique values: 61 missing .: 302112/418241
mean: 34.2864
std. dev: 9.71479
percentiles: 10% 25% 50% 75% 90%
20 28 36 41 46

tmrw11 Raw Score, TAKS Math 2010-11

type: numeric (float)
range: [0,60] units: 1
unique values: 61 missing .: 302116/418241
mean: 34.9727
std. dev: 9.63217
percentiles: 10% 25% 50% 75% 90%
21 29 36 41 46

tmrw12 Raw Score, TAKS Math 2011-12

type: numeric (byte)
range: [0,60] units: 1
unique values: 59 missing .: 398060/418241
mean: 40.5977
std. dev: 11.8427
percentiles: 10% 25% 50% 75% 90%
23 33 42 50 55

tmrw13 Raw Score, TAKS Math 2012-13

type: numeric (byte)
range: [0,60] units: 1
unique values: 54 missing .: 408663/418241
mean: 42.3086
std. dev: 10.9354
percentiles: 10% 25% 50% 75% 90%
27 35 44 51 56

tmscdf08 Flag, Diff in Reg Scale Scores btw Files, use VS File, TAKS Math 2007-08

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 309341/418241
tabulation: Freq. Value
1.1e+05 0
36 1
3.1e+05 .

tmscdf09 Flag, Diff in Reg Scale Scores btw Files, use VS File, TAKS Math 2008-09

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 305323/418241
tabulation: Freq. Value
1.1e+05 0
8 1
3.1e+05 .

tmspeced08 Special Ed, TAKS Math 2007-08

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 310299/418241
tabulation: Freq. Value
1.0e+05 0
7221 1
3.1e+05 .

tmspeced09 Special Ed, TAKS Math 2008-09

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 306016/418241
tabulation: Freq. Value
1.0e+05 0
10424 1
3.1e+05 .

tmspeced10 Special Ed, TAKS Math 2009-10

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 302777/418241

```
tabulation:  Freq.  Value
              1.0e+05  0
              11028   1
              3.0e+05  .
```

tmspedcd11

Special Ed, TAKS Math 2010-11

```
type:  numeric (byte)
range:  [0,1]
unique values:  2
units:  1
missing .:  302512/418241
```

```
tabulation:  Freq.  Value
              1.1e+05  0
              10513   1
              3.0e+05  .
```

tmspedcd12

Special Ed, TAKS Math 2011-12

```
type:  numeric (byte)
range:  [0,1]
unique values:  2
units:  1
missing .:  398090/418241
```

```
tabulation:  Freq.  Value
              18464   0
              1687   1
              4.0e+05  .
```

tmspedcd13

Special Ed, TAKS Math 2012-13

```
type:  numeric (byte)
range:  [0,1]
unique values:  2
units:  1
missing .:  408705/418241
```

```
tabulation:  Freq.  Value
              8772   0
              764   1
              4.1e+05  .
```

tmtestm09

Flag, Test Version M, TAKS Math 2008-09

```
type:  numeric (float)
range:  [0,1]
unique values:  2
units:  1
missing .:  305323/418241
```

```
tabulation:  Freq.  Value
              1.1e+05  0
              4849   1
              3.1e+05  .
```

tmtv08

Test Version, TAKS Math 2007-08

type: string (str1)
unique values: 2 missing "": 309341/418241
tabulation: Freq. Value
3.1e+05 ""
3429 "A"
1.1e+05 "K"

tmtv09 Test Version, TAKS Math 2008-09

type: string (str1)
unique values: 3 missing "": 305323/418241
tabulation: Freq. Value
3.1e+05 ""
3027 "A"
1.1e+05 "K"
4849 "M"

tmtv10 Test Version, TAKS Math 2009-10

type: string (str1)
unique values: 4 missing "": 302112/418241
tabulation: Freq. Value
3.0e+05 ""
3389 "A"
1.1e+05 "K"
29 "L"
5762 "M"

tmtv11 Test Version, TAKS Math 2010-11

type: string (str1)
unique values: 4 missing "": 302116/418241
tabulation: Freq. Value
3.0e+05 ""
3605 "A"
1.1e+05 "K"
42 "L"
5405 "M"

tmtv12 Test Version, TAKS Math 2011-12

type: string (str1)
unique values: 3 missing "": 398060/418241

```

tabulation:  Freq.  Value
              4.0e+05  ""
              765    "A"
              18722  "K"
              694    "M"

```

```

tmtv13                                     Test Version, TAKS Math 2012-13

```

```

type:  string (str1)

unique values:  3                               missing "":  408663/418241

tabulation:  Freq.  Value
              4.1e+05  ""
              349    "A"
              8921   "K"
              308    "M"

```

```

tmvadmind08                               Test Admin Flag- VS and Original File, TAKS Math 2007-08

```

```

type:  string (str4)

unique values:  1                               missing "":  309341/418241

tabulation:  Freq.  Value
              3.1e+05  ""
              1.1e+05  "0408"

```

```

tmvadmind09                               Test Admin Flag- VS and Original File, TAKS Math 2008-09

```

```

type:  string (str4)

unique values:  1                               missing "":  305323/418241

tabulation:  Freq.  Value
              3.1e+05  ""
              1.1e+05  "0409"

```

```

tmvmerge08                                Merge Indicator- Orig & VS Files, TAKS Math 2007-08

```

```

type:  numeric (byte)
label:  Ltmvmerge08

range:  [1,3]                                units:  1
unique values:  3                            missing  :  309341/418241

tabulation:  Freq.  Numeric  Label
              12     1       1.VS File Only
              44713  2       2.Orig File Only
              64175  3       3.Matched
              3.1e+05  .

```

```

tmvmerge09                                Merge Indicator- Orig & VS Files, TAKS Math 2008-09

```

```

type: numeric (byte)
label: Ltmvmerge09

range: [1,3]
unique values: 3
units: 1
missing .: 305323/418241

```

```

tabulation: Freq. Numeric Label
            8         1 1.VS File Only
            47993      2 2.Orig File Only
            64917      3 3.Matched
            3.1e+05      .

```

tmvrsc08 Scale Score- Reg or Vert Scale, TAKS Math 2007-08

```

type: numeric (float)

range: [94,2952]
unique values: 422
units: 1
missing .: 309355/418241

mean: 1091.43
std. dev: 692.27

percentiles: 10% 25% 50% 75% 90%
              544 619 719 1915 2223

```

tmvrsc09 Scale Score- Reg or Vert Scale, TAKS Math 2008-09

```

type: numeric (float)

range: [48,2955]
unique values: 435
units: 1
missing .: 309734/418241

mean: 1113.9
std. dev: 700.068

percentiles: 10% 25% 50% 75% 90%
              557 637 734 1953 2245

```

tmvrsc10 Scale Score- Reg or Vert Scale, TAKS Math 2009-10

```

type: numeric (float)

range: [4,3091]
unique values: 622
units: 1
missing .: 302112/418241

mean: 1181.05
std. dev: 728.379

percentiles: 10% 25% 50% 75% 90%
              566 645 757 2056 2276

```

tmvrsc11 Scale Score- Reg or Vert Scale, TAKS Math 2010-11

```

type: numeric (float)

```

range: [4,3041] units: 1
unique values: 625 missing .: 302116/418241
mean: 1182.61
std. dev: 729.086
percentiles: 10% 25% 50% 75% 90%
571 654 761 2058 2298

tmvrsc12 Scale Score- Reg or Vert Scale, TAKS Math 2011-12

type: numeric (int)
range: [1317,2852] units: 1
unique values: 148 missing .: 398060/418241
mean: 2250.49
std. dev: 201.016
percentiles: 10% 25% 50% 75% 90%
2010 2115 2231 2369 2503

tmvrsc13 Scale Score- Reg or Vert Scale, TAKS Math 2012-13

type: numeric (int)
range: [1281,2876] units: 1
unique values: 84 missing .: 408663/418241
mean: 2265.02
std. dev: 177.589
percentiles: 10% 25% 50% 75% 90%
2061 2152 2250 2363 2498

tmvs08 Vert Scale Score, TAKS Math 2007-08

type: numeric (float)
range: [94,1020] units: 1
unique values: 269 missing .: 340626/418241
mean: 662.435
std. dev: 110.38
percentiles: 10% 25% 50% 75% 90%
523 593 660 730 805

tmvs09 Vert Scale Score, TAKS Math 2008-09

type: numeric (float)
range: [48,1010] units: 1
unique values: 265 missing .: 341356/418241

mean: 675.487
std. dev: 111.816

percentiles:	10%	25%	50%	75%	90%
	533	603	679	752	819

tmvshisd08 Flag- From VS File Only, but HISD Campus, TAKS Math 2007-08

type: numeric (float)

range: [0,1] units: 1
unique values: 2 missing .: 309341/418241

tabulation: Freq. Value
1.1e+05 0
12 1
3.1e+05 .

tmvshisd09 Flag- From VS File Only, but HISD Campus, TAKS Math 2008-09

type: numeric (float)

range: [0,1] units: 1
unique values: 2 missing .: 305323/418241

tabulation: Freq. Value
1.1e+05 0
8 1
3.1e+05 .

tmvsimp08 Vertical Scale Score- Imputed Flag, TAKS Math 2007-08

type: numeric (float)

range: [0,1] units: 1
unique values: 2 missing .: 309341/418241

tabulation: Freq. Value
95472 0
13428 1
3.1e+05 .

tmvsimp09 Vertical Scale Score- Imputed Flag, TAKS Math 2008-09

type: numeric (float)

range: [0,1] units: 1
unique values: 2 missing .: 305323/418241

tabulation: Freq. Value
1.0e+05 0
11960 1
3.1e+05 .

tmvsmiss08 Vertical Scale Score- Missing Flag, TAKS Math 2007-08

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 309341/418241
tabulation: Freq. Value
1.1e+05 0
14 1
3.1e+05 .

tmvsmiss09 Vertical Scale Score- Missing Flag, TAKS Math 2008-09

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 305323/418241
tabulation: Freq. Value
1.1e+05 0
13 1
3.1e+05 .

tradmind08 Admin Date, TAKS Reading 2007-08

type: string (str4)
unique values: 2 missing "": 309055/418241
tabulation: Freq. Value
3.1e+05 ""
39665 "0308"
69521 "0408"

tradmind09 Admin Date, TAKS Reading 2008-09

type: string (str4)
unique values: 2 missing "": 304807/418241
tabulation: Freq. Value
3.0e+05 ""
42158 "0309"
71276 "0409"

tradmind10 Admin Date, TAKS Reading 2009-10

type: string (str4)
unique values: 1 missing "": 301829/418241
tabulation: Freq. Value

3.0e+05 ""
1.2e+05 "0410"

tradmind11 Admin Date, TAKS Reading 2010-11

type: string (str4)
unique values: 1 missing "": 301817/418241
tabulation: Freq. Value
3.0e+05 ""
1.2e+05 "0411"

tradmind12 Date of Admin- TAKS Reading 2011-12

type: string (str4)
unique values: 1 missing "": 397886/418241
tabulation: Freq. Value
4.0e+05 ""
20355 "0412"

tradmind13 Date of Admin- TAKS Reading 2012-13

type: string (str4)
unique values: 1 missing "": 408707/418241
tabulation: Freq. Value
4.1e+05 ""
9534 "0413"

trcampus08 Campus ID- TAKS Reading 2007-08

type: string (str3)
unique values: 271 missing "": 308981/418241
examples: ""
""
""
"027"

trcampus09 Campus ID- TAKS Reading 2008-09

type: string (str3)
unique values: 276 missing "": 304726/418241
examples: ""
""
""

"042"

trcampus10

Campus ID- TAKS Reading 2009-10

type: string (str3)

unique values: 279

missing "": 301829/418241

examples: ""
""
""
"045"

trcampus11

Campus ID- TAKS Reading 2010-11

type: string (str3)

unique values: 278

missing "": 301817/418241

examples: ""
""
""
"046"

trcampus12

Campus ID- TAKS Reading 2011-12

type: string (str3)

unique values: 47

missing "": 397886/418241

examples: ""
""
""
""

trcampus13

Campus ID- TAKS Reading 2012-13

type: string (str3)

unique values: 44

missing "": 408707/418241

examples: ""
""
""
""

trcd08

Score Code, TAKS Reading 2007-08

type: string (str1)

unique values: 1

missing "": 308981/418241

tabulation: Freq. Value

3.1e+05 ""
1.1e+05 "S"

trcd09

Score Code, TAKS Reading 2008-09

type: string (str1)
unique values: 1 missing "": 304726/418241
tabulation: Freq. Value
3.0e+05 ""
1.1e+05 "S"

trcd10

Score Code, TAKS Reading 2009-10

type: string (str1)
unique values: 1 missing "": 301829/418241
tabulation: Freq. Value
3.0e+05 ""
1.2e+05 "S"

trcd11

Score Code, TAKS Reading 2010-11

type: string (str1)
unique values: 1 missing "": 301817/418241
tabulation: Freq. Value
3.0e+05 ""
1.2e+05 "S"

trcd12

Score Code, TAKS Reading 2011-12

type: string (str1)
unique values: 1 missing "": 397886/418241
tabulation: Freq. Value
4.0e+05 ""
20355 "S"

trcd13

Score Code, TAKS Reading 2012-13

type: string (str1)
unique values: 1 missing "": 408707/418241
tabulation: Freq. Value
4.1e+05 ""
9534 "S"

trcm08

Commended Performance, TAKS Reading 2007-08

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 309055/418241
tabulation: Freq. Value
81592 0
27594 1
3.1e+05 .

trcm09

Commended Performance, TAKS Reading 2008-09

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 304807/418241
tabulation: Freq. Value
82875 0
30559 1
3.0e+05 .

trcm10

Commended Performance, TAKS Reading 2009-10

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 301829/418241
tabulation: Freq. Value
84870 0
31542 1
3.0e+05 .

trcm11

Commended Performance, TAKS Reading 2010-11

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 301817/418241
tabulation: Freq. Value
81611 0
34813 1
3.0e+05 .

trcm12

Commended Performance, TAKS Reading 2011-12

type: numeric (byte)
range: [0,1] units: 1

unique values: 2

missing .: 397886/418241

tabulation: Freq. Value
16377 0
3978 1
4.0e+05 .

trcm13

Commended Performance, TAKS Reading 2012-13

type: numeric (byte)

range: [0,1]
unique values: 2

units: 1
missing .: 408707/418241

tabulation: Freq. Value
7530 0
2004 1
4.1e+05 .

trcp08

Written Comp Final Score, TAKS Reading 2007-08

type: numeric (float)

range: [0,4]
unique values: 5

units: 1
missing .: 400395/418241

tabulation: Freq. Value
234 0
1446 1
8780 2
6356 3
1030 4
4.0e+05 .

trcp09

Written Comp Final Score, TAKS Reading 2008-09

type: numeric (float)

range: [0,4]
unique values: 5

units: 1
missing .: 398945/418241

tabulation: Freq. Value
294 0
1571 1
7708 2
8286 3
1437 4
4.0e+05 .

trcp10

Written Comp Final Score, TAKS Reading 2009-10

type: numeric (float)

range: [0,4]
unique values: 5

units: 1
missing .: 397471/418241

```
tabulation: Freq. Value
             295  0
             1540 1
             8010 2
             9615 3
             1310 4
             4.0e+05 .
```

trcp11

Written Comp Final Score, TAKS Reading 2010-11

```
type: numeric (float)
range: [0,4]
unique values: 5
units: 1
missing .: 397505/418241
```

```
tabulation: Freq. Value
             290  0
             1617 1
             8078 2
             9090 3
             1661 4
             4.0e+05 .
```

trcp12

Written Comp Final Score, TAKS Reading 2011-12

```
type: numeric (byte)
range: [0,4]
unique values: 5
units: 1
missing .: 397886/418241
```

```
tabulation: Freq. Value
             259  0
             1612 1
             8035 2
             8966 3
             1483 4
             4.0e+05 .
```

trgrade08

Grade Level, TAKS Reading 2007-08

```
type: numeric (float)
range: [3,11]
unique values: 9
units: 1
missing .: 308981/418241
```

```
tabulation: Freq. Value
             14814 3
             14282 4
             13240 5
             11528 6
             11898 7
             11675 8
             13977 9
             9572 10
             8274 11
             3.1e+05 .
```

trgrade09

Grade Level, TAKS Reading 2008-09

type: numeric (float)

range: [3,11] units: 1
unique values: 9 missing .: 304726/418241

tabulation: Freq. Value
16012 3
14819 4
14015 5
12391 6
11853 7
12209 8
12920 9
10898 10
8398 11
3.0e+05 .

trgrade10

Grade Level, TAKS Reading 2009-10

type: numeric (byte)

range: [3,11] units: 1
unique values: 9 missing .: 301829/418241

tabulation: Freq. Value
16181 3
15620 4
13961 5
12320 6
12307 7
11831 8
13422 9
10974 10
9796 11
3.0e+05 .

trgrade11

Grade Level, TAKS Reading 2010-11

type: numeric (byte)

range: [3,11] units: 1
unique values: 9 missing .: 301817/418241

tabulation: Freq. Value
15939 3
15759 4
14738 5
12177 6
12048 7
12054 8
12973 9
10836 10
9900 11
3.0e+05 .

trgrade12 Grade Level, TAKS Reading 2011-12

type: numeric (byte)
range: [10,11] units: 1
unique values: 2 missing .: 397886/418241
tabulation: Freq. Value
 10526 10
 9829 11
 4.0e+05 .

trgrade13 Grade Level, TAKS Reading 2012-13

type: numeric (byte)
range: [11,11] units: 1
unique values: 1 missing .: 408707/418241
tabulation: Freq. Value
 9534 11
 4.1e+05 .

trlv08 Language Version, TAKS Reading 2007-08

type: string (str1)
unique values: 2 missing "": 308981/418241
tabulation: Freq. Value
 3.1e+05 ""
 1.0e+05 "E"
 7706 "S"

trlv09 Language Version, TAKS Reading 2008-09

type: string (str1)
unique values: 2 missing "": 304726/418241
tabulation: Freq. Value
 3.0e+05 ""
 1.1e+05 "E"
 8160 "S"

trlv10 Language Version, TAKS Reading 2009-10

type: string (str1)
unique values: 2 missing "": 301829/418241
tabulation: Freq. Value

3.0e+05 ""
1.1e+05 "E"
7700 "S"

trlv11

Language Version, TAKS Reading 2010-11

type: string (str1)
unique values: 2 missing "": 301817/418241
tabulation: Freq. Value
3.0e+05 ""
1.1e+05 "E"
7740 "S"

trmerge08

Merge Flag, TAKS Reading 2007-08

type: numeric (byte)
label: Ltrmerge08
range: [1,2] units: 1
unique values: 2 missing .: 309055/418241
tabulation: Freq. Numeric Label
39665 1 1.Grade 3,5,8 File
69521 2 2.Grade 3-10x File
3.1e+05 .

trmerge09

Merge Flag, TAKS Reading 2008-09

type: numeric (byte)
label: Ltrmerge09
range: [1,2] units: 1
unique values: 2 missing .: 304807/418241
tabulation: Freq. Numeric Label
42158 1 1.Grade 3,5,8 File
71276 2 2.Grade 3-10x File
3.0e+05 .

trmerge10

Merge Flag, TAKS Reading 2009-10

type: numeric (byte)
label: Ltrmerge10
range: [1,2] units: 1
unique values: 2 missing .: 301829/418241
tabulation: Freq. Numeric Label
25792 1 1.5&8 Grade File
90620 2 2.3-10x Grade File
3.0e+05 .

trmerge11

Merge Flag- 5&8 file or 3-10x file, TAKS Reading 2010-11

type: numeric (byte)
label: Ltrmerge11

range: [1,2] units: 1
unique values: 2 missing .: 301817/418241

tabulation:	Freq.	Numeric	Label
	26792	1	1.5&8 Grade File
	89632	2	2.3-10x Grade File
	3.0e+05	.	

trmt08

Met Standard, TAKS Reading 2007-08

type: numeric (float)

range: [0,1] units: 1
unique values: 2 missing .: 309055/418241

tabulation:	Freq.	Value
	19946	0
	89240	1
	3.1e+05	.

trmt09

Met Standard, TAKS Reading 2008-09

type: numeric (float)

range: [0,1] units: 1
unique values: 2 missing .: 304807/418241

tabulation:	Freq.	Value
	18764	0
	94670	1
	3.0e+05	.

trmt10

Met Standard, TAKS Reading 2009-10

type: numeric (float)

range: [0,1] units: 1
unique values: 2 missing .: 301829/418241

tabulation:	Freq.	Value
	17696	0
	98716	1
	3.0e+05	.

trmt11

Met Standard, TAKS Reading 2010-11

type: numeric (float)

range: [0,1] units: 1

unique values: 2 missing .: 301817/418241

tabulation: Freq. Value
17396 0
99028 1
3.0e+05 .

trmt12 Met Standard, TAKS Reading 2011-12

type: numeric (byte)

range: [0,1] units: 1
unique values: 2 missing .: 397886/418241

tabulation: Freq. Value
2354 0
18001 1
4.0e+05 .

trmt13 Met Standard, TAKS Reading 2012-13

type: numeric (byte)

range: [0,1] units: 1
unique values: 2 missing .: 408707/418241

tabulation: Freq. Value
788 0
8746 1
4.1e+05 .

trmtms08 Flag for Imputed Met Standard, TAKS Reading 2007-08

type: numeric (float)

range: [0,1] units: 1
unique values: 2 missing .: 309055/418241

tabulation: Freq. Value
1.1e+05 0
41 1
3.1e+05 .

trrsc08 Reg Scale Score, TAKS Reading 2007-08

type: numeric (float)

range: [1132,3528] units: 1
unique values: 451 missing .: 308981/418241

mean: 2246.49
std. dev: 190.977

percentiles: 10% 25% 50% 75% 90%
2019 2125 2240 2400 2483

trrsc09

Reg Scale Score, TAKS Reading 2008-09

type: numeric (float)
range: [1139,3827] units: 1
unique values: 533 missing .: 304726/418241
mean: 2259.76
std. dev: 192.464
percentiles: 10% 25% 50% 75% 90%
2030 2133 2248 2400 2502

trrw08

Raw Score, TAKS Reading 2007-08

type: numeric (float)
range: [0,56] units: 1
unique values: 57 missing .: 309055/418241
mean: 34.9589
std. dev: 9.0881
percentiles: 10% 25% 50% 75% 90%
23 30 35 41 47

trrw09

Raw Score, TAKS Reading 2008-09

type: numeric (float)
range: [0,56] units: 1
unique values: 57 missing .: 304807/418241
mean: 35.3429
std. dev: 9.22782
percentiles: 10% 25% 50% 75% 90%
23 30 35 41 48

trrw10

Raw Score, TAKS Reading 2009-10

type: numeric (float)
range: [0,57] units: 1
unique values: 58 missing .: 301829/418241
mean: 35.1006
std. dev: 8.97281
percentiles: 10% 25% 50% 75% 90%
23 30 35 41 47

trrw11

Raw Score, TAKS Reading 2010-11

```

-----
type: numeric (float)
range: [0,57] units: 1
unique values: 58 missing .: 301817/418241

mean: 35.5644
std. dev: 8.90941

percentiles:      10%      25%      50%      75%      90%
                  24       31       36       41       47

```

```

-----
trrw12 Raw Score, TAKS Reading 2011-12
-----

```

```

type: numeric (byte)
range: [0,57] units: 1
unique values: 56 missing .: 397886/418241

mean: 45.2184
std. dev: 7.93023

percentiles:      10%      25%      50%      75%      90%
                  35       43       47       50       52

```

```

-----
trrw13 Raw Score, TAKS Reading 2012-13
-----

```

```

type: numeric (byte)
range: [0,57] units: 1
unique values: 52 missing .: 408707/418241

mean: 45.2778
std. dev: 7.50235

percentiles:      10%      25%      50%      75%      90%
                  36       43       47       50       52

```

```

-----
trscdf08 Flag, Diff in Reg Scale Scores btw Files, use VS File, TAKS Reading 2007-08
-----

```

```

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 308981/418241

tabulation: Freq. Value
             1.1e+05 0
              56 1
             3.1e+05 .

```

```

-----
trscdf09 Flag, Diff in Reg Scale Scores btw Files, use VS File, TAKS Reading 2008-09
-----

```

```

type: numeric (float)

```

range: [0,1] units: 1
unique values: 2 missing .: 304726/418241

tabulation: Freq. Value
1.1e+05 0
12 1
3.0e+05 .

trspected08 Special Ed, TAKS Reading 2007-08

type: numeric (byte)

range: [0,1] units: 1
unique values: 2 missing .: 309976/418241

tabulation: Freq. Value
1.0e+05 0
7099 1
3.1e+05 .

trspected09 Special Ed, TAKS Reading 2008-09

type: numeric (byte)

range: [0,1] units: 1
unique values: 2 missing .: 305521/418241

tabulation: Freq. Value
1.0e+05 0
10406 1
3.1e+05 .

trspected10 Special Ed, TAKS Reading 2009-10

type: numeric (byte)

range: [0,1] units: 1
unique values: 2 missing .: 302493/418241

tabulation: Freq. Value
1.0e+05 0
11126 1
3.0e+05 .

trspected11 Special Ed, TAKS Reading 2010-11

type: numeric (byte)

range: [0,1] units: 1
unique values: 2 missing .: 302242/418241

tabulation: Freq. Value
1.1e+05 0
10578 1
3.0e+05 .

trspped12

Special Ed, TAKS Reading 2011-12

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 397912/418241
tabulation: Freq. Value
18621 0
1708 1
4.0e+05 .

trspped13

Special Ed, TAKS Reading 2012-13

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 408744/418241
tabulation: Freq. Value
8748 0
749 1
4.1e+05 .

trtestm09

Flag, Test Version M, TAKS Reading 2008-09

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 304726/418241
tabulation: Freq. Value
1.1e+05 0
4868 1
3.0e+05 .

trtv08

Test Version, TAKS Reading 2007-08

type: string (str1)
unique values: 2 missing "": 308981/418241
tabulation: Freq. Value
3.1e+05 ""
3413 "A"
1.1e+05 "K"

trtv09

Test Version, TAKS Reading 2008-09

type: string (str1)
unique values: 3 missing "": 304726/418241

```
tabulation: Freq. Value
            3.0e+05 ""
            3017  "A"
            1.1e+05 "K"
            4868  "M"
```

trtv10

Test Version, TAKS Reading 2009-10

type: string (str1)

unique values: 4

missing "": 301829/418241

```
tabulation: Freq. Value
            3.0e+05 ""
            3307  "A"
            1.1e+05 "K"
             93   "L"
            5906  "M"
```

trtv11

Test Version, TAKS Reading 2010-11

type: string (str1)

unique values: 4

missing "": 301817/418241

```
tabulation: Freq. Value
            3.0e+05 ""
            3542  "A"
            1.1e+05 "K"
             99   "L"
            5558  "M"
```

trtv12

Test Version, TAKS Reading 2011-12

type: string (str1)

unique values: 4

missing "": 397886/418241

```
tabulation: Freq. Value
            4.0e+05 ""
             793  "A"
            18829 "K"
             100  "L"
             633  "M"
```

trtv13

Test Version, TAKS Reading 2012-13

type: string (str1)

unique values: 3

missing "": 408707/418241

```
tabulation: Freq. Value
            4.1e+05 ""
             360  "A"
```

8895 "K"
279 "M"

trvadmind08 Test Admin Flag- VS and Original File, TAKS Reading 2007-08

type: string (str4)
unique values: 2 missing "": 308981/418241
tabulation: Freq. Value
3.1e+05 ""
39658 "0308"
69602 "0408"

trvadmind09 Test Admin Flag- VS and Original File, TAKS Reading 2008-09

type: string (str4)
unique values: 2 missing "": 304726/418241
tabulation: Freq. Value
3.0e+05 ""
42157 "0309"
71358 "0409"

trvmerge08 Merge Indicator- Orig & VS Files, TAKS Reading 2007-08

type: numeric (byte)
label: Ltrvmerge08
range: [1,3] units: 1
unique values: 3 missing .: 308981/418241
tabulation: Freq. Numeric Label
74 1 1.VS File Only
45235 2 2.Orig File Only
63951 3 3.Matched
3.1e+05 .

trvmerge09 Merge Indicator- Orig & VS Files, TAKS Reading 2008-09

type: numeric (byte)
label: Ltrvmerge09
range: [1,3] units: 1
unique values: 3 missing .: 304726/418241
tabulation: Freq. Numeric Label
81 1 1.VS File Only
48685 2 2.Orig File Only
64749 3 3.Matched
3.0e+05 .

trvrsc08 Scale Score- Reg or Vert Scale, TAKS Reading 2007-08

```

-----
type: numeric (float)
range: [61,3528] units: 1
unique values: 489 missing .: 308991/418241

mean: 1128.39
std. dev: 720.695

percentiles:      10%      25%      50%      75%      90%
                  546      630      732      2075     2301

```

```

-----
trvrsc09                               Scale Score- Reg or Vert Scale, TAKS Reading 2008-09
-----

```

```

type: numeric (float)
range: [71,3827] units: 1
unique values: 493 missing .: 309159/418241

mean: 1142.23
std. dev: 721.656

percentiles:      10%      25%      50%      75%      90%
                  559      640      745      2099     2278

```

```

-----
trvrsc10                               Scale Score- Reg or Vert Scale, TAKS Reading 2009-10
-----

```

```

type: numeric (float)
range: [104,3269] units: 1
unique values: 624 missing .: 301829/418241

mean: 1209.14
std. dev: 742.313

percentiles:      10%      25%      50%      75%      90%
                  570      659      776      2152     2309

```

```

-----
trvrsc11                               Scale Score- Reg or Vert Scale, TAKS Reading 2010-11
-----

```

```

type: numeric (float)
range: [81,3361] units: 1
unique values: 645 missing .: 301817/418241

mean: 1206.88
std. dev: 744.377

percentiles:      10%      25%      50%      75%      90%
                  575      661      775      2143     2320

```

```

-----
trvrsc12                               Scale Score- Reg or Vert Scale, TAKS Reading 2011-12
-----

```

```

type: numeric (int)

```


range: [1344,3143] units: 1
 unique values: 226 missing .: 397886/418241

 mean: 2264.83
 std. dev: 147.654

 percentiles: 10% 25% 50% 75% 90%
 2099 2178 2257 2351 2413

trvrsc13 Scale Score- Reg or Vert Scale, TAKS Reading 2012-13

type: numeric (int)

 range: [1360,3069] units: 1
 unique values: 97 missing .: 408707/418241

 mean: 2274.5
 std. dev: 137.459

 percentiles: 10% 25% 50% 75% 90%
 2115 2200 2270 2351 2443

trvs08 Vert Scale Score, TAKS Reading 2007-08

type: numeric (float)

 range: [61,978] units: 1
 unique values: 301 missing .: 340814/418241

 mean: 674.295
 std. dev: 118.425

 percentiles: 10% 25% 50% 75% 90%
 523 596 677 755 829

trvs09 Vert Scale Score, TAKS Reading 2008-09

type: numeric (float)

 range: [71,975] units: 1
 unique values: 276 missing .: 341375/418241

 mean: 683.345
 std. dev: 117.662

 percentiles: 10% 25% 50% 75% 90%
 538 605 682 763 845

trvshisd08 Flag- From VS File Only, but HISD Campus, TAKS Reading 2007-08

type: numeric (float)

 range: [0,1]
 unique values: 2 units: 1
 missing .: 308981/418241

tabulation: Freq. Value
1.1e+05 0
74 1
3.1e+05 .

trvshisd09 Flag- From VS File Only, but HISD Campus, TAKS Reading 2008-09

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 304726/418241

tabulation: Freq. Value
1.1e+05 0
81 1
3.0e+05 .

trvsimp08 Vertical Scale Score- Imputed Flag, TAKS Reading 2007-08

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 308981/418241

tabulation: Freq. Value
95858 0
13402 1
3.1e+05 .

trvsimp09 Vertical Scale Score- Imputed Flag, TAKS Reading 2008-09

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 304726/418241

tabulation: Freq. Value
1.0e+05 0
12036 1
3.0e+05 .

trvsmiss08 Vertical Scale Score- Missing Flag, TAKS Reading 2007-08

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 308981/418241

tabulation: Freq. Value
1.1e+05 0
10 1
3.1e+05 .

trvsmiss09

Vertical Scale Score- Missing Flag, TAKS Reading 2008-09

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 304726/418241
tabulation: Freq. Value
1.1e+05 0
12 1
3.0e+05 .

tsadmind08

Date of Admin, TAKS Science 2007-08

type: string (str4)
unique values: 1 missing "": 375982/418241
tabulation: Freq. Value
3.8e+05 ""
42259 "0408"

tsadmind09

Date of Admin, TAKS Science 2008-09

type: string (str4)
unique values: 1 missing "": 373397/418241
tabulation: Freq. Value
3.7e+05 ""
44844 "0409"

tsadmind10

Date of Admin, TAKS Science 2009-10

type: string (str4)
unique values: 1 missing "": 371866/418241
tabulation: Freq. Value
3.7e+05 ""
46375 "0410"

tsadmind11

Date of Admin, TAKS Science 2010-11

type: string (str4)
unique values: 1 missing "": 370927/418241
tabulation: Freq. Value
3.7e+05 ""
47314 "0411"

tsadmind12

Date of Admin, TAKS Science 2011-12

type: string (str4)
unique values: 1 missing "": 398126/418241
tabulation: Freq. Value
4.0e+05 ""
20115 "0412"

tsadmind13 Date of Admin, TAKS Science 2012-13

type: string (str4)
unique values: 1 missing "": 408647/418241
tabulation: Freq. Value
4.1e+05 ""
9594 "0413"

tscampus08 Campus ID, TAKS Science 2007-08

type: string (str3)
unique values: 269 missing "": 375982/418241
examples: ""
""
""
""

tscampus09 Campus ID, TAKS Science 2008-09

type: string (str3)
unique values: 273 missing "": 373397/418241
examples: ""
""
""
""

tscampus10 Campus ID, TAKS Science 2009-10

type: string (str3)
unique values: 271 missing "": 371866/418241
examples: ""
""
""
""

tscampus11 Campus ID, TAKS Science 2010-11

type: string (str3)
unique values: 276 missing "": 370927/418241
examples: ""
 ""
 ""
 ""

tscampus12 Campus ID, TAKS Science 2011-12

type: string (str3)
unique values: 48 missing "": 398126/418241
examples: ""
 ""
 ""
 ""

tscampus13 Campus ID, TAKS Science 2012-13

type: string (str3)
unique values: 45 missing "": 408647/418241
examples: ""
 ""
 ""
 ""

tscd08 Score Code, TAKS Science 2007-08

type: string (str1)
unique values: 1 missing "": 375982/418241
tabulation: Freq. Value
 3.8e+05 ""
 42259 "S"

tscd09 Score Code, TAKS Science 2008-09

type: string (str1)
unique values: 1 missing "": 373397/418241
tabulation: Freq. Value
 3.7e+05 ""
 44844 "S"

tscd10 Score Code, TAKS Science 2009-10

type: string (str1)
unique values: 1 missing "": 371866/418241
tabulation: Freq. Value
3.7e+05 ""
46375 "S"

tscd11 Score Code, TAKS Science 2010-11

type: string (str1)
unique values: 1 missing "": 370927/418241
tabulation: Freq. Value
3.7e+05 ""
47314 "S"

tscd12 Score Code, TAKS Science 2011-12

type: string (str1)
unique values: 1 missing "": 398126/418241
tabulation: Freq. Value
4.0e+05 ""
20115 "S"

tscd13 Score Code, TAKS Science 2012-13

type: string (str1)
unique values: 1 missing "": 408647/418241
tabulation: Freq. Value
4.1e+05 ""
9594 "S"

tscm08 Commended Performance, TAKS Science 2007-08

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 375982/418241
tabulation: Freq. Value
34191 0
8068 1
3.8e+05 .

tscm09 Commended Performance, TAKS Science 2008-09

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 373397/418241
tabulation: Freq. Value
35044 0
9800 1
3.7e+05 .

tscm10 Commended Performance, TAKS Science 2009-10

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 371866/418241
tabulation: Freq. Value
35333 0
11042 1
3.7e+05 .

tscm11 Commended Performance, TAKS Science 2010-11

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 370927/418241
tabulation: Freq. Value
34086 0
13228 1
3.7e+05 .

tscm12 Commended Performance, TAKS Science 2011-12

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 398126/418241
tabulation: Freq. Value
16265 0
3850 1
4.0e+05 .

tscm13 Commended Performance, TAKS Science 2012-13

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 408647/418241
tabulation: Freq. Value

7882 0
1712 1
4.1e+05 .

tsgrade08

Grade Level, TAKS Science 2007-08

type: numeric (byte)
range: [5,11] units: 1
unique values: 4 missing .: 375982/418241
tabulation: Freq. Value
13146 5
11524 8
9356 10
8233 11
3.8e+05 .

tsgrade09

Grade Level, TAKS Science 2008-09

type: numeric (byte)
range: [5,11] units: 1
unique values: 4 missing .: 373397/418241
tabulation: Freq. Value
13920 5
12006 8
10570 10
8348 11
3.7e+05 .

tsgrade10

Grade Level, TAKS Science 2009-10

type: numeric (byte)
range: [5,11] units: 1
unique values: 4 missing .: 371866/418241
tabulation: Freq. Value
14002 5
11840 8
10776 10
9757 11
3.7e+05 .

tsgrade11

Grade Level, TAKS Science 2010-11

type: numeric (byte)
range: [5,11] units: 1
unique values: 4 missing .: 370927/418241
tabulation: Freq. Value
14766 5

12096 8
10663 10
9789 11
3.7e+05 .

tsgrade12 Grade Level, TAKS Science 2011-12

type: numeric (byte)

range: [10,11] units: 1
unique values: 2 missing .: 398126/418241

tabulation: Freq. Value
10287 10
9828 11
4.0e+05 .

tsgrade13 Grade Level, TAKS Science 2012-13

type: numeric (byte)

range: [11,11] units: 1
unique values: 1 missing .: 408647/418241

tabulation: Freq. Value
9594 11
4.1e+05 .

tslv08 Language Version, TAKS Science 2007-08

type: string (str1)

unique values: 2 missing "": 375982/418241

tabulation: Freq. Value
3.8e+05 ""
42198 "E"
61 "S"

tslv09 Language Version, TAKS Science 2008-09

type: string (str1)

unique values: 2 missing "": 373397/418241

tabulation: Freq. Value
3.7e+05 ""
44806 "E"
38 "S"

tslv10 Language Version, TAKS Science 2009-10

type: string (str1)

unique values: 2 missing "": 371866/418241

tabulation: Freq. Value
3.7e+05 ""
46352 "E"
23 "S"

tslv11 Language Version, TAKS Science 2010-11

type: string (str1)

unique values: 2 missing "": 370927/418241

tabulation: Freq. Value
3.7e+05 ""
47300 "E"
14 "S"

tslv12 Language Version, TAKS Science 2011-12

type: string (str1)

unique values: 1 missing "": 398126/418241

tabulation: Freq. Value
4.0e+05 ""
20115 "E"

tsmt08 Met Standard, TAKS Science 2007-08

type: numeric (byte)

range: [0,1] units: 1
unique values: 2 missing .: 375982/418241

tabulation: Freq. Value
12993 0
29266 1
3.8e+05 .

tsmt09 Met Standard, TAKS Science 2008-09

type: numeric (byte)

range: [0,1] units: 1
unique values: 2 missing .: 373397/418241

tabulation: Freq. Value
12874 0
31970 1
3.7e+05 .

tsmt10 Met Standard, TAKS Science 2009-10

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 371866/418241
tabulation: Freq. Value
10312 0
36063 1
3.7e+05 .

tsmt11 Met Standard, TAKS Science 2010-11

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 370927/418241
tabulation: Freq. Value
9678 0
37636 1
3.7e+05 .

tsmt12 Met Standard, TAKS Science 2011-12

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 398126/418241
tabulation: Freq. Value
3964 0
16151 1
4.0e+05 .

tsmt13 Met Standard, TAKS Science 2012-13

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 408647/418241
tabulation: Freq. Value
734 0
8860 1
4.1e+05 .

tsmtms08 Flag for Imputed Met Standard, TAKS Science 2007-08

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 375982/418241

tabulation: Freq. Value
42118 0
141 1
3.8e+05 .

tsrw08 Raw Score, TAKS Science 2007-08

type: numeric (byte)
range: [0,55] units: 1
unique values: 54 missing .: 375982/418241
mean: 34.4953
std. dev: 8.88933
percentiles: 10% 25% 50% 75% 90%
22 29 35 40 46

tsrw09 Raw Score, TAKS Science 2008-09

type: numeric (byte)
range: [0,55] units: 1
unique values: 55 missing .: 373397/418241
mean: 35.1158
std. dev: 8.84871
percentiles: 10% 25% 50% 75% 90%
23 30 36 40 46

tsrw10 Raw Score, TAKS Science 2009-10

type: numeric (byte)
range: [0,55] units: 1
unique values: 55 missing .: 371866/418241
mean: 35.9194
std. dev: 8.75524
percentiles: 10% 25% 50% 75% 90%
24 31 37 42 47

tsrw11 Raw Score, TAKS Science 2010-11

type: numeric (byte)
range: [0,55] units: 1
unique values: 55 missing .: 370927/418241
mean: 36.7662
std. dev: 8.81063
percentiles: 10% 25% 50% 75% 90%

25 32 37 43 48

tsrw12 Raw Score, TAKS Science 2011-12

type: numeric (byte)

range: [0,55] units: 1
unique values: 52 missing .: 398126/418241

mean: 38.8231
std. dev: 9.75515

percentiles:	10%	25%	50%	75%	90%
	25	33	40	46	51

tsrw13 Raw Score, TAKS Science 2012-13

type: numeric (byte)

range: [0,55] units: 1
unique values: 50 missing .: 408647/418241

mean: 39.5953
std. dev: 8.42709

percentiles:	10%	25%	50%	75%	90%
	28	35	41	46	50

tssc08 Scale Score, TAKS Science 2007-08

type: numeric (int)

range: [878,3018] units: 1
unique values: 187 missing .: 375982/418241

mean: 2186.31
std. dev: 217.056

percentiles:	10%	25%	50%	75%	90%
	1931	2044	2166	2296	2442

tssc09 Scale Score, TAKS Science 2008-09

type: numeric (int)

range: [835,3020] units: 1
unique values: 259 missing .: 373397/418241

mean: 2209.87
std. dev: 223.154

percentiles:	10%	25%	50%	75%	90%
	1951	2056	2187	2327	2485

tssc10

Scale Score, TAKS Science 2009-10

```

      type:  numeric (int)
      range:  [845,3025]
unique values: 284
      units:  1
      missing .: 371866/418241

      mean:   2239.32
      std. dev: 219.003

percentiles:      10%      25%      50%      75%      90%
                  1978      2100      2230      2358      2497

```

tssc11

Scale Score, TAKS Science 2010-11

```

      type:  numeric (int)
      range:  [845,3025]
unique values: 282
      units:  1
      missing .: 370927/418241

      mean:   2261.17
      std. dev: 224.287

percentiles:      10%      25%      50%      75%      90%
                  1994      2115      2243      2400      2564

```

tssc12

Scale Score, TAKS Science 2011-12

```

      type:  numeric (int)
      range:  [1176,2859]
unique values: 152
      units:  1
      missing .: 398126/418241

      mean:   2235.13
      std. dev: 180.749

percentiles:      10%      25%      50%      75%      90%
                  2014      2117      2230      2350      2464

```

tssc13

Scale Score, TAKS Science 2012-13

```

      type:  numeric (int)
      range:  [1338,2829]
unique values: 75
      units:  1
      missing .: 408647/418241

      mean:   2269.07
      std. dev: 137.904

percentiles:      10%      25%      50%      75%      90%
                  2103      2187      2267      2349      2444

```

tsspeded08

Special Ed, TAKS Science 2007-08

```
type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 376349/418241
tabulation: Freq. Value
39252 0
2640 1
3.8e+05 .
```

tsspeced09 Special Ed, TAKS Science 2008-09

```
type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 373655/418241
tabulation: Freq. Value
40306 0
4280 1
3.7e+05 .
```

tsspeced10 Special Ed, TAKS Science 2009-10

```
type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 372133/418241
tabulation: Freq. Value
41599 0
4509 1
3.7e+05 .
```

tsspeced11 Special Ed, TAKS Science 2010-11

```
type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 371162/418241
tabulation: Freq. Value
42751 0
4328 1
3.7e+05 .
```

tsspeced12 Special Ed, TAKS Science 2011-12

```
type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 398155/418241
tabulation: Freq. Value
18413 0
```

1673 1
4.0e+05 .

tsspeced13

Special Ed, TAKS Science 2012-13

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 408688/418241
tabulation: Freq. Value
8788 0
765 1
4.1e+05 .

tstv08

Test Version, TAKS Science 2007-08

type: string (str1)
unique values: 2 missing "": 375982/418241
tabulation: Freq. Value
3.8e+05 ""
1326 "A"
40933 "K"

tstv09

Test Version, TAKS Science 2008-09

type: string (str1)
unique values: 3 missing "": 373397/418241
tabulation: Freq. Value
3.7e+05 ""
1198 "A"
41513 "K"
2133 "M"

tstv10

Test Version, TAKS Science 2009-10

type: string (str1)
unique values: 4 missing "": 371866/418241
tabulation: Freq. Value
3.7e+05 ""
1444 "A"
42595 "K"
3 "L"
2333 "M"

tstv11

Test Version, TAKS Science 2010-11

```
type: string (str1)
unique values: 4 missing "": 370927/418241
tabulation: Freq. Value
3.7e+05 ""
1611 "A"
43558 "K"
12 "L"
2133 "M"
```

tstsv12 Test Version, TAKS Science 2011-12

```
type: string (str1)
unique values: 3 missing "": 398126/418241
tabulation: Freq. Value
4.0e+05 ""
828 "A"
18679 "K"
608 "M"
```

tstsv13 Test Version, TAKS Science 2012-13

```
type: string (str1)
unique values: 3 missing "": 408647/418241
tabulation: Freq. Value
4.1e+05 ""
373 "A"
8935 "K"
286 "M"
```

ttadmind08 Date of Admin, TAKS Social Studies 2007-08

```
type: string (str4)
unique values: 1 missing "": 389309/418241
tabulation: Freq. Value
3.9e+05 ""
28932 "0408"
```

ttadmind09 Date of Admin, TAKS Social Studies 2008-09

```
type: string (str4)
unique values: 1 missing "": 388645/418241
tabulation: Freq. Value
3.9e+05 ""
29596 "0409"
```

ttadmind10 Date of Admin, TAKS Social Studies 2009-10

type: string (str4)

unique values: 1 missing "": 386200/418241

tabulation: Freq. Value
3.9e+05 ""
32041 "0410"

ttadmind11 Date of Admin, TAKS Social Studies 2010-11

type: string (str4)

unique values: 1 missing "": 385964/418241

tabulation: Freq. Value
3.9e+05 ""
32277 "0411"

ttadmind12 Date of Admin, TAKS Social Studies 2011-12

type: string (str4)

unique values: 1 missing "": 398333/418241

tabulation: Freq. Value
4.0e+05 ""
19908 "0412"

ttadmind13 Date of Admin, TAKS Social Studies 2012-13

type: string (str4)

unique values: 1 missing "": 408659/418241

tabulation: Freq. Value
4.1e+05 ""
9582 "0413"

ttcampus08 Campus ID, TAKS Social Studies 2007-08

type: string (str3)

unique values: 91 missing "": 389309/418241

examples: ""
""
""
""

ttcampus09 Campus ID, TAKS Social Studies 2008-09

type: string (str3)
unique values: 94 missing "": 388645/418241
examples: ""
 ""
 ""
 ""

ttcampus10 Campus ID, TAKS Social Studies 2009-10

type: string (str3)
unique values: 105 missing "": 386200/418241
examples: ""
 ""
 ""
 ""

ttcampus11 Campus ID, TAKS Social Studies 2010-11

type: string (str3)
unique values: 108 missing "": 385964/418241
examples: ""
 ""
 ""
 ""

ttcampus12 Campus ID, TAKS Social Studies 2011-12

type: string (str3)
unique values: 48 missing "": 398333/418241
examples: ""
 ""
 ""
 ""

ttcampus13 Campus ID, TAKS Social Studies 2012-13

type: string (str3)
unique values: 45 missing "": 408659/418241
examples: ""
 ""
 ""
 ""

ttcd08 Score Code, TAKS Social Studies 2007-08

type: string (str1)
unique values: 1 missing "": 389309/418241
tabulation: Freq. Value
3.9e+05 ""
28932 "S"

ttcd09 Score Code, TAKS Social Studies 2008-09

type: string (str1)
unique values: 1 missing "": 388645/418241
tabulation: Freq. Value
3.9e+05 ""
29596 "S"

ttcd10 Score Code, TAKS Social Studies 2009-10

type: string (str1)
unique values: 1 missing "": 386200/418241
tabulation: Freq. Value
3.9e+05 ""
32041 "S"

ttcd11 Score Code, TAKS Social Studies 2010-11

type: string (str1)
unique values: 1 missing "": 385964/418241
tabulation: Freq. Value
3.9e+05 ""
32277 "S"

ttcd12 Score Code, TAKS Social Studies 2011-12

type: string (str1)
unique values: 1 missing "": 398333/418241
tabulation: Freq. Value
4.0e+05 ""
19908 "S"

ttcd13 Score Code, TAKS Social Studies 2012-13

```
type: string (str1)
unique values: 1 missing "": 408659/418241
tabulation: Freq. Value
             4.1e+05 ""
             9582 "S"
```

ttdcm08 Commended Performance, TAKS Social Studies 2007-08

```
type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 389309/418241
tabulation: Freq. Value
             20484 0
             8448 1
             3.9e+05 .
```

ttdcm09 Commended Performance, TAKS Social Studies 2008-09

```
type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 388645/418241
tabulation: Freq. Value
             19337 0
             10259 1
             3.9e+05 .
```

ttdcm10 Commended Performance, TAKS Social Studies 2009-10

```
type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 386200/418241
tabulation: Freq. Value
             19814 0
             12227 1
             3.9e+05 .
```

ttdcm11 Commended Performance, TAKS Social Studies 2010-11

```
type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 385964/418241
tabulation: Freq. Value
             19207 0
             13070 1
```

3.9e+05 .

ttcm12 Commended Performance, TAKS Social Studies 2011-12

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 398333/418241
tabulation: Freq. Value
10608 0
9300 1
4.0e+05 .

ttcm13 Commended Performance, TAKS Social Studies 2012-13

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 408659/418241
tabulation: Freq. Value
4125 0
5457 1
4.1e+05 .

ttgrade08 Grade Level, TAKS Social Studies 2007-08

type: numeric (byte)
range: [8,11] units: 1
unique values: 3 missing .: 389309/418241
tabulation: Freq. Value
11464 8
9275 10
8193 11
3.9e+05 .

ttgrade09 Grade Level, TAKS Social Studies 2008-09

type: numeric (byte)
range: [8,11] units: 1
unique values: 3 missing .: 388645/418241
tabulation: Freq. Value
11181 8
10093 10
8322 11
3.9e+05 .

ttgrade10 Grade Level, TAKS Social Studies 2009-10

type: numeric (byte)
range: [8,11] units: 1
unique values: 3 missing .: 386200/418241

tabulation: Freq. Value
11754 8
10571 10
9716 11
3.9e+05 .

ttgrade11 Grade Level, TAKS Social Studies 2010-11

type: numeric (byte)
range: [8,11] units: 1
unique values: 3 missing .: 385964/418241

tabulation: Freq. Value
11998 8
10508 10
9771 11
3.9e+05 .

ttgrade12 Grade Level, TAKS Social Studies 2011-12

type: numeric (byte)
range: [10,11] units: 1
unique values: 2 missing .: 398333/418241

tabulation: Freq. Value
10126 10
9782 11
4.0e+05 .

ttgrade13 Grade Level, TAKS Social Studies 2012-13

type: numeric (byte)
range: [11,11] units: 1
unique values: 1 missing .: 408659/418241

tabulation: Freq. Value
9582 11
4.1e+05 .

ttmt08 Met Standard, TAKS Social Studies 2007-08

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 389309/418241

tabulation: Freq. Value
3298 0
25634 1
3.9e+05 .

ttmt09 Met Standard, TAKS Social Studies 2008-09

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 388645/418241

tabulation: Freq. Value
2880 0
26716 1
3.9e+05 .

ttmt10 Met Standard, TAKS Social Studies 2009-10

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 386200/418241

tabulation: Freq. Value
2478 0
29563 1
3.9e+05 .

ttmt11 Met Standard, TAKS Social Studies 2010-11

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 385964/418241

tabulation: Freq. Value
2160 0
30117 1
3.9e+05 .

ttmt12 Met Standard, TAKS Social Studies 2011-12

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 398333/418241

tabulation: Freq. Value
1127 0
18781 1
4.0e+05 .

ttmt13 Met Standard, TAKS Social Studies 2012-13

```

-----
type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 408659/418241

tabulation: Freq. Value
              361 0
              9221 1
              4.1e+05 .

```

```

-----
ttmtms08 Flag for Imputed Met Standard, TAKS Social Studies 2007-08
-----

```

```

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 389309/418241

tabulation: Freq. Value
              28873 0
              59 1
              3.9e+05 .

```

```

-----
ttrw08 Raw Score, TAKS Social Studies 2007-08
-----

```

```

type: numeric (byte)
range: [0,55] units: 1
unique values: 55 missing .: 389309/418241

mean: 38.6126
std. dev: 9.16849

percentiles:      10%      25%      50%      75%      90%
                  25       33       40       45       49

```

```

-----
ttrw09 Raw Score, TAKS Social Studies 2008-09
-----

```

```

type: numeric (byte)
range: [0,55] units: 1
unique values: 53 missing .: 388645/418241

mean: 39.3623
std. dev: 9.11688

percentiles:      10%      25%      50%      75%      90%
                  27       34       41       46       50

```

```

-----
ttrw10 Raw Score, TAKS Social Studies 2009-10
-----

```

```

type: numeric (byte)
range: [0,55] units: 1

```


std. dev: 174.64
percentiles: 10% 25% 50% 75% 90%
2076 2180 2293 2400 2502

ttsc09 Scale Score, TAKS Social Studies 2008-09

type: numeric (int)
range: [1268,2812] units: 1
unique values: 125 missing .: 388645/418241
mean: 2312.77
std. dev: 183.358
percentiles: 10% 25% 50% 75% 90%
2100 2189 2300 2417 2555

ttsc10 Scale Score, TAKS Social Studies 2009-10

type: numeric (int)
range: [1326,2868] units: 1
unique values: 205 missing .: 386200/418241
mean: 2332.92
std. dev: 176.577
percentiles: 10% 25% 50% 75% 90%
2109 2217 2327 2440 2555

ttsc11 Scale Score, TAKS Social Studies 2010-11

type: numeric (int)
range: [1326,2868] units: 1
unique values: 204 missing .: 385964/418241
mean: 2347.09
std. dev: 178.684
percentiles: 10% 25% 50% 75% 90%
2130 2231 2342 2451 2586

ttsc12 Scale Score, TAKS Social Studies 2011-12

type: numeric (int)
range: [1333,2847] units: 1
unique values: 139 missing .: 398333/418241
mean: 2370.16
std. dev: 182.555
percentiles: 10% 25% 50% 75% 90%

2140 2250 2364 2484 2594

ttsc13 Scale Score, TAKS Social Studies 2012-13

type: numeric (int)
range: [1444,2861] units: 1
unique values: 80 missing .: 408659/418241
mean: 2411.16
std. dev: 181.093
percentiles: 10% 25% 50% 75% 90%
2184 2290 2403 2511 2610

ttspeced08 Special Ed, TAKS Social Studies 2007-08

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 389565/418241
tabulation: Freq. Value
26760 0
1916 1
3.9e+05 .

ttspeced09 Special Ed, TAKS Social Studies 2008-09

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 388821/418241
tabulation: Freq. Value
27734 0
1686 1
3.9e+05 .

ttspeced10 Special Ed, TAKS Social Studies 2009-10

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 386380/418241
tabulation: Freq. Value
28702 0
3159 1
3.9e+05 .

ttspeced11 Special Ed, TAKS Social Studies 2010-11

```
type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 386107/418241

tabulation: Freq. Value
            29126 0
            3008 1
            3.9e+05 .
```

ttspeced12 Special Ed, TAKS Social Studies 2011-12

```
type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 398363/418241

tabulation: Freq. Value
            18227 0
            1651 1
            4.0e+05 .
```

ttspeced13 Special Ed, TAKS Social Studies 2012-13

```
type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 408701/418241

tabulation: Freq. Value
            8782 0
            758 1
            4.1e+05 .
```

tttv08 Test Version, TAKS Social Studies 2007-08

```
type: string (str1)
unique values: 2 missing "": 389309/418241

tabulation: Freq. Value
            3.9e+05 ""
            899 "A"
            28033 "K"
```

tttv09 Test Version, TAKS Social Studies 2008-09

```
type: string (str1)
unique values: 2 missing "": 388645/418241

tabulation: Freq. Value
            3.9e+05 ""
            946 "A"
            28650 "K"
```

tttv10 Test Version, TAKS Social Studies 2009-10

type: string (str1)
unique values: 3 missing "": 386200/418241
tabulation: Freq. Value
3.9e+05 ""
1161 "A"
29427 "K"
1453 "M"

tttv11 Test Version, TAKS Social Studies 2010-11

type: string (str1)
unique values: 3 missing "": 385964/418241
tabulation: Freq. Value
3.9e+05 ""
1262 "A"
29709 "K"
1306 "M"

tttv12 Test Version, TAKS Social Studies 2011-12

type: string (str1)
unique values: 3 missing "": 398333/418241
tabulation: Freq. Value
4.0e+05 ""
827 "A"
18498 "K"
583 "M"

tttv13 Test Version, TAKS Social Studies 2012-13

type: string (str1)
unique values: 3 missing "": 408659/418241
tabulation: Freq. Value
4.1e+05 ""
374 "A"
8934 "K"
274 "M"

twadmind08 Date of Admin, TAKS Writing 2007-08

type: string (str4)

unique values: 1 missing "": 392101/418241

tabulation: Freq. Value
3.9e+05 ""
26140 "0408"

twadmind09 Date of Admin, TAKS Writing 2008-09

type: string (str4)

unique values: 1 missing "": 393140/418241

tabulation: Freq. Value
3.9e+05 ""
25101 "0409"

twadmind10 Date of Admin, TAKS Writing 2009-10

type: string (str4)

unique values: 1 missing "": 390547/418241

tabulation: Freq. Value
3.9e+05 ""
27694 "0410"

twadmind11 Date of Admin, TAKS Writing 2010-11

type: string (str4)

unique values: 1 missing "": 390619/418241

tabulation: Freq. Value
3.9e+05 ""
27622 "0411"

twcampus08 Campus ID- TAKS Writing 2007-08

type: string (str3)

unique values: 234 missing "": 392101/418241

examples: ""
""
""
""

twcampus09 Campus ID- TAKS Writing 2008-09

type: string (str3)

unique values: 232 missing "": 393140/418241

examples: ""
""
""
""

twcampus10 Campus ID- TAKS Writing 2009-10

type: string (str3)
unique values: 228 missing "": 390547/418241
examples: ""
""
""
""

twcampus11 Campus ID- TAKS Writing 2010-11

type: string (str3)
unique values: 232 missing "": 390619/418241
examples: ""
""
""
""

twcd08 Score Code, TAKS Writing 2007-08

type: string (str1)
unique values: 1 missing "": 392101/418241
tabulation: Freq. Value
3.9e+05 ""
26140 "S"

twcd09 Score Code, TAKS Writing 2008-09

type: string (str1)
unique values: 1 missing "": 393140/418241
tabulation: Freq. Value
3.9e+05 ""
25101 "S"

twcd10 Score Code, TAKS Writing 2009-10

type: string (str1)
unique values: 1 missing "": 390547/418241

tabulation: Freq. Value
3.9e+05 ""
27694 "S"

twcd11 Score Code, TAKS Writing 2010-11

type: string (str1)
unique values: 1 missing "": 390619/418241
tabulation: Freq. Value
3.9e+05 ""
27622 "S"

twcm08 Commended Performance, TAKS Writing 2007-08

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 392101/418241
tabulation: Freq. Value
19090 0
7050 1
3.9e+05 .

twcm09 Commended Performance, TAKS Writing 2008-09

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 393140/418241
tabulation: Freq. Value
17731 0
7370 1
3.9e+05 .

twcm10 Commended Performance, TAKS Writing 2009-10

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 390547/418241
tabulation: Freq. Value
19718 0
7976 1
3.9e+05 .

twcm11 Commended Performance, TAKS Writing 2010-11

type: numeric (byte)

range: [0,1] units: 1
unique values: 2 missing .: 390619/418241

tabulation: Freq. Value
19655 0
7967 1
3.9e+05 .

twcp08

Written Comp Final Score, TAKS Writing 2007-08

type: numeric (byte)

range: [0,4] units: 1
unique values: 5 missing .: 392101/418241

tabulation: Freq. Value
122 0
2144 1
14077 2
8400 3
1397 4
3.9e+05 .

twcp09

Written Comp Final Score, TAKS Writing 2008-09

type: numeric (byte)

range: [0,4] units: 1
unique values: 5 missing .: 393140/418241

tabulation: Freq. Value
88 0
1712 1
13948 2
8148 3
1205 4
3.9e+05 .

twcp10

Written Comp Final Score, TAKS Writing 2009-10

type: numeric (byte)

range: [0,4] units: 1
unique values: 5 missing .: 390547/418241

tabulation: Freq. Value
195 0
1850 1
14669 2
9798 3
1182 4
3.9e+05 .

twcp11

Written Comp Final Score, TAKS Writing 2010-11

type: numeric (byte)
range: [0,4] units: 1
unique values: 5 missing .: 390619/418241

tabulation: Freq. Value
187 0
2372 1
15185 2
8538 3
1340 4
3.9e+05 .

twgrade08 Grade Level, TAKS Writing 2007-08

type: numeric (byte)
range: [4,7] units: 1
unique values: 2 missing .: 392101/418241

tabulation: Freq. Value
14268 4
11872 7
3.9e+05 .

twgrade09 Grade Level, TAKS Writing 2008-09

type: numeric (byte)
range: [4,7] units: 1
unique values: 2 missing .: 393140/418241

tabulation: Freq. Value
14057 4
11044 7
3.9e+05 .

twgrade10 Grade Level, TAKS Writing 2009-10

type: numeric (byte)
range: [4,7] units: 1
unique values: 2 missing .: 390547/418241

tabulation: Freq. Value
15512 4
12182 7
3.9e+05 .

twgrade11 Grade Level, TAKS Writing 2010-11

type: numeric (byte)
range: [4,7] units: 1

unique values: 2

missing .: 390619/418241

tabulation:	Freq.	Value
	15661	4
	11961	7
	3.9e+05	.

twlv08

Language Version, TAKS Writing 2007-08

type: string (str1)

unique values: 2

missing "": 392101/418241

tabulation:	Freq.	Value
	3.9e+05	" "
	23414	"E"
	2726	"S"

twlv09

Language Version, TAKS Writing 2008-09

type: string (str1)

unique values: 2

missing "": 393140/418241

tabulation:	Freq.	Value
	3.9e+05	" "
	22216	"E"
	2885	"S"

twlv10

Language Version, TAKS Writing 2009-10

type: string (str1)

unique values: 2

missing "": 390547/418241

tabulation:	Freq.	Value
	3.9e+05	" "
	24927	"E"
	2767	"S"

twlv11

Language Version, TAKS Writing 2010-11

type: string (str1)

unique values: 2

missing "": 390619/418241

tabulation:	Freq.	Value
	3.9e+05	" "
	24970	"E"
	2652	"S"

twmt08

Met Standard, TAKS Writing 2007-08

```
type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 392101/418241
tabulation: Freq. Value
             3281 0
             22859 1
             3.9e+05 .
```

twmt09 Met Standard, TAKS Writing 2008-09

```
type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 393140/418241
tabulation: Freq. Value
             2497 0
             22604 1
             3.9e+05 .
```

twmt10 Met Standard, TAKS Writing 2009-10

```
type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 390547/418241
tabulation: Freq. Value
             2271 0
             25423 1
             3.9e+05 .
```

twmt11 Met Standard, TAKS Writing 2010-11

```
type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 390619/418241
tabulation: Freq. Value
             2494 0
             25128 1
             3.9e+05 .
```

twrw08 Raw Score, TAKS Writing 2007-08

```
type: numeric (byte)
range: [0,40] units: 1
unique values: 41 missing .: 392101/418241
mean: 27.5516
std. dev: 6.5995
```

percentiles:	10%	25%	50%	75%	90%
	20	24	27	33	37

twrw09

Raw Score, TAKS Writing 2008-09

type: numeric (byte)

range:	[0,40]	units:	1
unique values:	40	missing .:	393140/418241
mean:	28.0129		
std. dev:	6.47431		

percentiles:	10%	25%	50%	75%	90%
	21	24	27	33	37

twrw10

Raw Score, TAKS Writing 2009-10

type: numeric (byte)

range:	[0,40]	units:	1
unique values:	40	missing .:	390547/418241
mean:	26.9454		
std. dev:	6.95159		

percentiles:	10%	25%	50%	75%	90%
	19	23	26	32	37

twrw11

Raw Score, TAKS Writing 2010-11

type: numeric (byte)

range:	[0,40]	units:	1
unique values:	41	missing .:	390619/418241
mean:	27.342		
std. dev:	6.82631		

percentiles:	10%	25%	50%	75%	90%
	19	23	27	33	37

twsc08

Scale Score, TAKS Writing 2007-08

type: numeric (int)

range:	[1311,3219]	units:	1
unique values:	99	missing .:	392101/418241
mean:	2321.48		
std. dev:	204.057		

percentiles:	10%	25%	50%	75%	90%
	2099	2193	2300	2400	2570

twsc09 Scale Score, TAKS Writing 2008-09

type: numeric (int)
range: [1301,3165] units: 1
unique values: 97 missing .: 393140/418241
mean: 2359.36
std. dev: 214.027
percentiles: 10% 25% 50% 75% 90%
2100 2227 2352 2419 2738

twsc10 Scale Score, TAKS Writing 2009-10

type: numeric (int)
range: [1333,3184] units: 1
unique values: 167 missing .: 390547/418241
mean: 2350.37
std. dev: 195.008
percentiles: 10% 25% 50% 75% 90%
2117 2230 2336 2400 2624

twsc11 Scale Score, TAKS Writing 2010-11

type: numeric (int)
range: [1309,3324] units: 1
unique values: 159 missing .: 390619/418241
mean: 2360.63
std. dev: 204.653
percentiles: 10% 25% 50% 75% 90%
2102 2235 2340 2422 2621

twspced08 Special Ed, TAKS Writing 2007-08

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 392301/418241
tabulation: Freq. Value
24198 0
1742 1
3.9e+05 .

twspced09 Special Ed, TAKS Writing 2008-09

```
type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 393273/418241

tabulation: Freq. Value
            23734 0
            1234 1
            3.9e+05 .
```

twspced10 Special Ed, TAKS Writing 2009-10

```
type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 390695/418241

tabulation: Freq. Value
            25034 0
            2512 1
            3.9e+05 .
```

twspced11 Special Ed, TAKS Writing 2010-11

```
type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 390717/418241

tabulation: Freq. Value
            25042 0
            2482 1
            3.9e+05 .
```

twtv08 Test Version, TAKS Writing 2007-08

```
type: string (str1)
unique values: 2 missing "": 392101/418241

tabulation: Freq. Value
            3.9e+05 ""
            911 "A"
            25229 "K"
```

twtv09 Test Version, TAKS Writing 2008-09

```
type: string (str1)
unique values: 2 missing "": 393140/418241

tabulation: Freq. Value
            3.9e+05 ""
            618 "A"
```


24483 "K"

twtv10

Test Version, TAKS Writing 2009-10

type: string (str1)

unique values: 3

missing "": 390547/418241

tabulation: Freq. Value
3.9e+05 ""
613 "A"
25622 "K"
1459 "M"

twtv11

Test Version, TAKS Writing 2010-11

type: string (str1)

unique values: 3

missing "": 390619/418241

tabulation: Freq. Value
3.9e+05 ""
618 "A"
25535 "K"
1469 "M"

uplethchg

Ethnicity Change, Up (PEIMS), Merged Longitudinal File, 2008-2012

type: numeric (byte)

range: [0,1]

units: 1

unique values: 2

missing .: 34941/418241

tabulation: Freq. Value
3.8e+05 0
831 1
34941 .

yr08

Year 0, Yearly Merged File 2007-08

type: numeric (float)

range: [0,0]

units: 1

unique values: 1

missing .: 191731/418241

tabulation: Freq. Value
2.3e+05 0
1.9e+05 .

yr09

Year 1, Yearly Merged File 2008-09

type: numeric (float)

range: [1,1] units: 1
unique values: 1 missing .: 191160/418241

tabulation: Freq. Value
2.3e+05 1
1.9e+05 .

yr10 Year 2, Yearly Merged File 2009-10

type: numeric (float)

range: [2,2] units: 1
unique values: 1 missing .: 191113/418241

tabulation: Freq. Value
2.3e+05 2
1.9e+05 .

yr11 Year 3, Yearly Merged File 2010-11

type: numeric (float)

range: [3,3] units: 1
unique values: 1 missing .: 197828/418241

tabulation: Freq. Value
2.2e+05 3
2.0e+05 .

yr12 Year 4, Yearly Merged File 2011-12

type: numeric (float)

range: [4,4] units: 1
unique values: 1 missing .: 198623/418241

tabulation: Freq. Value
2.2e+05 4
2.0e+05 .

yr13 Year 5, Yearly Merged File 2012-13

type: numeric (float)

range: [5,5] units: 1
unique values: 1 missing .: 202680/418241

tabulation: Freq. Value
2.2e+05 5
2.0e+05 .

yr-campus08 Campus ID w/ Year Prefix, Yearly Merged File 2007-08

```
type: string (str5)
unique values: 294 missing "": 191731/418241
examples: ""
          ""
          "08048"
          "08196"
```

yrcampus09 Campus ID w/ Year Prefix, Yearly Merged File 2008-09

```
type: string (str5)
unique values: 297 missing "": 191160/418241
examples: ""
          ""
          "09052"
          "09209"
```

yrcampus10 Campus ID w/ Year Prefix, Yearly Merged File 2009-10

```
type: string (str5)
unique values: 298 missing "": 191113/418241
examples: ""
          ""
          "10053"
          "10211"
```

yrcampus11 Campus ID w/ Year Prefix, Yearly Merged File 2010-11

```
type: string (str5)
unique values: 301 missing "": 197828/418241
examples: ""
          ""
          "11049"
          "11209"
```

yrcampus12 Campus ID w/ Year Prefix, Yearly Merged File 2011-12

```
type: string (str5)
unique values: 282 missing "": 198623/418241
examples: ""
          ""
          "12050"
          "12207"
```

yrcampus13 Campus ID w/ Year Prefix, Yearly Merged File 2012-13

type: string (str5)
unique values: 278 missing "": 202680/418241
examples: ""
 ""
 "13047"
 "13199"

yrid08 Student ID w/ Year Prefix, Yearly Merged File 2007-08

type: string (str12)
unique values: 226510 missing "": 191731/418241
examples: ""
 ""
 "089001164989"
 "089001383923"

yrid09 Student ID w/ Year Prefix, Yearly Merged File 2008-09

type: string (str12)
unique values: 227081 missing "": 191160/418241
examples: ""
 ""
 "099001217264"
 "099001501193"

yrid10 Student ID w/ Year Prefix, Yearly Merged File 2009-10

type: string (str12)
unique values: 227128 missing "": 191113/418241
examples: ""
 ""
 "109001253643"
 "109001545334"

yrid11 Student ID w/ Year Prefix, Yearly Merged File 2010-11

type: string (str12)
unique values: 220413 missing "": 197828/418241
examples: ""
 ""
 "119001274890"
 "119001577001"

yrid12

Student ID w/ Year Prefix, Yearly Merged File 2011-12

type: string (str12)

unique values: 219618

missing "": 198623/418241

examples: ""

""

"129001318458"

"129001618082"

yrid13

Student ID w/ Year Prefix, Yearly Merged File 2012-13

type: string (str12)

unique values: 215561

missing "": 202680/418241

examples: ""

""

"139001349049"

"139001650857"
