
Dataset: ccd.scun.12.dta
Number of variables: 501
Number of observations: 309

campus12 Consistent Campus ID for Merge, 2011-12

type: string (str3)
unique values: 309 missing "": 0/309
examples: "075"
 "160"
 "237"
 "320"

eccampus12 Campus ID, CCD 2011-12

type: string (str3)
unique values: 309 missing "": 0/309
examples: "075"
 "160"
 "237"
 "320"

allmiss12 Flag- Missing on free lunch, reduced lunch, and both, CCD 2011-12

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 0/309
tabulation: Freq. Value
 278 0
 31 1

ecai01f12 Grade 1 Students - American Indian/Alaska Native - Female, CCD 2011-12

type: numeric (byte)
range: [0,2] units: 1
unique values: 3 missing .: 0/309
unique mv codes: 1 missing .*: 138/309
tabulation: Freq. Value
 157 0
 13 1
 1 2
 138 .n

ecai01m12 Grade 1 Students - American Indian/Alaska Native - Male, CCD 2011-12

ecai03m12

Grade 3 Students - American Indian/Alaska Native - Male, CCD 2011-12

type: numeric (byte)

range: [0,2] units: 1
unique values: 3 missing .: 0/309
unique mv codes: 1 missing .*: 138/309

tabulation: Freq. Value
154 0
16 1
1 2
138 .n

ecai04f12

Grade 4 Students - American Indian/Alaska Native - Female, CCD 2011-12

type: numeric (byte)

range: [0,2] units: 1
unique values: 3 missing .: 0/309
unique mv codes: 1 missing .*: 138/309

tabulation: Freq. Value
155 0
15 1
1 2
138 .n

ecai04m12

Grade 4 Students - American Indian/Alaska Native - Male, CCD 2011-12

type: numeric (byte)

range: [0,2] units: 1
unique values: 3 missing .: 0/309
unique mv codes: 1 missing .*: 138/309

tabulation: Freq. Value
158 0
11 1
2 2
138 .n

ecai05f12

Grade 5 Students - American Indian/Alaska Native - Female, CCD 2011-12

type: numeric (byte)

range: [0,1] units: 1
unique values: 2 missing .: 0/309
unique mv codes: 1 missing .*: 135/309

tabulation: Freq. Value
162 0
12 1
135 .n

ecai05m12

Grade 5 Students - American Indian/Alaska Native - Male, CCD 2011-12

type: numeric (byte)

range: [0,2] units: 1
unique values: 3 missing .: 0/309
unique mv codes: 1 missing .*: 135/309

tabulation: Freq. Value
159 0
13 1
2 2
135 .n

ecai06f12

Grade 6 Students - American Indian/Alaska Native - Female, CCD 2011-12

type: numeric (byte)

range: [0,2] units: 1
unique values: 3 missing .: 0/309
unique mv codes: 1 missing .*: 237/309

tabulation: Freq. Value
62 0
7 1
3 2
237 .n

ecai06m12

Grade 6 Students - American Indian/Alaska Native - Male, CCD 2011-12

type: numeric (int)

range: [0,4] units: 1
unique values: 4 missing .: 0/309
unique mv codes: 1 missing .*: 237/309

tabulation: Freq. Value
62 0
7 1
2 2
1 4
237 .n

ecai07f12

Grade 7 Students - American Indian/Alaska Native - Female, CCD 2011-12

type: numeric (int)

range: [0,2] units: 1
unique values: 3 missing .: 0/309
unique mv codes: 1 missing .*: 244/309

tabulation: Freq. Value
52 0
12 1
1 2
244 .n

range: [0,3] units: 1
unique values: 4 missing .: 0/309
unique mv codes: 2 missing .*: 260/309

tabulation: Freq. Value
37 0
7 1
4 2
1 3
259 .n
1 .t

ecai11m12 Grade 11 Students - American Indian/Alaska Native - Male, CCD 2011-12

type: numeric (int)

range: [0,4] units: 1
unique values: 5 missing .: 0/309
unique mv codes: 2 missing .*: 260/309

tabulation: Freq. Value
35 0
11 1
1 2
1 3
1 4
259 .n
1 .t

ecai12f12 Grade 12 Students - American Indian/Alaska Native - Female, CCD 2011-12

type: numeric (int)

range: [0,5] units: 1
unique values: 4 missing .: 0/309
unique mv codes: 2 missing .*: 261/309

tabulation: Freq. Value
40 0
5 1
2 2
1 5
260 .n
1 .t

ecai12m12 Grade 12 Students - American Indian/Alaska Native - Male, CCD 2011-12

type: numeric (int)

range: [0,3] units: 1
unique values: 4 missing .: 0/309
unique mv codes: 2 missing .*: 261/309

tabulation: Freq. Value
37 0
6 1

unique mv codes: 1 missing .*: 138/309

tabulation: Freq. Value
143 0
25 1
2 2
1 3
138 .n

ecai0512 Grade 5 Students - American Indian/Alaska Native, CCD 2011-12

type: numeric (float)

range: [0,3] units: 1
unique values: 4 missing .: 0/309
unique mv codes: 1 missing .*: 135/309

tabulation: Freq. Value
151 0
18 1
4 2
1 3
135 .n

ecai0612 Grade 6 Students - American Indian/Alaska Native, CCD 2011-12

type: numeric (float)

range: [0,4] units: 1
unique values: 4 missing .: 0/309
unique mv codes: 1 missing .*: 237/309

tabulation: Freq. Value
54 0
10 1
7 2
1 4
237 .n

ecai0712 Grade 7 Students - American Indian/Alaska Native, CCD 2011-12

type: numeric (float)

range: [0,5] units: 1
unique values: 5 missing .: 0/309
unique mv codes: 1 missing .*: 244/309

tabulation: Freq. Value
40 0
19 1
4 2
1 3
1 5
244 .n

ecai0812 Grade 8 Students - American Indian/Alaska Native, CCD 2011-12

type: numeric (float)

range:	[0,5]	units:	1
unique values:	5	missing .:	0/309
unique mv codes:	1	missing .*:	246/309

tabulation:	Freq.	Value
	38	0
	17	1
	5	2
	2	3
	1	5
	246	.n

ecai0912 Grade 9 Students - American Indian/Alaska Native, CCD 2011-12

type: numeric (float)

range:	[0,4]	units:	1
unique values:	5	missing .:	0/309
unique mv codes:	2	missing .*:	258/309

tabulation:	Freq.	Value
	33	0
	8	1
	7	2
	1	3
	2	4
	257	.n
	1	.t

ecai1012 Grade 10 Students - American Indian/Alaska Native, CCD 2011-12

type: numeric (float)

range:	[0,3]	units:	1
unique values:	4	missing .:	0/309
unique mv codes:	2	missing .*:	260/309

tabulation:	Freq.	Value
	25	0
	13	1
	9	2
	2	3
	259	.n
	1	.t

ecai1112 Grade 11 Students - American Indian/Alaska Native, CCD 2011-12

type: numeric (float)

range:	[0,4]	units:	1
unique values:	5	missing .:	0/309
unique mv codes:	2	missing .*:	260/309

```
tabulation:  Freq.  Value
              28    0
              12    1
               4    2
               2    3
               3    4
            259  .n
               1    .t
```

ecaif1212 Grade 12 Students - American Indian/Alaska Native, CCD 2011-12

```
type:  numeric (float)

range:  [0,6]                      units:  1
unique values:  7                    missing .:  0/309
unique mv codes:  2                  missing .*: 261/309
```

```
tabulation:  Freq.  Value
              34    0
               7    1
               2    2
               2    3
               1    4
               1    5
               1    6
            260  .n
               1    .t
```

ecaif12 All Students - American Indian/Alaska Native - Female, CCD 2011-12

```
type:  numeric (int)

range:  [0,8]                      units:  1
unique values:  8                    missing .:  0/309
unique mv codes:  2                  missing .*: 31/309
```

```
tabulation:  Freq.  Value
            153    0
             69    1
             32    2
             10    3
              7    4
              3    5
              2    6
              2    8
             30  .n
              1  .t
```

ecaikg12 KG Students - American Indian/Alaska Native, CCD 2011-12

```
type:  numeric (float)

range:  [0,3]                      units:  1
unique values:  4                    missing .:  0/309
unique mv codes:  1                  missing .*: 139/309
```

```
tabulation:  Freq.  Value
```

type: numeric (float)

range:	[0,6]	units:	1
unique values:	6	missing .:	0/309
unique mv codes:	1	missing .*:	136/309

tabulation:	Freq.	Value
	156	0
	13	1
	1	2
	1	3
	1	5
	1	6
	136	.n

ecaipkf12 PK Students - American Indian/Alaska Native - Female, CCD 2011-12

type: numeric (byte)

range:	[0,2]	units:	1
unique values:	3	missing .:	0/309
unique mv codes:	1	missing .*:	136/309

tabulation:	Freq.	Value
	164	0
	6	1
	3	2
	136	.n

ecaipkm12 PK Students - American Indian/Alaska Native - Male, CCD 2011-12

type: numeric (byte)

range:	[0,4]	units:	1
unique values:	5	missing .:	0/309
unique mv codes:	1	missing .*:	136/309

tabulation:	Freq.	Value
	162	0
	8	1
	1	2
	1	3
	1	4
	136	.n

ecaig12 Ungraded Students - American Indian/Alaska Native, CCD 2011-12

type: numeric (float)

range:	[.,.]	units:	.
unique values:	0	missing .:	0/309
unique mv codes:	1	missing .*:	309/309

tabulation:	Freq.	Value
	309	.n

ecaiugf12 Ungraded Students - American Indian/Alaska Native - Female, CCD 2011-12

type: numeric (byte)

range: [.,.] units: .
unique values: 0 missing .: 0/309
unique mv codes: 1 missing .*: 309/309

tabulation: Freq. Value
309 .n

ecaiugm12 Ungraded Students - American Indian/Alaska Native - Male, CCD 2011-12

type: numeric (byte)

range: [.,.] units: .
unique values: 0 missing .: 0/309
unique mv codes: 1 missing .*: 309/309

tabulation: Freq. Value
309 .n

ecamin12 All Students - American Indian/Alaska Native, CCD 2011-12

type: numeric (int)

range: [0,22] units: 1
unique values: 14 missing .: 0/309
unique mv codes: 2 missing .*: 31/309

mean: 1.71223
std. dev: 2.41907

percentiles: 10% 25% 50% 75% 90%
0 0 1 3 4

ecap01f12 Grade 1 Students - Asian Pacific Islander - Female

type: numeric (float)

range: [0,19] units: 1
unique values: 16 missing .: 0/309
unique mv codes: 1 missing .*: 138/309

mean: 1.59064
std. dev: 3.7159

percentiles: 10% 25% 50% 75% 90%
0 0 0 1 5

ecap01m12 Grade 1 Students - Asian Pacific Islander - Male

```

type: numeric (float)

range: [0,22]          units: 1
unique values: 18      missing .: 0/309
unique mv codes: 1     missing .*: 138/309

mean: 1.84795
std. dev: 4.08011

percentiles:          10%      25%      50%      75%      90%
                    0         0         0         1         6

```

ecap02f12 Grade 2 Students - Asian Pacific Islander - Female

```

type: numeric (float)

range: [0,26]          units: 1
unique values: 16      missing .: 0/309
unique mv codes: 1     missing .*: 138/309

mean: 1.60819
std. dev: 3.89777

percentiles:          10%      25%      50%      75%      90%
                    0         0         0         1         6

```

ecap02m12 Grade 2 Students - Asian Pacific Islander - Male

```

type: numeric (float)

range: [0,23]          units: 1
unique values: 16      missing .: 0/309
unique mv codes: 1     missing .*: 138/309

mean: 1.84795
std. dev: 4.31417

percentiles:          10%      25%      50%      75%      90%
                    0         0         0         1         7

```

ecap03f12 Grade 3 Students - Asian Pacific Islander - Female

```

type: numeric (float)

range: [0,24]          units: 1
unique values: 16      missing .: 0/309
unique mv codes: 1     missing .*: 138/309

mean: 1.59064
std. dev: 3.98773

percentiles:          10%      25%      50%      75%      90%
                    0         0         0         1         5

```

ecap03m12 Grade 3 Students - Asian Pacific Islander - Male

```

type: numeric (float)

range: [0,19] units: 1
unique values: 16 missing .: 0/309
unique mv codes: 1 missing .*: 138/309

mean: 1.63158
std. dev: 3.64755

percentiles: 10% 25% 50% 75% 90%
              0 0 0 1 5

```

ecap04f12 Grade 4 Students - Asian Pacific Islander - Female

```

type: numeric (float)

range: [0,22] units: 1
unique values: 16 missing .: 0/309
unique mv codes: 1 missing .*: 138/309

mean: 1.44444
std. dev: 3.33275

percentiles: 10% 25% 50% 75% 90%
              0 0 0 1 5

```

ecap04m12 Grade 4 Students - Asian Pacific Islander - Male

```

type: numeric (float)

range: [0,21] units: 1
unique values: 15 missing .: 0/309
unique mv codes: 1 missing .*: 138/309

mean: 1.59064
std. dev: 3.57223

percentiles: 10% 25% 50% 75% 90%
              0 0 0 1 5

```

ecap05f12 Grade 5 Students - Asian Pacific Islander - Female

```

type: numeric (float)

range: [0,18] units: 1
unique values: 12 missing .: 0/309
unique mv codes: 1 missing .*: 135/309

tabulation: Freq. Value
             120 0
              15 1
              10 2
               6 3
               9 4
               1 5
               3 6

```


2 7
2 8
2 12
2 13
2 18
135 .n

ecap05m12 Grade 5 Students - Asian Pacific Islander - Male

type: numeric (float)

range: [0,20] units: 1
unique values: 13 missing .: 0/309
unique mv codes: 1 missing .*: 135/309

mean: 1.5
std. dev: 3.46535

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	5

ecap06f12 Grade 6 Students - Asian Pacific Islander - Female

type: numeric (float)

range: [0,36] units: 1
unique values: 13 missing .: 0/309
unique mv codes: 1 missing .*: 237/309

mean: 3.13889
std. dev: 7.33755

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1.5	11

ecap06m12 Grade 6 Students - Asian Pacific Islander - Male

type: numeric (float)

range: [0,31] units: 1
unique values: 16 missing .: 0/309
unique mv codes: 1 missing .*: 237/309

mean: 3
std. dev: 6.56066

percentiles:	10%	25%	50%	75%	90%
	0	0	0	2	10

ecap07f12 Grade 7 Students - Asian Pacific Islander - Female

type: numeric (float)

range: [0,39] units: 1
unique values: 14 missing .: 0/309

unique mv codes: 1 missing .*: 244/309
mean: 3.41538
std. dev: 7.26484

percentiles:	10%	25%	50%	75%	90%
	0	0	0	3	12

ecap07m12 Grade 7 Students - Asian Pacific Islander - Male

type: numeric (float)
range: [0,27] units: 1
unique values: 15 missing .: 0/309
unique mv codes: 1 missing .*: 244/309
mean: 3.04615
std. dev: 6.26606

percentiles:	10%	25%	50%	75%	90%
	0	0	0	3	9

ecap08f12 Grade 8 Students - Asian Pacific Islander - Female

type: numeric (float)
range: [0,33] units: 1
unique values: 16 missing .: 0/309
unique mv codes: 1 missing .*: 246/309
mean: 3.11111
std. dev: 6.83235

percentiles:	10%	25%	50%	75%	90%
	0	0	0	4	9

ecap08m12 Grade 8 Students - Asian Pacific Islander - Male

type: numeric (float)
range: [0,27] units: 1
unique values: 16 missing .: 0/309
unique mv codes: 1 missing .*: 246/309
mean: 3.28571
std. dev: 5.97151

percentiles:	10%	25%	50%	75%	90%
	0	0	0	5	9

ecap09f12 Grade 9 Students - Asian Pacific Islander - Female

type: numeric (float)
range: [0,61] units: 1

type: numeric (float)

range:	[0,66]	units:	1
unique values:	13	missing .:	0/309
unique mv codes:	2	missing .*:	261/309

mean: 5.0625
std. dev: 12.075

percentiles:	10%	25%	50%	75%	90%
	0	0	1	2	23

ecap0112 Grade 1 Students - Asian Pacific Islander

type: numeric (float)

range:	[0,39]	units:	1
unique values:	24	missing .:	0/309
unique mv codes:	1	missing .*:	138/309

mean: 3.4386
std. dev: 7.52256

percentiles:	10%	25%	50%	75%	90%
	0	0	0	2	12

ecap0212 Grade 2 Students - Asian Pacific Islander

type: numeric (float)

range:	[0,47]	units:	1
unique values:	24	missing .:	0/309
unique mv codes:	1	missing .*:	138/309

mean: 3.45614
std. dev: 8.08354

percentiles:	10%	25%	50%	75%	90%
	0	0	0	2	12

ecap0312 Grade 3 Students - Asian Pacific Islander

type: numeric (float)

range:	[0,43]	units:	1
unique values:	24	missing .:	0/309
unique mv codes:	1	missing .*:	138/309

mean: 3.22222
std. dev: 7.42712

percentiles:	10%	25%	50%	75%	90%
	0	0	0	2	10

ecap0412

Grade 4 Students - Asian Pacific Islander

type: numeric (float)

range: [0,39] units: 1
unique values: 24 missing .: 0/309
unique mv codes: 1 missing .*: 138/309

mean: 3.03509
std. dev: 6.62339

percentiles: 10% 25% 50% 75% 90%
0 0 0 2 10

ecap0512

Grade 5 Students - Asian Pacific Islander

type: numeric (float)

range: [0,36] units: 1
unique values: 20 missing .: 0/309
unique mv codes: 1 missing .*: 135/309

mean: 2.81034
std. dev: 6.29191

percentiles: 10% 25% 50% 75% 90%
0 0 0 2 8

ecap0612

Grade 6 Students - Asian Pacific Islander

type: numeric (float)

range: [0,66] units: 1
unique values: 18 missing .: 0/309
unique mv codes: 1 missing .*: 237/309

mean: 6.13889
std. dev: 13.8007

percentiles: 10% 25% 50% 75% 90%
0 0 0 3 20

ecap0712

Grade 7 Students - Asian Pacific Islander

type: numeric (float)

range: [0,66] units: 1
unique values: 19 missing .: 0/309
unique mv codes: 1 missing .*: 244/309

mean: 6.46154
std. dev: 13.2748

percentiles: 10% 25% 50% 75% 90%
0 0 1 6 18

ecap0812

Grade 8 Students - Asian Pacific Islander

type: numeric (float)

range:	[0,59]	units:	1
unique values:	20	missing .:	0/309
unique mv codes:	1	missing .*:	246/309
mean:	6.39683		
std. dev:	12.591		

percentiles:	10%	25%	50%	75%	90%
	0	0	1	9	18

ecap0912

Grade 9 Students - Asian Pacific Islander

type: numeric (float)

range:	[0,114]	units:	1
unique values:	17	missing .:	0/309
unique mv codes:	2	missing .*:	258/309
mean:	10.2745		
std. dev:	24.2496		

percentiles:	10%	25%	50%	75%	90%
	0	0	1	4	37

ecap1012

Grade 10 Students - Asian Pacific Islander

type: numeric (float)

range:	[0,137]	units:	1
unique values:	17	missing .:	0/309
unique mv codes:	2	missing .*:	260/309
mean:	9.65306		
std. dev:	23.8498		

percentiles:	10%	25%	50%	75%	90%
	0	0	1	4	40

ecap1112

Grade 11 Students - Asian Pacific Islander

type: numeric (float)

range:	[0,110]	units:	1
unique values:	17	missing .:	0/309
unique mv codes:	2	missing .*:	260/309
mean:	8.89796		
std. dev:	21.0448		

percentiles:	10%	25%	50%	75%	90%
	0	0	1	4	34

ecap1212

Grade 12 Students - Asian Pacific Islander

type: numeric (float)

range:	[0,136]	units:	1		
unique values:	17	missing .:	0/309		
unique mv codes:	2	missing .*:	261/309		
mean:	9.75				
std. dev:	23.7222				
percentiles:	10%	25%	50%	75%	90%
	0	0	2	4.5	37

ecapf12

All Students - Asian Pacific Islander - Female

type: numeric (float)

range:	[0,251]	units:	1		
unique values:	54	missing .:	0/309		
unique mv codes:	2	missing .*:	31/309		
mean:	12.0827				
std. dev:	29.5262				
percentiles:	10%	25%	50%	75%	90%
	0	0	1	8	41

ecapkg12

KG Students - Asian Pacific Islander

type: numeric (float)

range:	[0,51]	units:	1		
unique values:	23	missing .:	0/309		
unique mv codes:	1	missing .*:	139/309		
mean:	3.48824				
std. dev:	8.34411				
percentiles:	10%	25%	50%	75%	90%
	0	0	0	2	12

ecapkgf12

KG Students - Asian Pacific Islander - Female

type: numeric (float)

range:	[0,26]	units:	1		
unique values:	16	missing .:	0/309		
unique mv codes:	1	missing .*:	139/309		
mean:	1.82941				
std. dev:	4.4801				
percentiles:	10%	25%	50%	75%	90%

0 0 0 1 6.5

ecapkgm12 KG Students - Asian Pacific Islander - Male

type: numeric (float)

range: [0,26] units: 1
unique values: 16 missing .: 0/309
unique mv codes: 1 missing .*: 139/309

mean: 1.65882
std. dev: 4.05014

percentiles: 10% 25% 50% 75% 90%
0 0 0 1 6

ecapm12 All Students - Asian Pacific Islander - Male

type: numeric (float)

range: [0,243] units: 1
unique values: 60 missing .: 0/309
unique mv codes: 2 missing .*: 31/309

mean: 12.7122
std. dev: 29.5227

percentiles: 10% 25% 50% 75% 90%
0 0 2 8 42

ecappk12 PK Students - Asian Pacific Islander

type: numeric (float)

range: [0,37] units: 1
unique values: 17 missing .: 0/309
unique mv codes: 1 missing .*: 136/309

mean: 2.28902
std. dev: 5.36328

percentiles: 10% 25% 50% 75% 90%
0 0 0 2 7

ecappkf12 PK Students - Asian Pacific Islander - Female

type: numeric (float)

range: [0,18] units: 1
unique values: 12 missing .: 0/309
unique mv codes: 1 missing .*: 136/309

tabulation: Freq. Value
119 0
24 1

10 2
4 3
2 4
4 5
4 6
1 7
1 9
1 11
2 15
1 18
136 .n

ecappkm12

PK Students - Asian Pacific Islander - Male

type: numeric (float)
range: [0,19] units: 1
unique values: 13 missing .: 0/309
unique mv codes: 1 missing .*: 136/309
mean: 1.23121
std. dev: 2.89823
percentiles: 10% 25% 50% 75% 90%
0 0 0 1 4

ecapug12

Ungraded Students - Asian Pacific Islander

type: numeric (float)
range: [.,.] units: .
unique values: 0 missing .: 0/309
unique mv codes: 1 missing .*: 309/309
tabulation: Freq. Value
309 .n

ecapugf12

Ungraded Students - Asian Pacific Islander - Female

type: numeric (float)
range: [.,.] units: .
unique values: 0 missing .: 0/309
unique mv codes: 1 missing .*: 309/309
tabulation: Freq. Value
309 .n

ecapugm12

Ungraded Students - Asian Pacific Islander - Male

type: numeric (float)
range: [.,.] units: .
unique values: 0 missing .: 0/309
unique mv codes: 1 missing .*: 309/309

tabulation: Freq. Value
309 .n

ecas01f12 Grade 1 Students - Asian - Female, CCD 2011-12

type: numeric (int)

range: [0,19] units: 1
unique values: 16 missing .: 0/309
unique mv codes: 1 missing .*: 138/309

mean: 1.56725
std. dev: 3.68939

percentiles: 10% 25% 50% 75% 90%
0 0 0 1 5

ecas01m12 Grade 1 Students - Asian - Male, CCD 2011-12

type: numeric (int)

range: [0,22] units: 1
unique values: 19 missing .: 0/309
unique mv codes: 1 missing .*: 138/309

mean: 1.77193
std. dev: 3.98534

percentiles: 10% 25% 50% 75% 90%
0 0 0 1 6

ecas02f12 Grade 2 Students - Asian - Female, CCD 2011-12

type: numeric (int)

range: [0,25] units: 1
unique values: 15 missing .: 0/309
unique mv codes: 1 missing .*: 138/309

mean: 1.5614
std. dev: 3.83184

percentiles: 10% 25% 50% 75% 90%
0 0 0 1 5

ecas02m12 Grade 2 Students - Asian - Male, CCD 2011-12

type: numeric (int)

range: [0,23] units: 1
unique values: 14 missing .: 0/309
unique mv codes: 1 missing .*: 138/309

mean: 1.80702

std. dev: 4.29954

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	7

ecas03f12 Grade 3 Students - Asian - Female, CCD 2011-12

type: numeric (int)

range:	[0,24]	units:	1
unique values:	17	missing .:	0/309
unique mv codes:	1	missing .*:	138/309

mean: 1.55556
std. dev: 3.95877

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	5

ecas03m12 Grade 3 Students - Asian - Male, CCD 2011-12

type: numeric (int)

range:	[0,19]	units:	1
unique values:	16	missing .:	0/309
unique mv codes:	1	missing .*:	138/309

mean: 1.60234
std. dev: 3.62748

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	5

ecas04f12 Grade 4 Students - Asian - Female, CCD 2011-12

type: numeric (int)

range:	[0,21]	units:	1
unique values:	16	missing .:	0/309
unique mv codes:	1	missing .*:	138/309

mean: 1.42105
std. dev: 3.28605

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	5

ecas04m12 Grade 4 Students - Asian - Male, CCD 2011-12

type: numeric (int)

range:	[0,21]	units:	1
unique values:	15	missing .:	0/309
unique mv codes:	1	missing .*:	138/309

ecas06m12

Grade 6 Students - Asian - Male, CCD 2011-12

type: numeric (int)

range: [0,31] units: 1
unique values: 14 missing .: 0/309
unique mv codes: 1 missing .*: 237/309

mean: 2.91667
std. dev: 6.42125

percentiles:	10%	25%	50%	75%	90%
	0	0	0	2	10

ecas07f12

Grade 7 Students - Asian - Female, CCD 2011-12

type: numeric (int)

range: [0,38] units: 1
unique values: 14 missing .: 0/309
unique mv codes: 1 missing .*: 244/309

mean: 3.35385
std. dev: 7.13361

percentiles:	10%	25%	50%	75%	90%
	0	0	0	3	12

ecas07m12

Grade 7 Students - Asian - Male, CCD 2011-12

type: numeric (int)

range: [0,26] units: 1
unique values: 16 missing .: 0/309
unique mv codes: 1 missing .*: 244/309

mean: 2.95385
std. dev: 6.05039

percentiles:	10%	25%	50%	75%	90%
	0	0	0	3	9

ecas08f12

Grade 8 Students - Asian - Female, CCD 2011-12

type: numeric (int)

range: [0,33] units: 1
unique values: 14 missing .: 0/309
unique mv codes: 1 missing .*: 246/309

mean: 3.01587
std. dev: 6.69736

percentiles:	10%	25%	50%	75%	90%
	0	0	0	4	9

ecas08m12

Grade 8 Students - Asian - Male, CCD 2011-12

type: numeric (int)

range: [0,27] units: 1
unique values: 14 missing .: 0/309
unique mv codes: 1 missing .*: 246/309

mean: 3.19048
std. dev: 5.97537

percentiles:	10%	25%	50%	75%	90%
	0	0	0	4	9

ecas09f12

Grade 9 Students - Asian - Female, CCD 2011-12

type: numeric (int)

range: [0,61] units: 1
unique values: 13 missing .: 0/309
unique mv codes: 2 missing .*: 258/309

mean: 5.21569
std. dev: 12.7206

percentiles:	10%	25%	50%	75%	90%
	0	0	0	3	19

ecas09m12

Grade 9 Students - Asian - Male, CCD 2011-12

type: numeric (int)

range: [0,52] units: 1
unique values: 10 missing .: 0/309
unique mv codes: 2 missing .*: 258/309

tabulation:	Freq.	Value
	29	0
	8	1
	2	2
	4	3
	1	12
	1	16
	2	17
	1	19
	1	25
	2	52
	257	.n
	1	.t

ecas10f12

Grade 10 Students - Asian - Female, CCD 2011-12

type: numeric (int)

range: [0,69] units: 1
unique values: 14 missing .: 0/309
unique mv codes: 2 missing .*: 260/309

mean: 4.46939
std. dev: 11.4766

percentiles: 10% 25% 50% 75% 90%
0 0 1 3 18

ecas10m12 Grade 10 Students - Asian - Male, CCD 2011-12

type: numeric (int)

range: [0,68] units: 1
unique values: 13 missing .: 0/309
unique mv codes: 2 missing .*: 260/309

mean: 4.77551
std. dev: 12.3782

percentiles: 10% 25% 50% 75% 90%
0 0 0 2 19

ecas11f12 Grade 11 Students - Asian - Female, CCD 2011-12

type: numeric (int)

range: [0,53] units: 1
unique values: 14 missing .: 0/309
unique mv codes: 2 missing .*: 260/309

mean: 3.83673
std. dev: 9.8918

percentiles: 10% 25% 50% 75% 90%
0 0 0 2 11

ecas11m12 Grade 11 Students - Asian - Male, CCD 2011-12

type: numeric (int)

range: [0,56] units: 1
unique values: 15 missing .: 0/309
unique mv codes: 2 missing .*: 260/309

mean: 4.53061
std. dev: 10.7085

percentiles: 10% 25% 50% 75% 90%
0 0 0 3 12

ecas12f12 Grade 12 Students - Asian - Female, CCD 2011-12

type: numeric (int)


```

range: [0,70]
unique values: 12
unique mv codes: 2
units: 1
missing .: 0/309
missing .*: 261/309

```

```

tabulation: Freq. Value
             24  0
              9  1
              3  2
              2  3
              1  4
              2  5
              1  6
              1  9
              1 14
              2 22
              1 35
              1 70
            260 .n
              1 .t

```

ecas12m12 Grade 12 Students - Asian - Male, CCD 2011-12

```

type: numeric (int)
range: [0,66]
unique values: 13
unique mv codes: 2
units: 1
missing .: 0/309
missing .*: 261/309
mean: 4.60417
std. dev: 11.6851
percentiles: 10% 25% 50% 75% 90%
              0  0  .5  2  11

```

ecas0112 Grade 1 Students - Asian, CCD 2011-12

```

type: numeric (float)
range: [0,39]
unique values: 22
unique mv codes: 1
units: 1
missing .: 0/309
missing .*: 138/309
mean: 3.33918
std. dev: 7.38852
percentiles: 10% 25% 50% 75% 90%
              0  0  0  2  12

```

ecas0212 Grade 2 Students - Asian, CCD 2011-12

```

type: numeric (float)
range: [0,46]
unique values: 24
unique mv codes: 1
units: 1
missing .: 0/309
missing .*: 138/309

```

mean: 3.36842
std. dev: 8.00654

percentiles:	10%	25%	50%	75%	90%
	0	0	0	2	12

ecas0312 Grade 3 Students - Asian, CCD 2011-12

type: numeric (float)

range:	[0,43]	units:	1
unique values:	25	missing .:	0/309
unique mv codes:	1	missing .*:	138/309

mean: 3.15789
std. dev: 7.38231

percentiles:	10%	25%	50%	75%	90%
	0	0	0	2	9

ecas0412 Grade 4 Students - Asian, CCD 2011-12

type: numeric (float)

range:	[0,38]	units:	1
unique values:	22	missing .:	0/309
unique mv codes:	1	missing .*:	138/309

mean: 2.97076
std. dev: 6.53356

percentiles:	10%	25%	50%	75%	90%
	0	0	0	2	10

ecas0512 Grade 5 Students - Asian, CCD 2011-12

type: numeric (float)

range:	[0,36]	units:	1
unique values:	20	missing .:	0/309
unique mv codes:	1	missing .*:	135/309

mean: 2.78161
std. dev: 6.26196

percentiles:	10%	25%	50%	75%	90%
	0	0	0	2	8

ecas0612 Grade 6 Students - Asian, CCD 2011-12

type: numeric (float)

range:	[0,65]	units:	1
unique values:	17	missing .:	0/309
unique mv codes:	1	missing .*:	237/309

mean: 5.95833
std. dev: 13.5848

percentiles:	10%	25%	50%	75%	90%
	0	0	0	3	18

ecas0712 Grade 7 Students - Asian, CCD 2011-12

type: numeric (float)

range:	[0,64]	units:	1
unique values:	21	missing .:	0/309
unique mv codes:	1	missing .*:	244/309

mean: 6.30769
std. dev: 12.9626

percentiles:	10%	25%	50%	75%	90%
	0	0	0	6	18

ecas0812 Grade 8 Students - Asian, CCD 2011-12

type: numeric (float)

range:	[0,58]	units:	1
unique values:	20	missing .:	0/309
unique mv codes:	1	missing .*:	246/309

mean: 6.20635
std. dev: 12.4501

percentiles:	10%	25%	50%	75%	90%
	0	0	0	8	18

ecas0912 Grade 9 Students - Asian, CCD 2011-12

type: numeric (float)

range:	[0,113]	units:	1
unique values:	16	missing .:	0/309
unique mv codes:	2	missing .*:	258/309

mean: 9.80392
std. dev: 23.8

percentiles:	10%	25%	50%	75%	90%
	0	0	1	3	36

ecas1012 Grade 10 Students - Asian, CCD 2011-12

type: numeric (float)

range:	[0,137]	units:	1
unique values:	15	missing .:	0/309

unique mv codes: 2 missing .*: 260/309

mean: 9.2449
std. dev: 23.7553

percentiles:	10%	25%	50%	75%	90%
	0	0	1	4	39

ecas1112 Grade 11 Students - Asian, CCD 2011-12

type: numeric (float)

range:	[0,109]	units:	1
unique values:	15	missing .:	0/309
unique mv codes:	2	missing .*:	260/309

mean: 8.36735
std. dev: 20.3999

percentiles:	10%	25%	50%	75%	90%
	0	0	1	4	31

ecas1212 Grade 12 Students - Asian, CCD 2011-12

type: numeric (float)

range:	[0,136]	units:	1
unique values:	17	missing .:	0/309
unique mv codes:	2	missing .*:	261/309

mean: 9.04167
std. dev: 23.2946

percentiles:	10%	25%	50%	75%	90%
	0	0	1	4.5	31

ecasf12 All Students - Asian - Female, CCD 2011-12

type: numeric (int)

range:	[0,250]	units:	1
unique values:	56	missing .:	0/309
unique mv codes:	2	missing .*:	31/309

mean: 11.7446
std. dev: 29.1834

percentiles:	10%	25%	50%	75%	90%
	0	0	1	8	40

ecasian12 All Students - Asian, CCD 2011-12

type: numeric (int)

range:	[0,492]	units:	1
--------	---------	--------	---

```

unique values: 71             missing .: 0/309
unique mv codes: 2          missing .*: 31/309

mean: 23.9748
std. dev: 57.8931

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        2        14       81

```

```

ecasianpi12                      All Students - Asian Pacific Islander

```

```

type: numeric (float)

range: [0,494]                units: 1
unique values: 71             missing .: 0/309
unique mv codes: 2          missing .*: 31/309

mean: 24.795
std. dev: 58.8042

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        3        16       88

```

```

ecaskg12                          KG Students - Asian, CCD 2011-12

```

```

type: numeric (float)

range: [0,51]                 units: 1
unique values: 24             missing .: 0/309
unique mv codes: 1          missing .*: 139/309

mean: 3.39412
std. dev: 8.34273

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        2       12

```

```

ecaskgfl2                          KG Students - Asian - Female, CCD 2011-12

```

```

type: numeric (int)

range: [0,26]                 units: 1
unique values: 16             missing .: 0/309
unique mv codes: 1          missing .*: 139/309

mean: 1.79412
std. dev: 4.47068

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1       6.5

```

```

ecaskgm12                          KG Students - Asian - Male, CCD 2011-12

```

```

type: numeric (int)

```

```

range: [0,26] units: 1
unique values: 16 missing .: 0/309
unique mv codes: 1 missing .*: 139/309

mean: 1.6
std. dev: 4.04179

percentiles: 10% 25% 50% 75% 90%
              0 0 0 1 6

```

ecasm12 All Students - Asian - Male, CCD 2011-12

```

type: numeric (int)

range: [0,242] units: 1
unique values: 53 missing .: 0/309
unique mv codes: 2 missing .*: 31/309

mean: 12.2302
std. dev: 28.9507

percentiles: 10% 25% 50% 75% 90%
              0 0 2 7 42

```

ecaspk12 PK Students - Asian, CCD 2011-12

```

type: numeric (float)

range: [0,37] units: 1
unique values: 18 missing .: 0/309
unique mv codes: 1 missing .*: 136/309

mean: 2.20809
std. dev: 5.25872

percentiles: 10% 25% 50% 75% 90%
              0 0 0 2 7

```

ecaspkf12 PK Students - Asian - Female, CCD 2011-12

```

type: numeric (byte)

range: [0,18] units: 1
unique values: 11 missing .: 0/309
unique mv codes: 1 missing .*: 136/309

```

```

tabulation: Freq. Value
              120 0
              23 1
              11 2
               3 3
               4 4
               3 5
               3 6
               1 7
               2 9
               2 15

```

1 18
136 .n

ecaspkm12 PK Students - Asian - Male, CCD 2011-12

type: numeric (byte)

range: [0,19] units: 1
unique values: 13 missing .: 0/309
unique mv codes: 1 missing .*: 136/309

mean: 1.19075
std. dev: 2.86996

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	3

ecasug12 Ungraded Students - Asian, CCD 2011-12

type: numeric (float)

range: [.,.] units: .
unique values: 0 missing .: 0/309
unique mv codes: 1 missing .*: 309/309

tabulation: Freq. Value
309 .n

ecasugf12 Ungraded Students - Asian - Female, CCD 2011-12

type: numeric (byte)

range: [.,.] units: .
unique values: 0 missing .: 0/309
unique mv codes: 1 missing .*: 309/309

tabulation: Freq. Value
309 .n

ecasugm12 Ungraded Students - Asian - Male, CCD 2011-12

type: numeric (byte)

range: [.,.] units: .
unique values: 0 missing .: 0/309
unique mv codes: 1 missing .*: 309/309

tabulation: Freq. Value
309 .n

ecbies12 BIE Indicator Flag, CCD 2011-12

type: numeric (byte)

label: Lyesno12
range: [0,0] units: 1
unique values: 1 missing .: 0/309

tabulation: Freq. Numeric Label
309 0 0.No

ecbl01f12 Grade 1 Students - Black - Female, CCD 2011-12

type: numeric (int)
range: [0,45] units: 1
unique values: 39 missing .: 0/309
unique mv codes: 1 missing .*: 138/309
mean: 11.6959
std. dev: 12.1506
percentiles: 10% 25% 50% 75% 90%
0 2 8 20 30

ecbl01m12 Grade 1 Students - Black - Male, CCD 2011-12

type: numeric (int)
range: [0,48] units: 1
unique values: 43 missing .: 0/309
unique mv codes: 1 missing .*: 138/309
mean: 11.9942
std. dev: 12.4473
percentiles: 10% 25% 50% 75% 90%
0 1 7 21 31

ecbl02f12 Grade 2 Students - Black - Female, CCD 2011-12

type: numeric (int)
range: [0,54] units: 1
unique values: 40 missing .: 0/309
unique mv codes: 1 missing .*: 138/309
mean: 11.2982
std. dev: 11.8564
percentiles: 10% 25% 50% 75% 90%
0 1 6 19 28

ecbl02m12 Grade 2 Students - Black - Male, CCD 2011-12

type: numeric (int)
range: [0,51] units: 1


```

range: [0,52] units: 1
unique values: 41 missing .: 0/309
unique mv codes: 1 missing .*: 138/309

mean: 11.5848
std. dev: 12.471

percentiles: 10% 25% 50% 75% 90%
              0 2 7 19 31

```

ecbl05f12 Grade 5 Students - Black - Female, CCD 2011-12

```

type: numeric (int)

range: [0,49] units: 1
unique values: 38 missing .: 0/309
unique mv codes: 1 missing .*: 135/309

mean: 10.8103
std. dev: 11.3552

percentiles: 10% 25% 50% 75% 90%
              0 1 7 19 29

```

ecbl05m12 Grade 5 Students - Black - Male, CCD 2011-12

```

type: numeric (int)

range: [0,57] units: 1
unique values: 41 missing .: 0/309
unique mv codes: 1 missing .*: 135/309

mean: 11.2471
std. dev: 11.6203

percentiles: 10% 25% 50% 75% 90%
              0 2 7 18 28

```

ecbl06f12 Grade 6 Students - Black - Female, CCD 2011-12

```

type: numeric (int)

range: [0,115] units: 1
unique values: 42 missing .: 0/309
unique mv codes: 1 missing .*: 237/309

mean: 22.625
std. dev: 26.9676

percentiles: 10% 25% 50% 75% 90%
              0 2 11 36 58

```

ecbl06m12 Grade 6 Students - Black - Male, CCD 2011-12

```

type: numeric (int)

```

```

range: [0,97] units: 1
unique values: 41 missing .: 0/309
unique mv codes: 1 missing .*: 237/309

mean: 24.125
std. dev: 27.0336

percentiles: 10% 25% 50% 75% 90%
              0 2 14 40 66

```

ecbl07f12 Grade 7 Students - Black - Female, CCD 2011-12

```

type: numeric (int)

range: [0,138] units: 1
unique values: 38 missing .: 0/309
unique mv codes: 1 missing .*: 244/309

mean: 25.0154
std. dev: 27.7604

percentiles: 10% 25% 50% 75% 90%
              0 3 16 37 68

```

ecbl07m12 Grade 7 Students - Black - Male, CCD 2011-12

```

type: numeric (int)

range: [0,125] units: 1
unique values: 39 missing .: 0/309
unique mv codes: 1 missing .*: 244/309

mean: 26.9385
std. dev: 28.6705

percentiles: 10% 25% 50% 75% 90%
              0 5 18 46 69

```

ecbl08f12 Grade 8 Students - Black - Female, CCD 2011-12

```

type: numeric (int)

range: [0,115] units: 1
unique values: 37 missing .: 0/309
unique mv codes: 1 missing .*: 246/309

mean: 25.4603
std. dev: 27.8833

percentiles: 10% 25% 50% 75% 90%
              0 2 16 38 66

```

ecbl08m12 Grade 8 Students - Black - Male, CCD 2011-12

```

type: numeric (int)
range: [0,129]
unique values: 38
unique mv codes: 1
units: 1
missing .: 0/309
missing .*: 246/309
mean: 27.0635
std. dev: 29.4295
percentiles: 10% 25% 50% 75% 90%
              1 5 15 48 65

```

ecbl09f12 Grade 9 Students - Black - Female, CCD 2011-12

```

type: numeric (int)
range: [0,168]
unique values: 38
unique mv codes: 2
units: 1
missing .: 0/309
missing .*: 258/309
mean: 38
std. dev: 42.53
percentiles: 10% 25% 50% 75% 90%
              0 7 25 54 105

```

ecbl09m12 Grade 9 Students - Black - Male, CCD 2011-12

```

type: numeric (int)
range: [0,163]
unique values: 35
unique mv codes: 2
units: 1
missing .: 0/309
missing .*: 258/309
mean: 40.8039
std. dev: 45.1668
percentiles: 10% 25% 50% 75% 90%
              1 8 21 70 121

```

ecbl10f12 Grade 10 Students - Black - Female, CCD 2011-12

```

type: numeric (int)
range: [0,147]
unique values: 34
unique mv codes: 2
units: 1
missing .: 0/309
missing .*: 260/309
mean: 32.1429
std. dev: 36.8934
percentiles: 10% 25% 50% 75% 90%
              0 7 21 35 93

```

ecbl10m12 Grade 10 Students - Black - Male, CCD 2011-12

```

type: numeric (int)
range: [0,134] units: 1
unique values: 38 missing .: 0/309
unique mv codes: 2 missing .*: 260/309

mean: 33.8163
std. dev: 37.4047

percentiles:      10%      25%      50%      75%      90%
                  1         8        19        44        110

```

ecbl11f12 Grade 11 Students - Black - Female, CCD 2011-12

```

type: numeric (int)
range: [0,124] units: 1
unique values: 34 missing .: 0/309
unique mv codes: 2 missing .*: 260/309

mean: 33.3673
std. dev: 34.7207

percentiles:      10%      25%      50%      75%      90%
                  1         7        19        44        94

```

ecbl11m12 Grade 11 Students - Black - Male, CCD 2011-12

```

type: numeric (int)
range: [0,107] units: 1
unique values: 35 missing .: 0/309
unique mv codes: 2 missing .*: 260/309

mean: 31.2041
std. dev: 33.4409

percentiles:      10%      25%      50%      75%      90%
                  2         7        16        51        98

```

ecbl12f12 Grade 12 Students - Black - Female, CCD 2011-12

```

type: numeric (int)
range: [0,131] units: 1
unique values: 35 missing .: 0/309
unique mv codes: 2 missing .*: 261/309

mean: 32
std. dev: 36.2421

percentiles:      10%      25%      50%      75%      90%
                  0         5.5      16        47.5      92

```

ecbl12m12 Grade 12 Students - Black - Male, CCD 2011-12

```

-----
type: numeric (int)
range: [0,121] units: 1
unique values: 34 missing .: 0/309
unique mv codes: 2 missing .*: 261/309

mean: 30.5417
std. dev: 32.9467

percentiles: 10% 25% 50% 75% 90%
              4 7.5 15.5 47.5 78

```

```

-----
ecbl0112 Grade 1 Students - Black, CCD 2011-12
-----

```

```

type: numeric (float)
range: [0,92] units: 1
unique values: 63 missing .: 0/309
unique mv codes: 1 missing .*: 138/309

mean: 23.6901
std. dev: 24.0681

percentiles: 10% 25% 50% 75% 90%
              1 3 16 39 59

```

```

-----
ecbl0212 Grade 2 Students - Black, CCD 2011-12
-----

```

```

type: numeric (float)
range: [0,105] units: 1
unique values: 62 missing .: 0/309
unique mv codes: 1 missing .*: 138/309

mean: 22.6023
std. dev: 23.4236

percentiles: 10% 25% 50% 75% 90%
              1 3 13 39 58

```

```

-----
ecbl0312 Grade 3 Students - Black, CCD 2011-12
-----

```

```

type: numeric (float)
range: [0,105] units: 1
unique values: 65 missing .: 0/309
unique mv codes: 1 missing .*: 138/309

mean: 23.3801
std. dev: 24.2514

percentiles: 10% 25% 50% 75% 90%
              0 3 14 40 59

```

ecbl0412

Grade 4 Students - Black, CCD 2011-12

type: numeric (float)

range: [0,102] units: 1
unique values: 56 missing .: 0/309
unique mv codes: 1 missing .*: 138/309

mean: 22.2982
std. dev: 23.2336

percentiles: 10% 25% 50% 75% 90%
 1 4 13 40 55

ecbl0512

Grade 5 Students - Black, CCD 2011-12

type: numeric (float)

range: [0,106] units: 1
unique values: 63 missing .: 0/309
unique mv codes: 1 missing .*: 135/309

mean: 22.0575
std. dev: 22.4174

percentiles: 10% 25% 50% 75% 90%
 1 3 14 38 58

ecbl0612

Grade 6 Students - Black, CCD 2011-12

type: numeric (float)

range: [0,210] units: 1
unique values: 48 missing .: 0/309
unique mv codes: 1 missing .*: 237/309

mean: 46.75
std. dev: 52.6358

percentiles: 10% 25% 50% 75% 90%
 1 7 29 73 128

ecbl0712

Grade 7 Students - Black, CCD 2011-12

type: numeric (float)

range: [0,263] units: 1
unique values: 46 missing .: 0/309
unique mv codes: 1 missing .*: 244/309

mean: 51.9538
std. dev: 55.5797

percentiles: 10% 25% 50% 75% 90%
 1 11 33 83 146

ecbl0812

Grade 8 Students - Black, CCD 2011-12

type: numeric (float)

range:	[0,230]	units:	1
unique values:	49	missing .:	0/309
unique mv codes:	1	missing .*:	246/309
mean:	52.5238		
std. dev:	56.3548		

percentiles:	10%	25%	50%	75%	90%
	1	5	37	82	138

ecbl0912

Grade 9 Students - Black, CCD 2011-12

type: numeric (float)

range:	[0,331]	units:	1
unique values:	42	missing .:	0/309
unique mv codes:	2	missing .*:	258/309
mean:	78.8039		
std. dev:	86.4093		

percentiles:	10%	25%	50%	75%	90%
	5	15	50	137	226

ecbl1012

Grade 10 Students - Black, CCD 2011-12

type: numeric (float)

range:	[0,281]	units:	1
unique values:	41	missing .:	0/309
unique mv codes:	2	missing .*:	260/309
mean:	65.9592		
std. dev:	73.268		

percentiles:	10%	25%	50%	75%	90%
	2	17	40	76	204

ecbl1112

Grade 11 Students - Black, CCD 2011-12

type: numeric (float)

range:	[0,224]	units:	1
unique values:	40	missing .:	0/309
unique mv codes:	2	missing .*:	260/309
mean:	64.5714		
std. dev:	67.2433		

percentiles:	10%	25%	50%	75%	90%
	4	16	38	87	192

ecbl1212

Grade 12 Students - Black, CCD 2011-12

type: numeric (float)

range:	[0,250]	units:	1
unique values:	38	missing .:	0/309
unique mv codes:	2	missing .*:	261/309

mean: 62.5417
std. dev: 68.2414

percentiles:	10%	25%	50%	75%	90%
	5	14	32.5	94.5	170

ecblack12

All Students - Black, CCD 2011-12

type: numeric (int)

range:	[0,968]	units:	1
unique values:	200	missing .:	0/309
unique mv codes:	2	missing .*:	31/309

mean: 183.374
std. dev: 195.341

percentiles:	10%	25%	50%	75%	90%
	8	35	116	271	442

ecblf12

All Students - Black - Female, CCD 2011-12

type: numeric (int)

range:	[0,518]	units:	1
unique values:	153	missing .:	0/309
unique mv codes:	2	missing .*:	31/309

mean: 90.2374
std. dev: 98.3102

percentiles:	10%	25%	50%	75%	90%
	4	15	59	132	221

ecblk12

KG Students - Black, CCD 2011-12

type: numeric (float)

range:	[0,83]	units:	1
unique values:	60	missing .:	0/309
unique mv codes:	1	missing .*:	139/309

mean: 21.6706
std. dev: 21.2499

percentiles:	10%	25%	50%	75%	90%
--------------	-----	-----	-----	-----	-----

1 4 14 37 55.5

ecblkf12 KG Students - Black - Female, CCD 2011-12

type: numeric (int)

range: [0,43] units: 1
unique values: 39 missing .: 0/309
unique mv codes: 1 missing .*: 139/309

mean: 10.5765
std. dev: 10.7041

percentiles: 10% 25% 50% 75% 90%
0 2 7 16 26.5

ecblkgm12 KG Students - Black - Male, CCD 2011-12

type: numeric (int)

range: [0,41] units: 1
unique values: 36 missing .: 0/309
unique mv codes: 1 missing .*: 139/309

mean: 11.0941
std. dev: 11.1096

percentiles: 10% 25% 50% 75% 90%
0 1 6.5 20 28

ecblm12 All Students - Black - Male, CCD 2011-12

type: numeric (int)

range: [0,476] units: 1
unique values: 155 missing .: 0/309
unique mv codes: 2 missing .*: 31/309

mean: 93.1367
std. dev: 98.5186

percentiles: 10% 25% 50% 75% 90%
4 19 59.5 143 228

ecblpk12 PK Students - Black, CCD 2011-12

type: numeric (float)

range: [0,606] units: 1
unique values: 64 missing .: 0/309
unique mv codes: 1 missing .*: 136/309

mean: 24.6243
std. dev: 54.0128

percentiles:	10%	25%	50%	75%	90%
	0	2	9	33	62

ecblpkf12 PK Students - Black - Female, CCD 2011-12

```

type: numeric (int)
range: [0,316] units: 1
unique values: 37 missing .: 0/309
unique mv codes: 1 missing .*: 136/309

mean: 12.4104
std. dev: 28.0953

```

percentiles:	10%	25%	50%	75%	90%
	0	1	4	17	31

ecblpkm12 PK Students - Black - Male, CCD 2011-12

```

type: numeric (int)
range: [0,290] units: 1
unique values: 40 missing .: 0/309
unique mv codes: 1 missing .*: 136/309

mean: 12.2139
std. dev: 26.1161

```

percentiles:	10%	25%	50%	75%	90%
	0	1	5	17	30

ecblug12 Ungraded Students - Black, CCD 2011-12

```

type: numeric (float)
range: [.,.] units: .
unique values: 0 missing .: 0/309
unique mv codes: 1 missing .*: 309/309

tabulation: Freq. Value
              309 .n

```

ecblugf12 Ungraded Students - Black - Female, CCD 2011-12

```

type: numeric (int)
range: [.,.] units: .
unique values: 0 missing .: 0/309
unique mv codes: 1 missing .*: 309/309

tabulation: Freq. Value
              309 .n

```

ecblugm12 Ungraded Students - Black - Male, CCD 2011-12

```

-----
type: numeric (int)
range: [.,.]
unique values: 0
unique mv codes: 1
units: .
missing .: 0/309
missing .*: 309/309

tabulation: Freq. Value
              309 .n

```

```

-----
eccdcode112_12                                112th Congressional District Code, CCD 2011-12
-----

```

```

type: numeric (int)
range: [4807,4829]
unique values: 5
units: 1
missing .: 0/309

tabulation: Freq. Value
              58 4807
              75 4809
             103 4818
               4 4822
              69 4829

```

```

-----
eccdcode113_12                                113th Congressional District Code, CCD 2011-12
-----

```

```

type: numeric (int)
range: [4802,4829]
unique values: 5
units: 1
missing .: 0/309

tabulation: Freq. Value
              19 4802
              62 4807
              60 4809
              92 4818
              76 4829

```

```

-----
ecchartr12                                    Charter School Indicator, CCD 2011-12
-----

```

```

type: numeric (byte)
label: Lyesno12
range: [0,1]
unique values: 2
units: 1
missing .: 0/309

tabulation: Freq. Numeric Label
              266      0 0.No
              43      1 1.Yes

```

```

-----
ecconame12                                    County Name, CCD 2011-12
-----

```

```

type: string (str33), but longest is str13

```

unique values: 1 missing "": 0/309

tabulation: Freq. Value
309 "HARRIS COUNTY"

warning: variable has embedded blanks

ecconum12 ANSI County Code, CCD 2011-12

type: numeric (long)

range: [48201,48201] units: 1
unique values: 1 missing .: 0/309

tabulation: Freq. Value
309 48201

ecfipst12 ANSI State Code, CCD 2011-12

type: string (str2)

unique values: 1 missing "": 0/309

tabulation: Freq. Value
309 "48"

ecfrelch12 Free Lunch Eligible Students, CCD 2011-12

type: numeric (int)

range: [0,1759] units: 1
unique values: 212 missing .: 0/309
unique mv codes: 2 missing .*: 31/309

mean: 276.32
std. dev: 209.346

percentiles:	10%	25%	50%	75%	90%
	71	157	233	340	472

ecfte12 Classroom Teachers, CCD 2011-12

type: numeric (double)

range: [.5,184.09] units: .01
unique values: 190 missing .: 0/309
unique mv codes: 3 missing .*: 50/309

mean: 42.1048
std. dev: 24.64

percentiles:	10%	25%	50%	75%	90%
	21	28	38	48	68

ecg01offrd12

Grade 01 Offered, CCD 2011-12

type: numeric (byte)
label: Lyesno12

range: [0,1] units: 1
unique values: 2 missing .: 0/309

tabulation: Freq. Numeric Label
 138 0 0.No
 171 1 1.Yes

ecg02offrd12

Grade 02 Offered, CCD 2011-12

type: numeric (byte)
label: Lyesno12

range: [0,1] units: 1
unique values: 2 missing .: 0/309

tabulation: Freq. Numeric Label
 138 0 0.No
 171 1 1.Yes

ecg03offrd12

Grade 03 Offered, CCD 2011-12

type: numeric (byte)
label: Lyesno12

range: [0,1] units: 1
unique values: 2 missing .: 0/309

tabulation: Freq. Numeric Label
 138 0 0.No
 171 1 1.Yes

ecg04offrd12

Grade 04 Offered, CCD 2011-12

type: numeric (byte)
label: Lyesno12

range: [0,1] units: 1
unique values: 2 missing .: 0/309

tabulation: Freq. Numeric Label
 138 0 0.No
 171 1 1.Yes

ecg05offrd12

Grade 05 Offered, CCD 2011-12

type: numeric (byte)
label: Lyesno12

range: [0,1] units: 1

unique values: 2 missing .: 0/309

tabulation:	Freq.	Numeric	Label
	135	0	0.No
	174	1	1.Yes

ecg06offrd12 Grade 06 Offered, CCD 2011-12

type: numeric (byte)
label: Lyesno12

range: [0,1] units: 1
unique values: 2 missing .: 0/309

tabulation:	Freq.	Numeric	Label
	237	0	0.No
	72	1	1.Yes

ecg07offrd12 Grade 07 Offered, CCD 2011-12

type: numeric (byte)
label: Lyesno12

range: [0,1] units: 1
unique values: 2 missing .: 0/309

tabulation:	Freq.	Numeric	Label
	244	0	0.No
	65	1	1.Yes

ecg08offrd12 Grade 08 Offered, CCD 2011-12

type: numeric (byte)
label: Lyesno12

range: [0,1] units: 1
unique values: 2 missing .: 0/309

tabulation:	Freq.	Numeric	Label
	246	0	0.No
	63	1	1.Yes

ecg09offrd12 Grade 09 Offered, CCD 2011-12

type: numeric (byte)
label: Lyesno12

range: [0,1] units: 1
unique values: 2 missing .: 0/309

tabulation:	Freq.	Numeric	Label
	257	0	0.No
	52	1	1.Yes

ecg10offrd12

Grade 10 Offered, CCD 2011-12

```

type: numeric (byte)
label: Lyesno12

range: [0,1]
unique values: 2

units: 1
missing .: 0/309

tabulation: Freq.   Numeric  Label
              259       0   0.No
              50        1   1.Yes

```

ecg11offrd12

Grade 11 Offered, CCD 2011-12

```

type: numeric (byte)
label: Lyesno12

range: [0,1]
unique values: 2

units: 1
missing .: 0/309

tabulation: Freq.   Numeric  Label
              259       0   0.No
              50        1   1.Yes

```

ecg12offrd12

Grade 12 Offered, CCD 2011-12

```

type: numeric (byte)
label: Lyesno12

range: [0,1]
unique values: 2

units: 1
missing .: 0/309

tabulation: Freq.   Numeric  Label
              260       0   0.No
              49        1   1.Yes

```

ecg0112

Grade 1 Students - Total, CCD 2011-12

```

type: numeric (int)

range: [1,345]
unique values: 85
unique mv codes: 1

units: 1
missing .: 0/309
missing .*: 138/309

mean: 100.895
std. dev: 40.1003

percentiles:      10%      25%      50%      75%      90%
                  59       74       98      124      144

```

ecg0212

Grade 2 Students - Total, CCD 2011-12

type: numeric (int)

range: [1,312] units: 1
unique values: 88 missing .: 0/309
unique mv codes: 1 missing .*: 138/309

mean: 96.8655
std. dev: 38.6077

percentiles: 10% 25% 50% 75% 90%
59 70 94 118 137

ecg0312 Grade 3 Students - Total, CCD 2011-12

type: numeric (int)

range: [0,279] units: 1
unique values: 97 missing .: 0/309
unique mv codes: 1 missing .*: 138/309

mean: 98.3158
std. dev: 37.3148

percentiles: 10% 25% 50% 75% 90%
56 72 97 119 137

ecg0412 Grade 4 Students - Total, CCD 2011-12

type: numeric (int)

range: [0,266] units: 1
unique values: 96 missing .: 0/309
unique mv codes: 1 missing .*: 138/309

mean: 92.9123
std. dev: 35.3155

percentiles: 10% 25% 50% 75% 90%
55 70 91 113 133

ecg0512 Grade 5 Students - Total, CCD 2011-12

type: numeric (int)

range: [2,323] units: 1
unique values: 96 missing .: 0/309
unique mv codes: 1 missing .*: 135/309

mean: 89.9195
std. dev: 38.4935

percentiles: 10% 25% 50% 75% 90%
49 65 88 113 132

ecg0612 Grade 6 Students - Total, CCD 2011-12

type: numeric (int)

```

range: [1,573]
unique values: 64
unique mv codes: 1
units: 1
missing .: 0/309
missing .*: 237/309

mean: 185.986
std. dev: 158.867

percentiles:      10%      25%      50%      75%      90%
                  14       48      161.5    317     445

```

ecg0712 Grade 7 Students - Total, CCD 2011-12

```

type: numeric (int)

range: [0,594]
unique values: 61
unique mv codes: 1
units: 1
missing .: 0/309
missing .*: 244/309

mean: 197.569
std. dev: 157.921

percentiles:      10%      25%      50%      75%      90%
                  14       55      167     303     458

```

ecg0812 Grade 8 Students - Total, CCD 2011-12

```

type: numeric (int)

range: [0,581]
unique values: 61
unique mv codes: 1
units: 1
missing .: 0/309
missing .*: 246/309

mean: 199.952
std. dev: 155.289

percentiles:      10%      25%      50%      75%      90%
                  16       58      175     316     439

```

ecg0912 Grade 9 Students - Total, CCD 2011-12

```

type: numeric (int)

range: [2,1033]
unique values: 51
unique mv codes: 2
units: 1
missing .: 0/309
missing .*: 258/309

mean: 288.098
std. dev: 277.143

percentiles:      10%      25%      50%      75%      90%
                  34       84      200     484     653

```

ecg1012 Grade 10 Students - Total, CCD 2011-12

```

type: numeric (int)
range: [1,962] units: 1
unique values: 47 missing .: 0/309
unique mv codes: 2 missing .*: 260/309

mean: 244.327
std. dev: 239.331

percentiles:      10%      25%      50%      75%      90%
                  20       81      172     372     657

```

ecg1112 Grade 11 Students - Total, CCD 2011-12

```

type: numeric (int)
range: [2,851] units: 1
unique values: 47 missing .: 0/309
unique mv codes: 2 missing .*: 260/309

mean: 226.204
std. dev: 217.673

percentiles:      10%      25%      50%      75%      90%
                  11       76     153     369     612

```

ecg1212 Grade 12 Students - Total, CCD 2011-12

```

type: numeric (int)
range: [0,820] units: 1
unique values: 47 missing .: 0/309
unique mv codes: 2 missing .*: 261/309

mean: 221.063
std. dev: 203.233

percentiles:      10%      25%      50%      75%      90%
                  18     78.5   155.5   359     569

```

ecgshi12 Grades Offered - Highest, CCD 2011-12

```

type: numeric (byte)
label: Lgslohi12, but 9 nonmissing values are not labeled

range: [-1,12] units: 1
unique values: 11 missing .: 0/309
unique mv codes: 1 missing .*: 4/309

```

```

tabulation: Freq.  Numeric  Label
              6      -1    -1.PreK
              3       0     0.KG
              2       2
             162       5
              8       6
              2       7
              60       8

```

```

      3      9
      2     10
      3     11
     54     12
      4     .n

```

ecgslo12

Grades Offered - Lowest, CCD 2011-12

```

      type: numeric (byte)
      label: Lgslohi12, but 9 nonmissing values are not labeled

      range: [-1,12]                units: 1
unique values: 11                    missing .: 0/309
unique mv codes: 1                    missing .*: 4/309

```

```

tabulation:  Freq.  Numeric  Label
              184     -1     -1.PreK
              4       0     0.KG
              4       1
              1       2
              2       3
              5       5
             54       6
              2       7
             46       9
              1      11
              2      12
              4      .n

```

echi01f12

Grade 1 Students - Hispanic - Female, CCD 2011-12

```

      type: numeric (int)

      range: [0,154]                units: 1
unique values: 63                    missing .: 0/309
unique mv codes: 1                    missing .*: 138/309

```

```

      mean: 31.4854
      std. dev: 21.4946

```

```

percentiles:      10%      25%      50%      75%      90%
                  4       17       31       43       58

```

echi01m12

Grade 1 Students - Hispanic - Male, CCD 2011-12

```

      type: numeric (int)

      range: [0,143]                units: 1
unique values: 71                    missing .: 0/309
unique mv codes: 1                    missing .*: 138/309

```

```

      mean: 33.386
      std. dev: 22.6955

```

```

percentiles:      10%      25%      50%      75%      90%
                  5       16       31       49       62

```

echi02f12

Grade 2 Students - Hispanic - Female, CCD 2011-12

type: numeric (int)

range: [0,165] units: 1
unique values: 64 missing .: 0/309
unique mv codes: 1 missing .*: 138/309

mean: 30.1579
std. dev: 21.4123

percentiles:	10%	25%	50%	75%	90%
	5	14	30	43	53

echi02m12

Grade 2 Students - Hispanic - Male, CCD 2011-12

type: numeric (int)

range: [0,125] units: 1
unique values: 68 missing .: 0/309
unique mv codes: 1 missing .*: 138/309

mean: 31.5965
std. dev: 21.1094

percentiles:	10%	25%	50%	75%	90%
	5	16	31	45	60

echi03f12

Grade 3 Students - Hispanic - Female, CCD 2011-12

type: numeric (int)

range: [0,138] units: 1
unique values: 65 missing .: 0/309
unique mv codes: 1 missing .*: 138/309

mean: 30.2982
std. dev: 20.1763

percentiles:	10%	25%	50%	75%	90%
	5	13	31	43	53

echi03m12

Grade 3 Students - Hispanic - Male, CCD 2011-12

type: numeric (int)

range: [0,119] units: 1
unique values: 67 missing .: 0/309
unique mv codes: 1 missing .*: 138/309

mean: 32.2924
std. dev: 20.7415

percentiles:	10%	25%	50%	75%	90%
	6	17	29	47	59

5 12 27.5 41 57

echi06f12 Grade 6 Students - Hispanic - Female, CCD 2011-12

type: numeric (int)

range: [0,244] units: 1
unique values: 53 missing .: 0/309
unique mv codes: 1 missing .*: 237/309

mean: 55.8889
std. dev: 56.3337

percentiles:	10%	25%	50%	75%	90%
	1	8	35.5	88.5	132

echi06m12 Grade 6 Students - Hispanic - Male, CCD 2011-12

type: numeric (int)

range: [0,246] units: 1
unique values: 53 missing .: 0/309
unique mv codes: 1 missing .*: 237/309

mean: 59.4583
std. dev: 61.4102

percentiles:	10%	25%	50%	75%	90%
	1	10	32	96.5	153

echi07f12 Grade 7 Students - Hispanic - Female, CCD 2011-12

type: numeric (int)

range: [0,214] units: 1
unique values: 49 missing .: 0/309
unique mv codes: 1 missing .*: 244/309

mean: 58.7538
std. dev: 57.0562

percentiles:	10%	25%	50%	75%	90%
	0	10	42	99	142

echi07m12 Grade 7 Students - Hispanic - Male, CCD 2011-12

type: numeric (int)

range: [0,225] units: 1
unique values: 47 missing .: 0/309
unique mv codes: 1 missing .*: 244/309

mean: 61.4615
std. dev: 59.2244

std. dev: 75.7431

percentiles:	10%	25%	50%	75%	90%
	2	9	30	106	186

echi12f12 Grade 12 Students - Hispanic - Female, CCD 2011-12

type: numeric (int)

range:	[0,284]	units:	1
unique values:	38	missing .:	0/309
unique mv codes:	2	missing .*:	261/309

mean: 62.8333
std. dev: 68.5998

percentiles:	10%	25%	50%	75%	90%
	2	8.5	35.5	109	166

echi12m12 Grade 12 Students - Hispanic - Male, CCD 2011-12

type: numeric (int)

range:	[0,275]	units:	1
unique values:	38	missing .:	0/309
unique mv codes:	2	missing .*:	261/309

mean: 62.9167
std. dev: 70.1833

percentiles:	10%	25%	50%	75%	90%
	4	11	32.5	102.5	177

echi0112 Grade 1 Students - Hispanic, CCD 2011-12

type: numeric (float)

range:	[0,297]	units:	1
unique values:	99	missing .:	0/309
unique mv codes:	1	missing .*:	138/309

mean: 64.8713
std. dev: 43.3162

percentiles:	10%	25%	50%	75%	90%
	9	32	63	91	118

echi0212 Grade 2 Students - Hispanic, CCD 2011-12

type: numeric (float)

range:	[0,290]	units:	1
unique values:	99	missing .:	0/309
unique mv codes:	1	missing .*:	138/309

mean: 61.7544
std. dev: 41.5884

percentiles:	10%	25%	50%	75%	90%
	11	28	59	90	113

echi0312 Grade 3 Students - Hispanic, CCD 2011-12

type: numeric (float)

range:	[0,257]	units:	1
unique values:	100	missing .:	0/309
unique mv codes:	1	missing .*:	138/309

mean: 62.5906
std. dev: 40.0573

percentiles:	10%	25%	50%	75%	90%
	12	28	61	91	112

echi0412 Grade 4 Students - Hispanic, CCD 2011-12

type: numeric (float)

range:	[0,197]	units:	1
unique values:	96	missing .:	0/309
unique mv codes:	1	missing .*:	138/309

mean: 59.0175
std. dev: 37.311

percentiles:	10%	25%	50%	75%	90%
	12	29	58	82	106

echi0512 Grade 5 Students - Hispanic, CCD 2011-12

type: numeric (float)

range:	[0,195]	units:	1
unique values:	95	missing .:	0/309
unique mv codes:	1	missing .*:	135/309

mean: 56.4598
std. dev: 36.6728

percentiles:	10%	25%	50%	75%	90%
	9	26	56	79	105

echi0612 Grade 6 Students - Hispanic, CCD 2011-12

type: numeric (float)

range:	[0,490]	units:	1
unique values:	63	missing .:	0/309
unique mv codes:	1	missing .*:	237/309

mean: 115.347
std. dev: 116.547

percentiles:	10%	25%	50%	75%	90%
	3	19	67	190.5	289

echi0712 Grade 7 Students - Hispanic, CCD 2011-12

type: numeric (float)

range:	[0,435]	units:	1
unique values:	56	missing .:	0/309
unique mv codes:	1	missing .*:	244/309

mean: 120.215
std. dev: 115.716

percentiles:	10%	25%	50%	75%	90%
	4	21	83	200	280

echi0812 Grade 8 Students - Hispanic, CCD 2011-12

type: numeric (float)

range:	[0,404]	units:	1
unique values:	55	missing .:	0/309
unique mv codes:	1	missing .*:	246/309

mean: 120.095
std. dev: 112.591

percentiles:	10%	25%	50%	75%	90%
	6	23	78	203	282

echi0912 Grade 9 Students - Hispanic, CCD 2011-12

type: numeric (float)

range:	[0,819]	units:	1
unique values:	48	missing .:	0/309
unique mv codes:	2	missing .*:	258/309

mean: 172.373
std. dev: 200.01

percentiles:	10%	25%	50%	75%	90%
	6	35	87	304	451

echi1012 Grade 10 Students - Hispanic, CCD 2011-12

type: numeric (float)

range:	[0,580]	units:	1
unique values:	45	missing .:	0/309


```

unique values: 97          missing .: 0/309
unique mv codes: 1        missing .*: 139/309

      mean: 63.8882
      std. dev: 46.039

percentiles:      10%      25%      50%      75%      90%
                  10.5      33      61.5      91      118

```

```

echikgfl2          KG Students - Hispanic - Female, CCD 2011-12

```

```

      type: numeric (int)

      range: [0,189]          units: 1
unique values: 64          missing .: 0/309
unique mv codes: 1        missing .*: 139/309

      mean: 31.2882
      std. dev: 22.5405

percentiles:      10%      25%      50%      75%      90%
                  4.5      16      30      45      53.5

```

```

echikgm12          KG Students - Hispanic - Male, CCD 2011-12

```

```

      type: numeric (int)

      range: [0,197]          units: 1
unique values: 69          missing .: 0/309
unique mv codes: 1        missing .*: 139/309

      mean: 32.6
      std. dev: 24.3899

percentiles:      10%      25%      50%      75%      90%
                  5      14      30      47      62

```

```

echim12           All Students - Hispanic - Male, CCD 2011-12

```

```

      type: numeric (int)

      range: [0,1238]          units: 1
unique values: 221          missing .: 0/309
unique mv codes: 2        missing .*: 31/309

      mean: 232.698
      std. dev: 193.237

percentiles:      10%      25%      50%      75%      90%
                  33      84      194      326      459

```

```

echipk12          PK Students - Hispanic, CCD 2011-12

```

```

      type: numeric (float)

```

```

range: [0,1114] units: 1
unique values: 98 missing .: 0/309
unique mv codes: 1 missing .*: 136/309

mean: 67.5896
std. dev: 101.029

percentiles:      10%      25%      50%      75%      90%
                  5        21        56        83        111

```

echipkf12 PK Students - Hispanic - Female, CCD 2011-12

```

type: numeric (int)

range: [0,526] units: 1
unique values: 68 missing .: 0/309
unique mv codes: 1 missing .*: 136/309

mean: 34.1214
std. dev: 49.5003

percentiles:      10%      25%      50%      75%      90%
                  3        12        27        41        55

```

echipkm12 PK Students - Hispanic - Male, CCD 2011-12

```

type: numeric (int)

range: [0,588] units: 1
unique values: 67 missing .: 0/309
unique mv codes: 1 missing .*: 136/309

mean: 33.4682
std. dev: 51.9535

percentiles:      10%      25%      50%      75%      90%
                  3        9        28        42        56

```

echisp12 All Students - Hispanic, CCD 2011-12

```

type: numeric (int)

range: [2,2399] units: 1
unique values: 246 missing .: 0/309
unique mv codes: 2 missing .*: 31/309

mean: 455.727
std. dev: 374.168

percentiles:      10%      25%      50%      75%      90%
                  62      177      401      638      883

```

echiug12 Ungraded Students - Hispanic, CCD 2011-12

```

type: numeric (float)

```

range: [.,.] units: .
unique values: 0 missing .: 0/309
unique mv codes: 1 missing .*: 309/309

tabulation: Freq. Value
309 .n

echiugf12 Ungraded Students - Hispanic - Female, CCD 2011-12

type: numeric (int)

range: [.,.] units: .
unique values: 0 missing .: 0/309
unique mv codes: 1 missing .*: 309/309

tabulation: Freq. Value
309 .n

echiugm12 Ungraded Students - Hispanic - Male, CCD 2011-12

type: numeric (int)

range: [.,.] units: .
unique values: 0 missing .: 0/309
unique mv codes: 1 missing .*: 309/309

tabulation: Freq. Value
309 .n

ecisfle12 School Free Lunch Edit Flag, CCD 2011-12

type: string (str2)

unique values: 2 missing "": 0/309

tabulation: Freq. Value
1 "FA"
308 "PS"

ecisftepup12 School Teacher Edit Flag, CCD 2011-12

type: string (str2)

unique values: 3 missing "": 0/309

tabulation: Freq. Value
3 "FA"
1 "FN"
305 "PS"

ecismempup12 School Membership Edit Flag, CCD 2011-12

```
type: string (str2)
unique values: 3 missing "": 0/309
tabulation: Freq. Value
              4 "FA"
              1 "FN"
             304 "PS"
```

ecispelm12 School Grade Edit Flag, CCD 2011-12

```
type: string (str2)
unique values: 1 missing "": 0/309
tabulation: Freq. Value
              309 "PS"
```

ecispfemale12 School Gender Edit Flag, CCD 2011-12

```
type: string (str2)
unique values: 1 missing "": 0/309
tabulation: Freq. Value
              309 "PS"
```

ecispwhite12 School Race Edit Flag, CCD 2011-12

```
type: string (str2)
unique values: 1 missing "": 0/309
tabulation: Freq. Value
              309 "PS"
```

eckg12 KG Students - Total, CCD 2011-12

```
type: numeric (int)
range: [2,430] units: 1
unique values: 93 missing .: 0/309
unique mv codes: 1 missing .*: 139/309
mean: 98.0882
std. dev: 43.4643
percentiles: 10% 25% 50% 75% 90%
              54 74 94 117 140
```

eckgoffrd12 KG Grade Offered, CCD 2011-12

```
type: numeric (byte)
```

label: Lyesno12
range: [0,1] units: 1
unique values: 2 missing.: 0/309

tabulation:	Freq.	Numeric	Label
	139	0	0.No
	170	1	1.Yes

eclatcod12 Latitude, CCD 2011-12

type: numeric (double)
range: [29.59984,29.875978] units: 1.000e-06
unique values: 299 missing.: 0/309
mean: 29.7363
std. dev: .066487
percentiles: 10% 25% 50% 75% 90%
29.6514 29.6844 29.7325 29.7852 29.8296

ecldcity12 School Location City, CCD 2011-12

type: string (str25), but longest is str8
unique values: 2 missing "": 0/309
tabulation: Freq. Value
5 "BELLAIRE"
304 "HOUSTON"

ecleaid12 NCES Agency Identification Number, CCD 2011-12

type: string (str7)
unique values: 1 missing "": 0/309
tabulation: Freq. Value
309 "4823640"

ecleanm12 LEA Name, CCD 2011-12

type: string (str60), but longest is str11
unique values: 1 missing "": 0/309
tabulation: Freq. Value
309 "HOUSTON ISD"
warning: variable has embedded blanks

eclevel12 School Level, CCD 2011-12

type: numeric (byte)
label: Lschlevel12
range: [1,4] units: 1
unique values: 4 missing .: 0/309
unique mv codes: 1 missing .*: 30/309

tabulation:	Freq.	Numeric	Label
	178	1	1.Primary
	48	2	2.Middle
	42	3	3.High
	11	4	4.Other
	30	.n	

ecloncod12 Longitude, CCD 2011-12

type: numeric (double)
range: [-95.638114,-95.212697] units: 1.000e-06
unique values: 299 missing .: 0/309
mean: -95.3951
std. dev: .084465
percentiles: 10% 25% 50% 75% 90%
-95.5038 -95.4658 -95.377 -95.3339 -95.2941

eclstate12 School Location USPS State Abbreviation, CCD 2011-12

type: string (str2)
unique values: 1 missing "": 0/309
tabulation: Freq. Value
309 "TX"

eclstree12 School Location Address 1, CCD 2011-12

type: string (str30), but longest is str25
unique values: 287 missing "": 0/309
examples: "1701 BRINGHURST"
"4026 BOLIN RD"
"5840 SAN FELIPE ST"
"7414 SAINT LO"
warning: variable has embedded blanks

eclzip12 School Location Zip, CCD 2011-12

type: string (str5)
unique values: 57 missing "": 0/309

examples: "77013"
"77023"
"77047"
"77077"

eczip412 School Location Zip Plus 4, CCD 2011-12

type: string (str4)
unique values: 263 missing "": 9/309
examples: "2124"
"3507"
"4753"
"6033"

ecmagnet12 Magnet School Indicator, CCD 2011-12

type: numeric (byte)
label: Lyesno12
range: [0,1] units: 1
unique values: 2 missing .: 0/309
unique mv codes: 1 missing .*: 4/309
tabulation: Freq. Numeric Label
193 0 0.No
112 1 1.Yes
4 .m

ecmajmin12 Majority Minority (Black + Hispanic) School, CCD 2011-12

type: numeric (float)
range: [0,1] units: 1
unique values: 2 missing .: 0/309
tabulation: Freq. Value
16 0
293 1

ecmcity12 School Mailing City, CCD 2011-12

type: string (str25), but longest is str8
unique values: 2 missing "": 0/309
tabulation: Freq. Value
5 "BELLAIRE"
304 "HOUSTON"

ecmin12 All Students - Minority (Black + Hispanic), CCD 2011-12

range: [0,6] units: 1
unique values: 7 missing .: 0/309
unique mv codes: 1 missing .*: 135/309

tabulation: Freq. Value
142 0
16 1
10 2
3 3
1 4
1 5
1 6
135 .n

ecmr06f12 Grade 6 Students - Two or More Races - Female, CCD 2011-12

type: numeric (byte)

range: [0,8] units: 1
unique values: 8 missing .: 0/309
unique mv codes: 1 missing .*: 237/309

tabulation: Freq. Value
52 0
9 1
5 2
1 3
2 4
1 5
1 7
1 8
237 .n

ecmr06m12 Grade 6 Students - Two or More Races - Male, CCD 2011-12

type: numeric (byte)

range: [0,5] units: 1
unique values: 6 missing .: 0/309
unique mv codes: 1 missing .*: 237/309

tabulation: Freq. Value
55 0
4 1
3 2
4 3
3 4
3 5
237 .n

ecmr07f12 Grade 7 Students - Two or More Races - Female, CCD 2011-12

type: numeric (byte)

range: [0,7] units: 1
unique values: 7 missing .: 0/309

unique mv codes: 1

missing .*: 244/309

tabulation:	Freq.	Value
	50	0
	8	1
	1	2
	2	3
	2	5
	1	6
	1	7
	244	.n

ecmr07m12

Grade 7 Students - Two or More Races - Male, CCD 2011-12

type: numeric (byte)

range:	[0,7]	units:	1
unique values:	6	missing .:	0/309
unique mv codes:	1	missing .*:	244/309

tabulation:	Freq.	Value
	46	0
	9	1
	5	2
	1	3
	3	6
	1	7
	244	.n

ecmr08f12

Grade 8 Students - Two or More Races - Female, CCD 2011-12

type: numeric (byte)

range:	[0,5]	units:	1
unique values:	6	missing .:	0/309
unique mv codes:	1	missing .*:	246/309

tabulation:	Freq.	Value
	45	0
	9	1
	4	2
	1	3
	1	4
	3	5
	246	.n

ecmr08m12

Grade 8 Students - Two or More Races - Male, CCD 2011-12

type: numeric (byte)

range:	[0,7]	units:	1
unique values:	7	missing .:	0/309
unique mv codes:	1	missing .*:	246/309

tabulation:	Freq.	Value
	45	0
	8	1

3 5
3 6
1 7
1 8
1 9
1 14
138 .n

ecmr0212

Grade 2 Students - Two or More Races, CCD 2011-12

type: numeric (float)
range: [0,10] units: 1
unique values: 10 missing .: 0/309
unique mv codes: 1 missing .*: 138/309

tabulation: Freq. Value
110 0
31 1
10 2
5 3
5 4
5 5
2 6
1 8
1 9
1 10
138 .n

ecmr0312

Grade 3 Students - Two or More Races, CCD 2011-12

type: numeric (float)
range: [0,8] units: 1
unique values: 9 missing .: 0/309
unique mv codes: 1 missing .*: 138/309

tabulation: Freq. Value
119 0
29 1
7 2
7 3
4 4
1 5
2 6
1 7
1 8
138 .n

ecmr0412

Grade 4 Students - Two or More Races, CCD 2011-12

type: numeric (float)
range: [0,11] units: 1
unique values: 8 missing .: 0/309
unique mv codes: 1 missing .*: 138/309

```

tabulation:  Freq.  Value
              118    0
              28    1
              10    2
               8    3
               3    4
               1    6
               2    7
               1   11
             138   .n

```

ecmr0512

Grade 5 Students - Two or More Races, CCD 2011-12

```

type:  numeric (float)

range:  [0,10]          units:  1
unique values:  9          missing .:  0/309
unique mv codes: 1          missing .*: 135/309

```

```

tabulation:  Freq.  Value
              119    0
              27    1
              11    2
               5    3
               8    4
               1    5
               1    8
               1    9
               1   10
             135   .n

```

ecmr0612

Grade 6 Students - Two or More Races, CCD 2011-12

```

type:  numeric (float)

range:  [0,12]          units:  1
unique values:  12          missing .:  0/309
unique mv codes: 1          missing .*: 237/309

```

```

tabulation:  Freq.  Value
              46    0
              11    1
               3    2
               2    3
               1    4
               2    5
               1    6
               1    7
               1    8
               1    9
               2   10
               1   12
             237   .n

```

ecmr0712

Grade 7 Students - Two or More Races, CCD 2011-12

```

type:  numeric (float)

```

range: [0,12] units: 1
unique values: 8 missing .: 0/309
unique mv codes: 1 missing .*: 244/309

tabulation: Freq. Value
41 0
9 1
8 2
2 5
1 8
1 9
1 10
2 12
244 .n

ecmr0812

Grade 8 Students - Two or More Races, CCD 2011-12

type: numeric (float)

range: [0,12] units: 1
unique values: 9 missing .: 0/309
unique mv codes: 1 missing .*: 246/309

tabulation: Freq. Value
39 0
11 1
2 2
2 3
3 4
2 6
1 8
1 10
2 12
246 .n

ecmr0912

Grade 9 Students - Two or More Races, CCD 2011-12

type: numeric (float)

range: [0,20] units: 1
unique values: 10 missing .: 0/309
unique mv codes: 2 missing .*: 258/309

tabulation: Freq. Value
26 0
11 1
3 2
3 3
1 4
2 5
1 6
1 13
2 14
1 20
257 .n
1 .t

```

type: numeric (float)
range: [0,20]
unique values: 10
unique mv codes: 2
units: 1
missing .: 0/309
missing .*: 260/309

```

```

tabulation: Freq. Value
             30  0
              8  1
              1  2
              3  3
              1  4
              1  5
              1  6
              2  7
              1 19
              1 20
            259 .n
              1 .t

```

```

type: numeric (float)
range: [0,16]
unique values: 6
unique mv codes: 2
units: 1
missing .: 0/309
missing .*: 260/309

```

```

tabulation: Freq. Value
             29  0
              9  1
              4  3
              3  4
              2  7
              2 16
            259 .n
              1 .t

```

```

type: numeric (float)
range: [0,28]
unique values: 8
unique mv codes: 2
units: 1
missing .: 0/309
missing .*: 261/309

```

```

tabulation: Freq. Value
             34  0
              3  1
              3  2
              2  3
              3  4
              1  5
              1  7
              1 28
            260 .n

```


ecmrf12

All Students - Two or More Races - Female, CCD 2011-12

```

-----
type: numeric (int)

range: [0,42]                units: 1
unique values: 24            missing .: 0/309
unique mv codes: 2          missing .*: 31/309

mean: 2.70504
std. dev: 5.65871

percentiles:    10%    25%    50%    75%    90%
                0      0      1      2      8

```

ecmrkg12

KG Students - Two or More Races, CCD 2011-12

```

-----
type: numeric (float)

range: [0,17]                units: 1
unique values: 10            missing .: 0/309
unique mv codes: 1          missing .*: 139/309

tabulation:  Freq.  Value
              108   0
               33   1
                11   2
                 6   3
                  3   4
                   3   5
                    3   6
                     1  10
                      1  12
                       1  17
                    139  .n

```

ecmrkgf12

KG Students - Two or More Races - Female, CCD 2011-12

```

-----
type: numeric (byte)

range: [0,7]                units: 1
unique values: 7            missing .: 0/309
unique mv codes: 1          missing .*: 139/309

tabulation:  Freq.  Value
              131   0
               26   1
                 7   2
                  1   3
                   2   4
                    2   6
                     1   7
                    139  .n

```

ecmrkgm12

KG Students - Two or More Races - Male, CCD 2011-12

tabulation: Freq. Value
309 .n

ecmstate12 School Mailing USPS State Abbreviation, CCD 2011-12

type: string (str2)
unique values: 1 missing "": 0/309
tabulation: Freq. Value
309 "TX"

ecmstreet12 School Mailing Address 1, CCD 2011-12

type: string (str30), but longest is str25
unique values: 283 missing "": 0/309
examples: "1701 BRINGHURST"
"4103 BRISBANE"
"5800 SOUTHMUND ST"
"7402 ALBACORE DR"
warning: variable has embedded blanks

ecmulti12 All Students - Two or More Races, CCD 2011-12

type: numeric (int)
range: [0,83] units: 1
unique values: 36 missing .: 0/309
unique mv codes: 2 missing .*: 31/309
mean: 5.47482
std. dev: 10.7191
percentiles: 10% 25% 50% 75% 90%
0 0 2 5 18

ecmzip12 School Mailing Zip, CCD 2011-12

type: string (str5)
unique values: 57 missing "": 0/309
examples: "77015"
"77023"
"77048"
"77081"

ecmzip412 School Mailing Zip Plus 4, CCD 2011-12

```
type: string (str4)
unique values: 261 missing "": 9/309
examples: "2199"
          "3513"
          "4801"
          "6110"
```

ecncessch12 Unique School ID, CCD 2011-12

```
type: string (str12)
unique values: 309 missing "": 0/309
examples: "482364002453"
          "482364002533"
          "482364002607"
          "482364008617"
```

ecnotitl12 No Title I, CCD 2011-12

```
type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 0/309
tabulation: Freq. Value
             293 0
             16 1
```

ecpacif12 All Students - Hawaiian Native / Pacific Islander, CCD 2011-12

```
type: numeric (int)
range: [0,46] units: 1
unique values: 12 missing .: 0/309
unique mv codes: 2 missing .*: 31/309
tabulation: Freq. Value
             195 0
             43 1
             16 2
             14 3
              3 4
              1 5
              1 6
              1 7
              1 10
              1 12
              1 13
              1 46
             30 .n
              1 .t
```

ecpamin12 Percent American Indian/Alaska Native, CCD 2011-12

```

-----
type: numeric (float)
range: [0,.01405623] units: 1.000e-10
unique values: 168 missing : 31/309

mean: .00221
std. dev: .002621

percentiles:      10%      25%      50%      75%      90%
                  0        0      .001668  .003378  .005479

```

```

-----
ecpasian12 Percent Asian, CCD 2011-12
-----

```

```

type: numeric (float)
range: [0,.43536586] units: 1.000e-10
unique values: 201 missing : 31/309

mean: .027591
std. dev: .059309

percentiles:      10%      25%      50%      75%      90%
                  0        0      .004191  .025692  .076829

```

```

-----
ecpasianpi12 Percent Asian Pacific Islander, CCD 2011-12
-----

```

```

type: numeric (float)
range: [0,.4402439] units: 1.000e-10
unique values: 206 missing : 31/309

mean: .028604
std. dev: .059997

percentiles:      10%      25%      50%      75%      90%
                  0        0      .004522  .028436  .079268

```

```

-----
ecpblack12 Percent Black, CCD 2011-12
-----

```

```

type: numeric (float)
range: [0,.97340423] units: 1.000e-10
unique values: 277 missing : 31/309

mean: .29347
std. dev: .280707

percentiles:      10%      25%      50%      75%      90%
                  .015612  .061135  .192855  .452122  .751232

```

```

-----
ecphisp12 Percent Hispanic, CCD 2011-12
-----

```

```

type: numeric (float)

```

```

range: [.0106383,.99816513]          units: 1.000e-09
unique values: 278                    missing .: 31/309

mean: .604063
std. dev: .291912

percentiles:      10%      25%      50%      75%      90%
                  .201635  .34611  .654992  .884591  .967045

```

```
ecphone12                                School Phone Number, CCD 2011-12
```

```

type: string (str10)

unique values: 285                    missing "": 0/309

examples: "7134585500"
          "7136751118"
          "7137331111"
          "7138457458"

```

```
ecpi01f12    Grade 1 Students - Hawaiian Native/Pacific Islander - Female, CCD 2011-12
```

```

type: numeric (byte)

range: [0,3]                          units: 1
unique values: 3                       missing .: 0/309
unique mv codes: 1                     missing .*: 138/309

tabulation:  Freq.  Value
              169   0
              1    1
              1    3
              138  .n

```

```
ecpi01m12    Grade 1 Students - Hawaiian Native/Pacific Islander - Male, CCD 2011-12
```

```

type: numeric (byte)

range: [0,2]                          units: 1
unique values: 3                       missing .: 0/309
unique mv codes: 1                     missing .*: 138/309

tabulation:  Freq.  Value
              161   0
              7    1
              3    2
              138  .n

```

```
ecpi02f12    Grade 2 Students - Hawaiian Native/Pacific Islander - Female, CCD 2011-12
```

```

type: numeric (byte)

range: [0,1]                          units: 1
unique values: 2                       missing .: 0/309

```

unique mv codes: 1 missing .*: 138/309

tabulation: Freq. Value
163 0
8 1
138 .n

ecpi02m12 Grade 2 Students - Hawaiian Native/Pacific Islander - Male, CCD 2011-12

type: numeric (byte)

range: [0,2] units: 1
unique values: 3 missing .: 0/309
unique mv codes: 1 missing .*: 138/309

tabulation: Freq. Value
165 0
5 1
1 2
138 .n

ecpi03f12 Grade 3 Students - Hawaiian Native/Pacific Islander - Female, CCD 2011-12

type: numeric (byte)

range: [0,1] units: 1
unique values: 2 missing .: 0/309
unique mv codes: 1 missing .*: 138/309

tabulation: Freq. Value
165 0
6 1
138 .n

ecpi03m12 Grade 3 Students - Hawaiian Native/Pacific Islander - Male, CCD 2011-12

type: numeric (byte)

range: [0,2] units: 1
unique values: 3 missing .: 0/309
unique mv codes: 1 missing .*: 138/309

tabulation: Freq. Value
167 0
3 1
1 2
138 .n

ecpi04f12 Grade 4 Students - Hawaiian Native/Pacific Islander - Female, CCD 2011-12

type: numeric (byte)

range: [0,1] units: 1
unique values: 2 missing .: 0/309
unique mv codes: 1 missing .*: 138/309

range: [0,1] units: 1
unique values: 2 missing .: 0/309
unique mv codes: 2 missing .*: 260/309

tabulation: Freq. Value
44 0
5 1
259 .n
1 .t

ecpi10m12 Grade 10 Students - Hawaiian Native/Pacific Islander - Male, CCD 2011-12

type: numeric (int)

range: [0,3] units: 1
unique values: 4 missing .: 0/309
unique mv codes: 2 missing .*: 260/309

tabulation: Freq. Value
39 0
7 1
1 2
2 3
259 .n
1 .t

ecpi11f12 Grade 11 Students - Hawaiian Native/Pacific Islander - Female, CCD 2011-12

type: numeric (int)

range: [0,7] units: 1
unique values: 3 missing .: 0/309
unique mv codes: 2 missing .*: 260/309

tabulation: Freq. Value
44 0
4 1
1 7
259 .n
1 .t

ecpi11m12 Grade 11 Students - Hawaiian Native/Pacific Islander - Male, CCD 2011-12

type: numeric (int)

range: [0,10] units: 1
unique values: 4 missing .: 0/309
unique mv codes: 2 missing .*: 260/309

tabulation: Freq. Value
44 0
3 1
1 2
1 10
259 .n
1 .t

158 0
11 1
2 2
138 .n

ecpi0312 Grade 3 Students - Hawaiian Native/Pacific Islander, CCD 2011-12

type: numeric (float)

range: [0,2] units: 1
unique values: 3 missing .: 0/309
unique mv codes: 1 missing .*: 138/309

tabulation: Freq. Value
 161 0
 9 1
 1 2
 138 .n

ecpi0412 Grade 4 Students - Hawaiian Native/Pacific Islander, CCD 2011-12

type: numeric (float)

range: [0,2] units: 1
unique values: 3 missing .: 0/309
unique mv codes: 1 missing .*: 138/309

tabulation: Freq. Value
 162 0
 7 1
 2 2
 138 .n

ecpi0512 Grade 5 Students - Hawaiian Native/Pacific Islander, CCD 2011-12

type: numeric (float)

range: [0,1] units: 1
unique values: 2 missing .: 0/309
unique mv codes: 1 missing .*: 135/309

tabulation: Freq. Value
 169 0
 5 1
 135 .n

ecpi0612 Grade 6 Students - Hawaiian Native/Pacific Islander, CCD 2011-12

type: numeric (float)

range: [0,4] units: 1
unique values: 4 missing .: 0/309
unique mv codes: 1 missing .*: 237/309

tabulation: Freq. Value

range: [0,4] units: 1
unique values: 5 missing .: 0/309
unique mv codes: 2 missing .*: 260/309

tabulation: Freq. Value
36 0
9 1
2 2
1 3
1 4
259 .n
1 .t

ecpi1112 Grade 11 Students - Hawaiian Native/Pacific Islander, CCD 2011-12

type: numeric (float)

range: [0,17] units: 1
unique values: 4 missing .: 0/309
unique mv codes: 2 missing .*: 260/309

tabulation: Freq. Value
41 0
6 1
1 3
1 17
259 .n
1 .t

ecpi1212 Grade 12 Students - Hawaiian Native/Pacific Islander, CCD 2011-12

type: numeric (float)

range: [0,26] units: 1
unique values: 4 missing .: 0/309
unique mv codes: 2 missing .*: 261/309

tabulation: Freq. Value
42 0
4 1
1 4
1 26
260 .n
1 .t

ecpif12 All Students - Hawaiian Native/Pacific Islander - Female, CCD 2011-12

type: numeric (int)

range: [0,19] units: 1
unique values: 6 missing .: 0/309
unique mv codes: 2 missing .*: 31/309

tabulation: Freq. Value
227 0
36 1

unique mv codes: 2

missing .*: 31/309

tabulation: Freq. Value
216 0
39 1
13 2
6 3
1 6
1 8
1 10
1 27
30 .n
1 .t

ecpipk12 PK Students - Hawaiian Native/Pacific Islander, CCD 2011-12

type: numeric (float)

range: [0,3] units: 1
unique values: 4 missing .: 0/309
unique mv codes: 1 missing .*: 136/309

tabulation: Freq. Value
162 0
9 1
1 2
1 3
136 .n

ecpipkf12 PK Students - Hawaiian Native/Pacific Islander - Female, CCD 2011-12

type: numeric (byte)

range: [0,2] units: 1
unique values: 3 missing .: 0/309
unique mv codes: 1 missing .*: 136/309

tabulation: Freq. Value
167 0
5 1
1 2
136 .n

ecpipkm12 PK Students - Hawaiian Native/Pacific Islander - Male, CCD 2011-12

type: numeric (byte)

range: [0,1] units: 1
unique values: 2 missing .: 0/309
unique mv codes: 1 missing .*: 136/309

tabulation: Freq. Value
166 0
7 1
136 .n

ecpiug12

Ungraded Students - Hawaiian Native/Pacific Islander, CCD 2011-12

```

      type: numeric (float)
      range: [.,.]
      unique values: 0
      unique mv codes: 1
      units: .
      missing .: 0/309
      missing .*: 309/309
      tabulation: Freq. Value
                   309 .n

```

ecpiugf12

Ungraded Students - Hawaiian Native/Pacific Islander - Female, CCD 2011-12

```

      type: numeric (byte)
      range: [.,.]
      unique values: 0
      unique mv codes: 1
      units: .
      missing .: 0/309
      missing .*: 309/309
      tabulation: Freq. Value
                   309 .n

```

ecpiugm12

Ungraded Students - Hawaiian Native/Pacific Islander - Male, CCD 2011-12

```

      type: numeric (byte)
      range: [.,.]
      unique values: 0
      unique mv codes: 1
      units: .
      missing .: 0/309
      missing .*: 309/309
      tabulation: Freq. Value
                   309 .n

```

ecpk12

PK Students - Total, CCD 2011-12

```

      type: numeric (int)
      range: [2,1762]
      unique values: 101
      unique mv codes: 1
      units: 1
      missing .: 0/309
      missing .*: 136/309
      mean: 98.1734
      std. dev: 146.329
      percentiles:
        10% 25% 50% 75% 90%
         42  60  78  99 126

```

ecpkoffrd12

PK Grade Offered, CCD 2011-12

```

      type: numeric (byte)
      label: Lyesno12
      range: [0,1]
      unique values: 2
      units: 1
      missing .: 0/309

```

tabulation:	Freq.	Numeric	Label
	136	0	0.No
	173	1	1.Yes

ecpmin12 Percent Minority (Black + Hispanic), CCD 2011-12

type: numeric (float)

range: [.11996713,1] units: 1.000e-08

unique values: 271 missing .: 31/309

mean: .897533

std. dev: .171821

percentiles:	10%	25%	50%	75%	90%
	.651316	.902048	.971856	.987071	.994629

ecpmulti12 Percent Two or More Races, CCD 2011-12

type: numeric (float)

range: [0,.054242] units: 1.000e-11

unique values: 193 missing .: 31/309

mean: .006515

std. dev: .010098

percentiles:	10%	25%	50%	75%	90%
	0	0	.002088	.007353	.02088

ecppacif12 Percent Hawaiian Native/ Pacific Islander, CCD 2011-12

type: numeric (float)

range: [0,.05555556] units: 1.000e-11

unique values: 80 missing .: 31/309

mean: .001012

std. dev: .003737

percentiles:	10%	25%	50%	75%	90%
	0	0	0	.001199	.002621

ecpwhite12 Percent White, CCD 2011-12

type: numeric (float)

range: [0,.67625308] units: 1.000e-10

unique values: 253 missing .: 31/309

mean: .065138

std. dev: .122095

percentiles:	10%	25%	50%	75%	90%
--------------	-----	-----	-----	-----	-----

.002247 .006369 .014694 .042607 .232977

ecracecat12 Ethnic Categories Indicator, CCD 2011-12

type: numeric (byte)
range: [7,7] units: 1
unique values: 1 missing : 0/309
tabulation: Freq. Value
309 7

ecreconstf12 Reconstituted Flag, CCD 2011-12

type: numeric (byte)
label: Lyesno12
range: [0,1] units: 1
unique values: 2 missing : 0/309
tabulation: Freq. Numeric Label
308 0 0.No
1 1 1.Yes

ecreconsty12 Reconstituted Year, CCD 2011-12

type: numeric (int)
range: [2010,2011] units: 1
unique values: 2 missing : 0/309
unique mv codes: 1 missing .*: 302/309
tabulation: Freq. Value
6 2010
1 2011
302 .n

ecredlch12 Reduced-Price Lunch Eligible Students, CCD 2011-12

type: numeric (int)
range: [0,385] units: 1
unique values: 110 missing : 0/309
unique mv codes: 2 missing .*: 31/309
mean: 51.2626
std. dev: 47.1794
percentiles: 10% 25% 50% 75% 90%
10 24 42 63 92

ecschnam12 School Name, CCD 2011-12

```
type: string (str50)
unique values: 308 missing "": 0/309
examples: "DEADY MIDDLE"
          "HCC LIFE SKILLS PROGRAM"
          "MCNAMARA EL"
          "SCARBOROUGH H S"
warning: variable has embedded blanks
```

ecschno12 NCES School Identifier, CCD 2011-12

```
type: string (str5)
unique values: 309 missing "": 0/309
examples: "02453"
          "02533"
          "02607"
          "08617"
```

ecseasch12 State School Identifier, CCD 2011-12

```
type: string (str20), but longest is str9
unique values: 309 missing "": 0/309
examples: "101912075"
          "101912160"
          "101912237"
          "101912320"
```

ecsfle12 School Free Lunch Edit, CCD 2011-12

```
type: string (str1)
unique values: 2 missing "": 0/309
tabulation: Freq. Value
              1 "1"
             308 "2"
```

ecsftepup12 School Teacher Edit, CCD 2011-12

```
type: string (str1)
unique values: 2 missing "": 0/309
tabulation: Freq. Value
              4 "1"
             305 "2"
```

ecshared12 Shared Time Indicator, CCD 2011-12

range: [1,7] units: 1
unique values: 5 missing .: 0/309

tabulation:	Freq.	Numeric	Label
	276	1	1.Continue
	25	2	2.Closed
	3	3	3.New
	3	6	6.Inactive
	2	7	7.Future

ecstid12 State Local Education Number, CCD 2011-12

type: string (str14), but longest is str6
unique values: 1 missing "": 0/309

tabulation:	Freq.	Value
	309	"101912"

ecstitli12 School-wide Title I, CCD 2011-12

type: numeric (byte)
label: Lyesno12
range: [0,1] units: 1
unique values: 2 missing .: 0/309
unique mv codes: 1 missing .*: 46/309

tabulation:	Freq.	Numeric	Label
	1	0	0.No
	262	1	1.Yes
	46	.n	

ectitlei12 Title I Eligible School, CCD 2011-12

type: numeric (byte)
label: Lyesno12
range: [0,1] units: 1
unique values: 2 missing .: 0/309
unique mv codes: 1 missing .*: 30/309

tabulation:	Freq.	Numeric	Label
	16	0	0.No
	263	1	1.Yes
	30	.n	

ectitleistat12 Title I School Status, CCD 2011-12

type: numeric (byte)
label: Ltitleistat12
range: [1,6] units: 1
unique values: 4 missing .: 0/309

unique mv codes: 1 missing .*: 30/309

tabulation:	Freq.	Numeric	Label
	1	1	1.TAS elig_No prog
	2	4	4.SWP elig_No prog
	260	5	5.SWP elig_SWP prov
	16	6	6.Not elig
	30	.n	

ectitli12 Any Title I, Targeted or Schoolwide, CCD 2011-12

type: numeric (float)

range: [0,1] units: 1
unique values: 2 missing .: 0/309

tabulation:	Freq.	Value
	46	0
	263	1

ectitsw12 Title I School, Targeted Assistance or Schoolwide, CCD 2011-12

type: numeric (float)
label: Lectitsw12

range: [1,4] units: 1
unique values: 4 missing .: 0/309

tabulation:	Freq.	Numeric	Label
	16	1	1.No Title I
	1	2	2.Title I Targeted Assistance
	262	3	3.Title I Schoolwide Program
	30	4	4.Missing

ectlimis12 Missing on Title I, CCD 2011-12

type: numeric (byte)

range: [0,1] units: 1
unique values: 2 missing .: 0/309

tabulation:	Freq.	Value
	279	0
	30	1

ectliswp12 Title I Schoolwide Program, CCD 2011-12

type: numeric (byte)

range: [0,1] units: 1
unique values: 2 missing .: 0/309

tabulation:	Freq.	Value
	47	0
	262	1

ectlitas12

Title I Targeted Assistance, CCD 2011-12

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 0/309
tabulation: Freq. Value
 308 0
 1 1

ectoteth12

Total Ethnic, CCD 2011-12

type: numeric (int)
range: [4,3476] units: 1
unique values: 241 missing .: 0/309
unique mv codes: 2 missing .*: 31/309
mean: 730.259
std. dev: 493.68
percentiles: 10% 25% 50% 75% 90%
 300 459 647.5 829 1217

ectotfrl12

Total of Free and Reduced-Lunch Eligible Students, CCD 2011-12

type: numeric (int)
range: [0,1759] units: 1
unique values: 224 missing .: 0/309
unique mv codes: 2 missing .*: 31/309
mean: 327.583
std. dev: 242.805
percentiles: 10% 25% 50% 75% 90%
 95 194 290 402 565

ectotpop12

All Students - Total, CCD 2011-12

type: numeric (int)
range: [4,3476] units: 1
unique values: 241 missing .: 0/309
unique mv codes: 2 missing .*: 31/309
mean: 730.259
std. dev: 493.68
percentiles: 10% 25% 50% 75% 90%
 300 459 647.5 829 1217

ectype12

School Type, CCD 2011-12

```

type: numeric (byte)
label: Ltype12

range: [1,4]
unique values: 3

units: 1
missing .: 0/309

tabulation: Freq.  Numeric  Label
              281      1  1.RegSchl
              4       2  2.SpecEd
              24      4  4.AltOth

```

ecug12

Ungraded Students - Total, CCD 2011-12

```

type: numeric (int)

range: [.,.]
unique values: 0
unique mv codes: 1

units: .
missing .: 0/309
missing .*: 309/309

tabulation: Freq.  Value
              309  .n

```

ecugoffrd12

UG Grade Offered, CCD 2011-12

```

type: numeric (byte)
label: Lyesno12

range: [0,0]
unique values: 1

units: 1
missing .: 0/309

tabulation: Freq.  Numeric  Label
              309      0  0.No

```

eculocal12

NCES urban-centric locale code, CCD 2011-12

```

type: numeric (byte)
label: Lulocal12

range: [11,41]
unique values: 3

units: 1
missing .: 0/309

tabulation: Freq.  Numeric  Label
              301      11  11.LgCity
              7       21  21.LgSub
              1       41  41.FringeRur

```

ecunion12

Supervisory Union Identification Number, CCD 2011-12

```

type: string (str3)

unique values: 1

missing "": 0/309

```

tabulation: Freq. Value
309 "000"

ecwh01f12 Grade 1 Students - White - Female, CCD 2011-12

type: numeric (int)

range: [0,72] units: 1
unique values: 24 missing .: 0/309
unique mv codes: 1 missing .*: 138/309

mean: 3.83041
std. dev: 9.19721

percentiles:	10%	25%	50%	75%	90%
	0	0	0	2	14

ecwh01m12 Grade 1 Students - White - Male, CCD 2011-12

type: numeric (int)

range: [0,89] units: 1
unique values: 25 missing .: 0/309
unique mv codes: 1 missing .*: 138/309

mean: 3.91813
std. dev: 9.69623

percentiles:	10%	25%	50%	75%	90%
	0	0	1	2	11

ecwh02f12 Grade 2 Students - White - Female, CCD 2011-12

type: numeric (int)

range: [0,69] units: 1
unique values: 26 missing .: 0/309
unique mv codes: 1 missing .*: 138/309

mean: 3.85965
std. dev: 8.92077

percentiles:	10%	25%	50%	75%	90%
	0	0	1	2	13

ecwh02m12 Grade 2 Students - White - Male, CCD 2011-12

type: numeric (int)

range: [0,89] units: 1
unique values: 25 missing .: 0/309
unique mv codes: 1 missing .*: 138/309

mean: 4.1345
std. dev: 10.0475

percentiles:	10%	25%	50%	75%	90%
	0	0	1	3	13

ecwh03f12

Grade 3 Students - White - Female, CCD 2011-12

type: numeric (int)

range:	[0,63]	units:	1
unique values:	24	missing .:	0/309
unique mv codes:	1	missing .*:	138/309

mean: 3.95906
std. dev: 9.28082

percentiles:	10%	25%	50%	75%	90%
	0	0	1	3	14

ecwh03m12

Grade 3 Students - White - Male, CCD 2011-12

type: numeric (int)

range:	[0,80]	units:	1
unique values:	25	missing .:	0/309
unique mv codes:	1	missing .*:	138/309

mean: 4.29825
std. dev: 10.7012

percentiles:	10%	25%	50%	75%	90%
	0	0	0	2	14

ecwh04f12

Grade 4 Students - White - Female, CCD 2011-12

type: numeric (int)

range:	[0,82]	units:	1
unique values:	24	missing .:	0/309
unique mv codes:	1	missing .*:	138/309

mean: 3.93567
std. dev: 9.98655

percentiles:	10%	25%	50%	75%	90%
	0	0	1	2	12

ecwh04m12

Grade 4 Students - White - Male, CCD 2011-12

type: numeric (int)

range:	[0,62]	units:	1
unique values:	22	missing .:	0/309
unique mv codes:	1	missing .*:	138/309

mean: 3.76608

std. dev: 9.07571

percentiles:	10%	25%	50%	75%	90%
	0	0	1	2	12

ecwh05f12 Grade 5 Students - White - Female, CCD 2011-12

type: numeric (int)

range:	[0,97]	units:	1
unique values:	25	missing .:	0/309
unique mv codes:	1	missing .*:	135/309

mean: 3.74138
std. dev: 9.94126

percentiles:	10%	25%	50%	75%	90%
	0	0	1	2	12

ecwh05m12 Grade 5 Students - White - Male, CCD 2011-12

type: numeric (int)

range:	[0,91]	units:	1
unique values:	26	missing .:	0/309
unique mv codes:	1	missing .*:	135/309

mean: 3.94828
std. dev: 9.89907

percentiles:	10%	25%	50%	75%	90%
	0	0	0	3	10

ecwh06f12 Grade 6 Students - White - Female, CCD 2011-12

type: numeric (int)

range:	[0,102]	units:	1
unique values:	17	missing .:	0/309
unique mv codes:	1	missing .*:	237/309

mean: 7.75
std. dev: 20.3683

percentiles:	10%	25%	50%	75%	90%
	0	0	1	4	11

ecwh06m12 Grade 6 Students - White - Male, CCD 2011-12

type: numeric (int)

range:	[0,105]	units:	1
unique values:	19	missing .:	0/309
unique mv codes:	1	missing .*:	237/309

mean: 8.23611
std. dev: 19.8228

percentiles:	10%	25%	50%	75%	90%
	0	0	1	4	17

ecwh07f12 Grade 7 Students - White - Female, CCD 2011-12

type: numeric (int)

range:	[0,123]	units:	1
unique values:	16	missing .:	0/309
unique mv codes:	1	missing .*:	244/309

mean: 8.6
std. dev: 22.1464

percentiles:	10%	25%	50%	75%	90%
	0	0	1	4	21

ecwh07m12 Grade 7 Students - White - Male, CCD 2011-12

type: numeric (int)

range:	[0,117]	units:	1
unique values:	18	missing .:	0/309
unique mv codes:	1	missing .*:	244/309

mean: 8.47692
std. dev: 21.463

percentiles:	10%	25%	50%	75%	90%
	0	0	1	4	22

ecwh08f12 Grade 8 Students - White - Female, CCD 2011-12

type: numeric (int)

range:	[0,129]	units:	1
unique values:	18	missing .:	0/309
unique mv codes:	1	missing .*:	246/309

mean: 9.01587
std. dev: 23.1276

percentiles:	10%	25%	50%	75%	90%
	0	0	1	4	27

ecwh08m12 Grade 8 Students - White - Male, CCD 2011-12

type: numeric (int)

range:	[0,109]	units:	1
unique values:	18	missing .:	0/309
unique mv codes:	1	missing .*:	246/309

mean: 9.93651
std. dev: 22.9599

percentiles:	10%	25%	50%	75%	90%
	0	0	2	5	28

ecwh09f12 Grade 9 Students - White - Female, CCD 2011-12

type: numeric (int)

range:	[0,103]	units:	1
unique values:	17	missing .:	0/309
unique mv codes:	2	missing .*:	258/309

mean: 11.6471
std. dev: 26.0682

percentiles:	10%	25%	50%	75%	90%
	0	0	2	7	39

ecwh09m12 Grade 9 Students - White - Male, CCD 2011-12

type: numeric (int)

range:	[0,135]	units:	1
unique values:	19	missing .:	0/309
unique mv codes:	2	missing .*:	258/309

mean: 12.2549
std. dev: 27.5919

percentiles:	10%	25%	50%	75%	90%
	0	0	2	10	23

ecwh10f12 Grade 10 Students - White - Female, CCD 2011-12

type: numeric (int)

range:	[0,140]	units:	1
unique values:	16	missing .:	0/309
unique mv codes:	2	missing .*:	260/309

mean: 12.0408
std. dev: 29.6177

percentiles:	10%	25%	50%	75%	90%
	0	0	2	4	60

ecwh10m12 Grade 10 Students - White - Male, CCD 2011-12

type: numeric (int)

range:	[0,119]	units:	1
unique values:	19	missing .:	0/309

unique mv codes: 2 missing .*: 260/309

mean: 11.2857
std. dev: 23.4982

percentiles:	10%	25%	50%	75%	90%
	0	1	2	9	38

ecwh11f12 Grade 11 Students - White - Female, CCD 2011-12

type: numeric (int)

range:	[0,125]	units:	1
unique values:	14	missing .:	0/309
unique mv codes:	2	missing .*:	260/309

mean: 10.1224
std. dev: 26.917

percentiles:	10%	25%	50%	75%	90%
	0	0	1	5	25

ecwh11m12 Grade 11 Students - White - Male, CCD 2011-12

type: numeric (int)

range:	[0,134]	units:	1
unique values:	16	missing .:	0/309
unique mv codes:	2	missing .*:	260/309

mean: 10.551
std. dev: 27.9621

percentiles:	10%	25%	50%	75%	90%
	0	0	1	5	27

ecwh12f12 Grade 12 Students - White - Female, CCD 2011-12

type: numeric (int)

range:	[0,120]	units:	1
unique values:	15	missing .:	0/309
unique mv codes:	2	missing .*:	261/309

mean: 10.6458
std. dev: 27.4339

percentiles:	10%	25%	50%	75%	90%
	0	0	1.5	5.5	29

ecwh12m12 Grade 12 Students - White - Male, CCD 2011-12

type: numeric (int)

range:	[0,127]	units:	1
--------	---------	--------	---

range: [0,144] units: 1
unique values: 32 missing .: 0/309
unique mv codes: 1 missing .*: 138/309

mean: 7.70175
std. dev: 18.8542

percentiles:	10%	25%	50%	75%	90%
	0	0	1	4	24

ecwh0512

Grade 5 Students - White, CCD 2011-12

type: numeric (float)

range: [0,188] units: 1
unique values: 31 missing .: 0/309
unique mv codes: 1 missing .*: 135/309

mean: 7.68966
std. dev: 19.6756

percentiles:	10%	25%	50%	75%	90%
	0	0	1	5	24

ecwh0612

Grade 6 Students - White, CCD 2011-12

type: numeric (float)

range: [0,207] units: 1
unique values: 22 missing .: 0/309
unique mv codes: 1 missing .*: 237/309

mean: 15.9861
std. dev: 39.8563

percentiles:	10%	25%	50%	75%	90%
	0	0	2	7.5	37

ecwh0712

Grade 7 Students - White, CCD 2011-12

type: numeric (float)

range: [0,240] units: 1
unique values: 22 missing .: 0/309
unique mv codes: 1 missing .*: 244/309

mean: 17.0769
std. dev: 43.2295

percentiles:	10%	25%	50%	75%	90%
	0	1	2	6	43

ecwh0812

Grade 8 Students - White, CCD 2011-12

type: numeric (float)

range: [0,238] units: 1
unique values: 23 missing .: 0/309
unique mv codes: 1 missing .*: 246/309

mean: 18.9524
std. dev: 45.809

percentiles:	10%	25%	50%	75%	90%
	0	0	3	7	50

ecwh0912

Grade 9 Students - White, CCD 2011-12

type: numeric (float)

range: [0,238] units: 1
unique values: 23 missing .: 0/309
unique mv codes: 2 missing .*: 258/309

mean: 23.902
std. dev: 53.002

percentiles:	10%	25%	50%	75%	90%
	0	1	4	17	75

ecwh1012

Grade 10 Students - White, CCD 2011-12

type: numeric (float)

range: [0,259] units: 1
unique values: 23 missing .: 0/309
unique mv codes: 2 missing .*: 260/309

mean: 23.3265
std. dev: 52.7922

percentiles:	10%	25%	50%	75%	90%
	0	1	4	13	99

ecwh1112

Grade 11 Students - White, CCD 2011-12

type: numeric (float)

range: [0,256] units: 1
unique values: 19 missing .: 0/309
unique mv codes: 2 missing .*: 260/309

mean: 20.6735
std. dev: 54.5758

percentiles:	10%	25%	50%	75%	90%
	0	1	3	10	53

ecwh1212

Grade 12 Students - White, CCD 2011-12

```

type: numeric (float)
range: [0,245]
unique values: 20
unique mv codes: 2
units: 1
missing .: 0/309
missing .*: 261/309
mean: 20.9583
std. dev: 53.4304
percentiles: 10% 25% 50% 75% 90%
              0 2 3 11.5 56

```

```
ecwhf12 All Students - White - Female, CCD 2011-12
```

```

type: numeric (int)
range: [0,730]
unique values: 70
unique mv codes: 2
units: 1
missing .: 0/309
missing .*: 31/309
mean: 29.0108
std. dev: 77.1875
percentiles: 10% 25% 50% 75% 90%
              0 1 4.5 13 87

```

```
ecwhite12 All Students - White, CCD 2011-12
```

```

type: numeric (int)
range: [0,1392]
unique values: 83
unique mv codes: 2
units: 1
missing .: 0/309
missing .*: 31/309
mean: 59.1763
std. dev: 152.417
percentiles: 10% 25% 50% 75% 90%
              1 3 10 26 188

```

```
ecwhkg12 KG Students - White, CCD 2011-12
```

```

type: numeric (float)
range: [0,144]
unique values: 33
unique mv codes: 1
units: 1
missing .: 0/309
missing .*: 139/309
mean: 7.85294
std. dev: 17.466
percentiles: 10% 25% 50% 75% 90%
              0 0 1 5 30

```

```
ecwhkgf12 KG Students - White - Female, CCD 2011-12
```

```

type: numeric (int)
range: [0,72]
unique values: 28
unique mv codes: 1
units: 1
missing .: 0/309
missing .*: 139/309
mean: 3.78824
std. dev: 8.56178
percentiles: 10% 25% 50% 75% 90%
              0 0 1 3 13.5

```

ecwhkgm12 KG Students - White - Male, CCD 2011-12

```

type: numeric (int)
range: [0,72]
unique values: 25
unique mv codes: 1
units: 1
missing .: 0/309
missing .*: 139/309
mean: 4.06471
std. dev: 9.02996
percentiles: 10% 25% 50% 75% 90%
              0 0 1 2 15.5

```

ecwhm12 All Students - White - Male, CCD 2011-12

```

type: numeric (int)
range: [0,662]
unique values: 70
unique mv codes: 2
units: 1
missing .: 0/309
missing .*: 31/309
mean: 30.1655
std. dev: 75.6626
percentiles: 10% 25% 50% 75% 90%
              0 2 5 16 95

```

ecwhpk12 PK Students - White, CCD 2011-12

```

type: numeric (float)
range: [0,33]
unique values: 19
unique mv codes: 1
units: 1
missing .: 0/309
missing .*: 136/309
mean: 3.01156
std. dev: 5.49205
percentiles: 10% 25% 50% 75% 90%
              0 0 1 3 7

```

ecwhpkf12 PK Students - White - Female, CCD 2011-12

```

-----
type: numeric (int)

range: [0,16] units: 1
unique values: 13 missing .: 0/309
unique mv codes: 1 missing .*: 136/309

mean: 1.3237
std. dev: 2.55164

percentiles: 10% 25% 50% 75% 90%
              0 0 0 2 4

```

```

-----
ecwhpk12 PK Students - White - Male, CCD 2011-12
-----

```

```

type: numeric (int)

range: [0,18] units: 1
unique values: 14 missing .: 0/309
unique mv codes: 1 missing .*: 136/309

mean: 1.68786
std. dev: 3.178

percentiles: 10% 25% 50% 75% 90%
              0 0 1 2 4

```

```

-----
ecwhug12 Ungraded Students - White, CCD 2011-12
-----

```

```

type: numeric (float)

range: [.,.] units: .
unique values: 0 missing .: 0/309
unique mv codes: 1 missing .*: 309/309

tabulation: Freq. Value
              309 .n

```

```

-----
ecwhugf12 Ungraded Students - White - Female, CCD 2011-12
-----

```

```

type: numeric (int)

range: [.,.] units: .
unique values: 0 missing .: 0/309
unique mv codes: 1 missing .*: 309/309

tabulation: Freq. Value
              309 .n

```

```

-----
ecwhugm12 Ungraded Students - White - Male, CCD 2011-12
-----

```

```

type: numeric (int)

range: [.,.] units: .

```

unique values: 0 missing .: 0/309
unique mv codes: 1 missing .*: 309/309

tabulation: Freq. Value
 309 .n

ethflag12 Flag- Total ethnic does not equal sum of all ethnic groups, CCD 2011-12

 type: numeric (float)
 range: [0,2] units: 1
unique values: 2 missing .: 0/309

tabulation: Freq. Value
 278 0
 31 2

flanec12 Analytic Sample- HISD Only, Not Closed or
 Inactive, Regular School, CCD 2011-12

 type: numeric (float)
 range: [0,1] units: 1
unique values: 2 missing .: 0/309

tabulation: Freq. Value
 47 0
 262 1

flmiss12 Flag- Missing on free lunch, CCD 2011-12

 type: numeric (float)
 range: [0,1] units: 1
unique values: 2 missing .: 0/309

tabulation: Freq. Value
 278 0
 31 1

flscun12 flag for CCD school universe file 2011-12

 type: numeric (float)
 range: [1,1] units: 1
unique values: 1 missing .: 0/309

tabulation: Freq. Value
 309 1

lchdiff12 Flag- Total FRL does not equal sum of free and reduced, CCD 2011-12

 type: numeric (float)

range: [0,1]
unique values: 2

units: 1
missing .: 0/309

tabulation: Freq. Value
 278 0
 31 1

rlmiss12

Flag- Missing on reduced lunch, CCD 2011-12

type: numeric (float)

range: [0,1]
unique values: 2

units: 1
missing .: 0/309

tabulation: Freq. Value
 278 0
 31 1

tlmiss12

Flag- Missing on total FRL, CCD 2011-12

type: numeric (float)

range: [0,1]
unique values: 2

units: 1
missing .: 0/309

tabulation: Freq. Value
 278 0
 31 1
